Phytopathology

An International Journal

Official Organ of

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 54

JANUARY-DECEMBER 1964

Editor-in-Chief

THOR KOMMEDAHL

Editors

M. G. BOOSALIS
J. E. DEVAY
E. P. DUCHARME
R. D. DURBIN
M. E. GALLEGLY
M. W. GARDNER
L. F. JOHNSON
J. E. MITCHELL
G. C. PAPAVIZAS
R. S. PETERSON
D. POWELL
D. A. ROBERTS
W. F. ROCHOW
J. N. SASSER
R. D. WILCOXSON

Business Management

A. W. DIMOCK
D. A. ROBERTS

The American Phytopathological Society

Officers

A. E. DIMOND, *President*
J. RALPH SHAY, *Secretary*
W. J. ZAUMEYER, *President-Elect*
G. A. ZENTMYER, *Vice-President*
A. W. DIMOCK, *Treasurer*
C. S. HOLTON, *Retiring President*

Councilors

L. J. ALEXANDER
A. E. RICH
C. GARDNER SHAW
SAUL RICH
J. G. MOSEMAN, JR.
I. W. BUDDENHAGEN
J. H. OWEN
J. B. LUCAS

PUBLISHED FOR THE SOCIETY

The Heffernan Press Inc.

Worcester, Massachusetts

DIVISIONS OF THE SOCIETY

Caribbean

A. E. Rodriguez V., *Pres.*	J. S. Niederhauser, *Vice-Pres.*	L. C. Gonzalez, *Sec.-Treas.*

Northeastern

H. B. Couch, *Pres.*	M. T. Hilborn, *Vice-Pres.*	G. A. Brandes, *Sec.-Treas.*

North Central

J. F. Schafer, *Pres.*	E. W. Hanson, *Vice-Pres.*	E. D. Hansing, *Sec.-Treas.*

Pacific

C. J. Gould, *Pres.*	J. M. Wallace, *Vice-Pres.*	C. E. Horner, *Sec.-Treas.*

Potomac

H. D. Sisler, *Pres.*	R. E. Webb, *Vice-Pres.*	G. C. Papavizas, *Sec.-Treas.*

Southern

E. S. Luttrell, *Pres.*	J. B. Sinclair, *Vice-Pres.*	J. H. Owen, *Sec.-Treas.*

SUSTAINING ASSOCIATES

American Cyanamid Company, Princeton, N.J.

American Tobacco Company, Inc., Research Laboratory, 400 Petersburg Turnpike, Richmond 24, Va.

Calumet & Hecla, Inc., Calumet, Mich.

Campbell Soup Company, Camden, N.J.

CIBA Corporation, P.O. Box 1105, Vero Beach, Fla.

The Dow Chemical Company, Midland, Mich.

E. I. du Pont de Nemours & Company, Inc., Wilmington 98, Del.

Ferry-Morse Seed Company, P.O. Box 100, Mountain View, Calif.

H. J. Heinz Company, Pittsburgh 30, Pa.

Monsanto Chemical Company, 800 N. Lindberg Boulevard, St. Louis 66, Mo.

Niagara Chemical Division, FMC Corporation, Middleport, N.Y.

Rohm & Haas Company, Washington Square, Philadelphia 5, Pa.

Shell Chemical Company, Agricultural Chemicals Sales Division, 110 West 51st Street, New York 20, N.Y.

Tennessee Corporation, 900 Roosevelt Highway, College Park, Ga.

Yoder Brothers, Inc., Barberton, Ohio

CONTENTS OF VOLUME 54, 1964

No. 1—JANUARY

William Laurence Gordon, 1901-1963 ..... T. Johnson 1

Report of the 55th Annual Meeting of The American Phytopathological Society 2

Changes in the black shank disease reaction of susceptible tobacco (Nicotiana tabacum) induced by gamma irradiation ..... J. L. Apple 23

Prolonging the motility and virus-transmitting ability of Olpidium zoospores with chemicals
D. S. Teakle and A. H. Gold 29

Host-parasite relationships in sunflower wilt incited by Sclerotinia sclerotiorum as determined by the twin technique ..... S. H. Pawlowski and E. J. Hawn 33

Biological activity of the golden nematode hatching factor. Influence on Aspergillus awamori metabolism
R. V. Dahlstrom, W. V. Hartwell, and A. L. Neal 36

The latent occurrence in citrus and other hosts of a Guignardia easily confused with G. citricarpa, the citrus black spot pathogen ..... K. C. McOnie 40

Aster yellows of flax ..... R. A. Frederiksen 44

Relation of age of leaf and varietal resistance to bacterial multiplication in cucumber inoculated with Pseudomonas lachrymans ..... J. N. Chand and J. C. Walker 49

Inheritance of resistance to angular leafspot of cucumber ..... J. N. Chand and J. C. Walker 51

A second independent gene in blue lupine conditioning resistance to Stemphylium solani
Ian Forbes, Homer D. Wells, and John R. Edwardson 54

Decay of wood by species of the Xylariaceae ..... W. Merrill, D. W. French, and F. A. Wood 56

Antibiotic activity of pear leaves against Erwinia amylovora and its relation to β-Glucosidase
Donald C. Hildebrand and Milton N. Schroth 59

Source of inoculum of Guignardia citricarpa, the citrus black spot pathogen ..... K. C. McOnie 64

Cold-induced dormancy and its reversal in uredospores of Puccinia graminis var. tritici .... K. R. Bromfield 68

The relationship of severe bean mosaic virus from Mexico to southern bean mosaic virus and its related strain in cowpea ..... R. G. Grogan and K. A. Kimble 75

Penetration and development of Heterodera glycines in soybean roots and related anatomical changes
Burton Y. Endo 79

Relationship of penetration to reaction type when seedling wheat leaves are inoculated with Puccinia graminis tritici ..... J. F. Brown and W. A. Shipton 89

Oxidation of phloridzin and phloretin related to resistance of Malus to Venturia inaequalis
R. L. Noveroske, J. Kuć, and E. B. Williams 92

β-Glycosidase and phenoloxidase in apple leaves and their possible relation to resistance to Venturia inaequalis
R. L. Noveroske, J. Kuć, and E. B. Williams 98

An examination of vegetative recombination of urediospore color and virulence in mixtures of certain races of Puccinia recondita ..... Rita Barr, Ralph M. Caldwell, and Richard H. Amacher 104

Phytopathological Notes

Measurement of pectinolytic and cellulolytic enzyme activity by rotating spindle viscometry
R. T. Sherwood and Arthur Kelman 110

Use of ultraviolet-induced sporulation for identification of Pyrenochaeta terrestris
W. M. Hess, Edward K. Vaughan, and C. M. Leach 113

A strain of Phytophthora parasitica from okra and its sexual compatibility with isolates from citrus
Donald C. Erwin 114

Light inhibition of uredospore germination in Puccinia recondita
Curtis V. Givan and K. R. Bromfield 116

Photonegative reaction of the chrysanthemum foliar nematode ..... James R. Bloom 118

Some probable relationships of soil fungi and zone lines to survival of Poria weirii in buried wood blocks
Earl E. Nelson 120

Variation in isolates from Armillaria root disease in Nyasaland ..... I. A. S. Gibson and D. C. M. Corbett 122

News 124

No. 2—FEBRUARY

Harry Ardell Allard, 1880-1963 ..... E. W. Brandes 125

Report and Abstracts of the 1963 Annual Meeting of the Northeastern Division of The American Phytopathological Society 127

Effect of some fungicides on pectolytic enzyme activity of Sclerotinia sclerotiorum and Botrytis allii
Rajendra K. Grover 130

Effect of mineral fertilization and soil reaction on soil fungi .... Donald D. Kaufman and Lansing E. Williams 134

Splash dispersal and wind as factors in epidemiology of halo blight of bean ..... J. C. Walker and P. N. Patel 140

Effect of host components and sucrose on infection by potato yellow dwarf virus
R. F. Whitcomb and R. C. Sinha 142

Morphology and physiology of Helminthosporium victoriae and related species ... V. E. Wilson and H. C. Murphy 147
Role of certain plant-parasitic nematodes in infection of tomatoes by Pseudomonas solanacearum
Gerald Libman, J. G. Leach, and Robert E. Adams 151
Developmental morphology of Hypoxylon pruinatum in bark of quaking aspen ..... J. D. Rogers and J. G. Berbee 154
The effect of placement of reactants on immunodiffusion precipitin patterns
R. G. Grogan, R. H. Taylor, and K. A. Kimble 163
Exudates of grape berries and their effect on germination of conidia of Botrytis cinerea
T. Kosuge and Wm. B. Hewitt 167
Pathogenicity of Phytophthora fragariae to certain Potentilla species
J. N. Moore, D. H. Scott, and R. H. Converse 173
Association of dagger nematode, Xiphinema americanum, with stunting and winterkill of ornamental spruce
G. D. Griffin and A. H. Epstein 177
High temperature following infection checks downy mildew of lima bean ..... R. A. Hyre 181
Methods for estimating numbers of resting sporangia of Synchytrium endobioticum in soil
G. A. Nelson and O. A. Olsen 185
Long-term inhibition of Rhizoctonia solani by a nematocide, 1,2-dibromo-3-chloropropane
L. J. Ashworth, jr., B. C. Langley, and W. H. Thames, jr. 187
Motility and infectivity of Meloidogyne javanica as affected by storage time and temperature in water
Ivan J. Thomason, S. D. Van Gundy, and J. D. Kirkpatrick 192
A "T"-head inoculator for local-lesion assay of viruses ..... D. J. deZeeuw and L. W. Timmer 196
Variation among clones of Myzus persicae in ability to transmit potato leafroll virus acquired by injection
Michael F. Clark and A. Frank Ross 199
Response of root-knot-resistant tobaccos to the nematode root disease complex caused by Pratylenchus spp. and Meloidogyne incognita acrita ..... T. W. Graham, Z. T. Ford, and R. E. Currin 205
Rhizoctonia seed and root rot of avocado ..... S. M. Mircetich and George A. Zentmyer 211
Stomatal exclusion of Puccinia recondita by wheat peduncles and sheaths
Robert W. Romig and Ralph M. Caldwell 214
Inheritance of resistance in barley to barley yellow dwarf ..... V. D. Damsteegt and G. W. Bruehl 219
Electrotaxis of Phytophthora parasitica zoospores and its possible role in infection of tobacco by the fungus
J. L. Troutman and W. H. Wills 225
A mechanically transmissible virus latent in apple ..... Hugh C. Kirkpatrick and R. C. Lindner 229
Changes in sugars and amino acids of cucumber fruits infected with Pythium aphanidermatum
C. L. McCombs and N. N. Winstead 233

Phytopathological Notes
Importance of source of spray oils for Sigatoka disease control and phytotoxicity to banana
L. Calpouzos and C. Colberg 235
Acid production by Erwinia carotovora in vivo as a factor in virulence .... B. A. Friedman and M. J. Ceponis 237
Mating types in Phytophthora cinnamomi ..... Jorge Galindo A. and George A. Zentmyer 238
Transmission of bean pod mottle virus by bean leaf beetles ..... H. J. Walters 240
The relationships of English and American races of Phytophthora fragariae
H. S. Pepin and Hugh A. Daubeny 241
Metabolism of organic acids during rot of grape berries by Diplodia viticola .. Gary A. Strobel and T. Kosuge 242
Changes in N and P content during growth of ergot sclerotia due to nutrition supplied by rye .... J. Kybal 244
Influence of soil depth and sampling date on population levels of Trichodorus christiei
John K. Hoff and W. F. Mai 246

Letter to the Editor ..... Malcolm E. Corden 247
Book Listings 247
Statement of Ownership 247
News 248

No. 3—MARCH

Charles Brooks, 1872-1962 ..... L. P. McColloch 249
Symposium on Tree Cankers 250
The relation of some bark factors to canker susceptibility ..... J. E. Bier 250
Hypoxylon canker impact on aspen ..... R. L. Anderson 253
Life cycle and host range of Hypoxylon pruinatum and its pathogenesis on poplars
J. G. Berbee and J. D. Rogers 257
Pathogenesis in cankers caused by Nectria galligena ..... M. Lortie 261
Organism interactions in the beech bark disease ..... A. L. Shigo 263
The etiology of an annual canker on maple ..... F. A. Wood and J. M. Skelly 269
Cankers associated with ash die-back ..... E. W. Ross 272
Summary with emphasis on trends and needs in research ..... R. A. Zabel 275
Inoculum potential and differences among peanuts in susceptibility to Sclerotium rolfsii ..... K. H. Garren 279

Separation of an antigenic plant protein from preparations of plant viruses ..... M. H. V. van Regenmortel 282
Host fungitoxicants in selective pathogenicity of Fusarium oxysporum ..... D. Davis 290
Some soil factors influencing reproduction of the citrus nematode and growth reduction of sweet orange seedlings
S. D. Van Gundy, J. P. Martin, and Peter H. Tsao 294
Environmental influences on development of glume blotch in wheat ..... A. L. Scharen 300
Interaction of Heterodera glycines and Meloidogyne incognita on soybeans ..... J. P. Ross 304
Inheritance and linkage of stem rust and loose smut resistances and starch type in barley ..... R. G. Shands 308
Pathogenicity and population trends of Pratylenchus penetrans on potato and corn
O. J. Dickerson, H. M. Darling, and G. D. Griffin 317
Carnation as a symptomless carrier of Fusarium oxysporum f. dianthi ..... P. E. Nelson 323
An antagonistic variant of Corynebacterium insidiosum and some properties of the inhibitor
G. A. Nelson and G. Semeniuk 330
Effect of urediospore concentration on determination of races of Uromyces phaseoli var. phaseoli
A. D. Davison and E. K. Vaughan 336
Distinguishing tissue of normal and pathological origin on complex media
H. W. Spurr, jr., G. E. Holcomb, A. C. Hildebrandt, and A. J. Riker 339
Pathogenicity and population dynamics of Paratylenchus hamatus on Mentha spp. ..... L. R. Faulkner 344
Inherent germinability and survival of spores of Cochliobolus sativus ..... S. H. F. Chinn and R. D. Tinline 349
Podosporiella verticillata, a soil-borne pathogen of some Western Gramineae .. K. W. Kreitlow and A. T. Bleak 353
Phytopathological Notes
Isolation of Xanthomonas vesicatoria from tissues of Capsicum annuum .. D. F. Crossan and A. L. Morehart 358
Serological relationship of cucumber mosaic virus and certain virus isolates that incite amaryllis mosaic symptoms ..... R. P. Kahn and H. A. Scott 360
Nuclei in spores and mycelium of Verticillium ..... J. N. Roth and W. H. Brandt 363
Helminthosporium leafspot of Dioscorea in Guatemala ..... W. Koch 365
Large inclusion bodies associated with virus diseases of rice
T. Hirai, N. Suzuki, I. Kimura, M. Nakazawa, and Y. Kashiwagi 367
Relation of the European earwig to snapdragon rust ..... G. D. Barbe 369
News 372

No. 4—APRIL

Influence of temperature on growth of Fomes annosus isolates ..... Ellis B. Cowling and Arthur Kelman 373
Claviceps gigantea, a new pathogen of maize in Mexico
S. F. Fuentes, Maria de Lourdes de la Isla, A. J. Ullstrup, and A. E. Rodriquez 379
Light inhibition of uredospore germination in Puccinia graminis var. tritici
Curtis V. Givan and K. R. Bromfield 382
Wichita wheat back-cross lines for differential hosts in identifying physiologic races of Puccinia recondita
C. O. Johnston and E. G. Heyne 385
Influence of nutrition on sporulation of the banana wilt and bean root rot Fusaria on agar media
F. F. Hendrix, jr. and T. A. Toussoun 389
New combinations of nematocides for control of reniform nematode of cotton
W. Birchfield and J. A. Pinckard 393
Detection of cauliflower mosaic virus by immune adherence ..... D. S. Nelson and M. F. Day 395
Insect and mite transmission tests with the Prunus ringspot virus ..... K. G. Swenson and J. A. Milbrath 399
Influence of bacteria isolated from healthy cucumber leaves on two leaf diseases of cucumber ..... Curt Leben 405
Occurrence and development of Sclerophthora macrospora on cereals and grasses in South Dakota
G. Semeniuk and C. J. Mankin 409
Effect of clover cyst nematode on growth of red and white clovers ..... Richard A. Chapman 417
Nature of resistance in certain citrus rootstocks to citrus nematode ... S. D. Van Gundy and J. D. Kirkpatrick 419
Properties and transmission of soil-borne oat mosaic virus ..... R. W. Toler and T. T. Hebert 428
Penetration and subsequent development of three Fusarium species in alfalfa and red clover
C. C. Chi, W. R. Childers, and E. W. Hanson 434
An induced mechanism of tissue resistance to polygalacturo..ase in Rhizoctonia-infected hypocotyls of bean
D. F. Bateman 438
Metabolic studies on the host-parasite complex of Albugo candida on radish
Paul H. Williams and Glenn S. Pound 446
Glomerella magna, cause of a new anthracnose of cucurbits ..... S. F. Jenkins, jr. and N. N. Winstead 452
Serological and physicochemical comparisons between viruses of the Prunus necrotic ringspot and Pfeffinger (rasp leaf) types ..... Wayne R. Allen 455
The relationship of mosaic virus diseases to crown blight of cantaloup ..... Merritt R. Nelson 460
Properties of a mosaic virus of cowpea and its relationship to the bean pod mottle virus .... Robert J. Shepherd 466
Hypersensitive reaction induced by phytopathogenic bacteria in the tobacco leaf
Z. Klement, G. L. Farkas, and L. Lovrekovich 474

Alternaria leafspot of Pittosporum ..... E. K. Sobers 478
Biotin requirement of the Verticillium wilt fungus ..... Walter J. Kaiser 481
Phytopathological Notes
Liquid nitrogen as an aid in studying potato spindle tuber virus .... James E. Hunter and Avery E. Rich 488
Flour of infected bean seed as a source of virus ..... V. E. Wilson and L. L. Dean 489
Inoculum concentration and production of perithecia by Gnomonia fructicola in culture ... K. C. McOnie 490
Phoma black stem of sunflowers ..... W. C. McDonald 492
Carbon source and tetrazolium agar to distinguish virulence in colonies of Erwinia carotovora
B. A. Friedman 494
News 496

No. 5—MAY

Gilbert Leonidas Stout, 1898-1963 ..... George E. Altstatt and Carl W. Nichols 497
Report and Abstracts of the Annual Meeting of the Caribbean Division of The American Phytopathological Society 498
Effects of infection by Puccinia graminis tritici on the vitamin B_6, niacin, and pantothenic acid contents of wheat plants ..... M. Husain, C. D. Hobbs, and M. C. Futrell 502
Fungi of barley seed and their associative effects ..... L. E. Tyner and Barbara A. McKinnon 506
Design, performance, and use of a quantitative inoculator ..... Richard D. Schein 509
Combined relation of plant maturity, temperature, and soil moisture to charcoal stalk rot development in grain sorghum ..... L. K. Edmunds 514
Adapted tolerance to organic fungicides by isolates of Rhizoctonia solani from seedling cotton
Hany M. Elsaid and J. B. Sinclair 518
Nonspecific acquired resistance to pathogens resulting from localized infections by Thielaviopsis basicola or viruses in tobacco leaves ..... Eva I. Hecht and D. F. Bateman 523
Relation of chlorogenic acid and free phenols in potato roots to infection by Verticillium albo-atrum
Suresh S. Patil, R. L. Powelson, and Roy A. Young 531
Host ranges of the hoja blanca virus and its insect vector
H. A. Lamey, William W. McMillian, and Rodney D. Hendrick 536
Decay resistance of extractive-free coniferous woods to white-rot fungi
Charles A. Peterson and Ellis B. Cowling 542
Effect of certain fungal isolation agar media on Thielaviopsis basicola and on its recovery in soil dilution plates
Peter H. Tsao 548
Infection, growth rate, and competitive ability of Fomes annosus in inoculated Pinus echinata stumps
E. George Kuhlman and Floyd F. Hendrix, Jr. 556
Some chemical requirements for the growth and sporulation of Alternaria tomato ..... Minoru Aragaki 562
Relation of radiation and temperature to the sporulation of Alternaria tomato and other fungi .. Minoru Aragaki 565
Host-pathogen relationship of Helminthosporium turcicum in resistant and susceptible corn seedlings
H. M. Hilu and A. L. Hooker 570
Systemic invasion of the host plant by the tumor-inducing bacterium, Pseudomonas savastanoi
E. E. Wilson and Allan R. Magie 576
Symmetrical-dichlorotetrafluoroacetone, a synthetic organic rust chemotherapeutant
T. C. Allen, Jr. and A. H. Freiberg 580
Physiology of sexual reproduction in Hypomyces solani f. cucurbitae. I. Influence of carbon and nitrogen
Sally Mickle Hix and Ralph Baker 584
Genetics of resistance to powdery mildew race 2 in muskmelon .... G. W. Bohn and Thomas W. Whitaker 587
Isolation and in vitro culture of the wheat bunt fungi Tilletia caries and T. controversa ... Edward J. Trione 592
Production of pectic and cellulolytic enzymes of Xanthomonas malvacearum ..... M. K. Abo-El-Dahab 597
Phytopathological Notes
Toxin production and pathogenicity in Helminthosporium victoriae
R. P. Scheffer, R. R. Nelson, and R. B. Pringle 602
Influence of necrotic ringspot virus on growth and yield of peach trees ..... T. S. Pine 604
Observations on cucumber beetles as vectors of cucurbit wilt ..... J. G. Leach 606
Chromatographic purification of the carnation ringspot, carnation mottle, and tobacco necrosis viruses
J. H. Venekamp, W. H. M. Mosch, and K. E. Erkelens-Nanninga 608
A carnation disease resembling bacterial slow wilt or stunt
James Tammen, Paul E. Nelson, and Robert S. Dickey 610
Effect of loose kernel smut on vegetative growth of Johnson grass and sorghum
E. S. Luttrell, J. P. Craigmiles, and H. B. Harris 612
A portable, inexpensive, and continuously sampling spore trap ..... N. C. Schenck 613
Efficacy of the Ouchterlony agar double-diffusion test for clover yellow mosaic virus .... Richard E. Ford 615
Longevity of Xanthomonas malvacearum on and in cotton seed .... R. E. Hunter and L. A. Brinkerhoff 617

Predisposition of wheat by Erysiphe graminis f. sp. tritici to infection with Erysiphe graminis f. sp. hordei
J. G. Moseman and L. W. Greeley 618
Book Listings 619
News 620

No. 6—JUNE

Report and Abstracts of the 1963 Annual Meeting of the Southern Division of The American Phytopathological Society 621
The effect of weather on dispersal of Alternaria spores in a semi-arid region of Israel ..... Joseph Rotem 628
Comparative study of quantitative methods used for estimating the population of Thielaviopsis basicola in soil
Peter H. Tsao and Alice C. Canetta 633
Time of infection and latency of Diplodia viticola in Vitis vinifera var. Thompson Seedless
Gary A. Strobel and Wm. B. Hewitt 636
Arbutin-hydroquinone complex in pear as a factor in fire blight development
Donald C. Hildebrand and Milton N. Schroth 640
Mechanism of wilting incited by Fusarium in red clover ..... C. C. Chi and E. W. Hanson 646
Population dynamics of nematodes in cranberry soils ..... B. M. Zuckerman, S. Khera, and A. R. Pierce 654
Mode of inheritance of pathogenicity in some race hybrids of Ustilago avenae ..... C. S. Holton 660
Stimulation and depression of cell-free carboxylating systems in relation to development of the Helminthosporium leaf spot disease of maize ..... Isaac Malca, R. C. Huffaker, and F. P. Zscheile, jr. 663
Seed exudation and its influence on pre-emergence damping-off of bean
Milton N. Schroth and R. James Cook 670
Influence of nitrogen and potassium on susceptibility of chrysanthemum morifolium to Botrytis cinerea
E. L. Hobbs and W. E. Waters 674
Occurrence, parasitism, and pathogenicity of nematodes associated with cranberry
G. W. Bird and W. R. Jenkins 677
Acquisition and transmission of lettuce big-vein virus by Olpidium brassicae
R. N. Campbell and R. G. Grogan 681
Nitrogen nutrition of Colletotrichum coccodes ..... Elizabeth B. Kurtz and C. L. Fergus 691
Control of snow mold by regulating winter soil temperature ..... J. B. Lebeau 693
Effect of myo-inositol in host tissues on the parasitism of Prunus domestica var. President by Rhodosticta quercina ..... F. L. Lukezic and J. E. DeVay 697
Difference in the translocatability of tobacco ringspot and southern bean mosaic viruses in bean
I. R. Schneider 701
Effect of phosphorus and potassium nutrition of sour cherry on the soil population levels of five plant-parasitic nematodes ..... J. D. Kirkpatrick, W. F. Mai, K. G. Parker, and E. G. Fisher 706
Influence of copper gradients upon various apple leaf and twig constituents as related to fire blight incidence
J. W. Bushong, Dwight Powell, and Paul D. Shaw 713
Aspects of the host-parasite relationship of nematodes associated with woody ornamentals
C. M. Heald and W. R. Jenkins 718
Transmission, movement, and vector relationships of tobacco ringspot virus in soybean
G. B. Bergeson, K. L. Athow, F. A. Laviolette, and Sister Mary Thomasine 723
Sporulation by Cercosporella herpotrichoides on artificial media ..... E-Wa Pang Chang and L. J. Tyler 729
Host relationships of beet western yellows virus strains ..... James E. Duffus 736
Phytopathological Notes
Separation of cowpea virus mixtures ..... C. W. Kuhn 739
Effects of Etamycin upon seedling growth and chlorophyll production ..... Augusto P. Cercos 741
Retention of pathogenicity of the oak wilt fungus in culture ..... T. W. Bretz and F. H. Berry 742
Book Listing 743
Announcement 743
News 744

No. 7—JULY

Dean Humbolt Rose, 1878-1963 .....L. P. McColloch and J. M. Lutz 745
Report and Abstracts of the 1964 Annual Meeting of the Potomac Division of The American Phytopathological Society 746
Penetration and infection in alfalfa and red clover by Pellicularia filamentosa .. C. C. Chi and W. R. Childers 750
Influence of gamma radiation dose rate on decay of citrus, pears, peaches, and on Penicillium italicum and Botrytis cinerea in vitro ..... Louis Beraha 755
Changes in proteins and several enzymes in susceptible bean leaves after infection by the bean rust fungus
Richard C. Staples and Mark A. Stahmann 760

Effects of light on growth and sporulation of the Verticillium wilt fungus ..... WALTER J. KAISER 765
Moisture content, mold invasion, and seed viability of stored soybeans ..... B. W. KENNEDY 771
Amino acid and amide content of healthy and multiplier disease-affected strawberry plants
O. P. SEHGAL AND D. M. BOONE 775
Severity of bacterial wilt as influenced by ratio of virulent to avirulent cells of Pseudomonas solanacearum in inoculum ..... C. W. AVERRE, III AND ARTHUR KELMAN 779
Pathological anatomy of Sclerotinia trifoliorum on clover and alfalfa .... GEORGE D. PRIOR AND JOHN H. OWEN 784
Rhizoctonia tip blight and stem rot of pea ..... N. T. FLENTJE AND D. J. HAGEDORN 788
Identification and distribution of oat smuts of the Southeastern United States ..... H. H. LUKE 792
Mechanisms of variation in Verticillium albo-atrum ..... CLAUDE FORDYCE, JR. AND RALPH J. GREEN, JR. 795
Efficiency of Xiphinema americanum as a vector of tobacco ringspot virus ..... J. M. MCGUIRE 799
Test of a fixative for virus-infected plant cells ..... R. A. SOLBERG AND J. G. BALD 802
Techniques for using Chenopodium amaranticolor as a local-lesion test plant for Wisconsin pea streak virus
E. ROSENKRANZ AND D. J. HAGEDORN 807
Mode of action of 6-azauracil against powdery mildew ..... J. DEKKER AND A. J. P. OORT 815
Characterization of fungistatic substances produced by a Bacillus antagonistic to Ceratocystis ulmi
G. S. ASANTE AND A. L. NEAL 819
Genetics of somatic variation for pathogenicity in Melampsora lini ..... H. H. FLOR 823
Techniques for evaluating reactions of Vanilla to Fusarium root rot
J. IRVINE, T. THEIS, F. A. JIMENEZ, AND R. H. FREYRE 827
Uptake of Helminthosporium victoriae toxin by oat tissue ..... R. P. SCHEFFER AND R. B. PRINGLE 832
A bioassay for volatile toxicants from fungicides in soil .... LLOYD T. RICHARDSON AND DONALD E. MUNNECKE 836
Phenol oxidases and their relation to vascular browning in Fusarium-invaded banana roots
M. E. MACE AND E. M. WILSON 840
Host range of pea enation mosaic virus and use of Chenopodium album as a local-lesion host
D. J. HAGEDORN, R. E. C. LAYNE, AND E. G. RUPPEL 843
Effect of diurnal temperature fluctuations on linear growth rate of Macrophomina phaseoli in culture
RICHARD S. SMITH, JR. 849
Purification, serology, and properties of a new cowpea virus ..... C. W. KUHN 853
Sodium propionate and infrared drying for control of fungi infecting rough rice (Oryza sativa)
HARRY W. SCHROEDER 858

PHYTOPATHOLOGICAL NOTES

A rapid technique for fixing and mounting growing fungi ..... WILLIAM A. FEDER AND P. C. HUTCHINS 863
Pathogenicity, host specificity, and mat production of seven isolates of the oak wilt fungus
F. W. COBB, JR. AND C. L. FERGUS 865
Decay of wood by Alternaria and Penicillium ..... W. MERRILL AND D. W. FRENCH 867
Comparison of heat and quick freezing for relaxing nematodes prior to permanent mounting
JOHN K. HOFF AND W. F. MAI 869
Electron microscopy of chloroplast fragments in local lesions of TMV-infected Nicotiana glutinosa
M. WEINTRAUB AND H. W. J. RAGETLI 870
Immuno-fluorescent staining for the identification of Puccinia sorghi germinated urediospores
DAVID W. BENO AND O. N. ALLEN 872
Sporulation of Thanatephorus cucumeris (Rhizoctonia solani) in the light and in the dark
H. S. WHITNEY 874
Genetic inhibition of Perithecial formation in Cochliobolus carbonum ..... R. R. NELSON 876
Germination of dwarf bunt teliospores after ingestion by earthworms
J. A. HOFFMANN AND LAURENCE H. PURDY 878
Dissemination of the root rot Fusarium with bean seed ..... SHIRLEY M. NASH AND WILLIAM C. SNYDER 880
The sulfur-depletion of cells by captan ..... R. J. LUKENS 881
THE PRESIDENT'S COLUMN 883
NEWS 884

No. 8—AUGUST

Ruth Florence Allen, 1879-1963 ..... C. E. YARWOOD AND MABEL NEBEL 885
ABSTRACTS OF PAPERS PRESENTED AT THE FIFTY-SIXTH ANNUAL MEETING OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY, LAFAYETTE, IND., AUGUST 23, 24, 25, 26, 1964 886
Respiratory metabolism of Phaseolus vulgaris infected with alfalfa mosaic and southern bean mosaic viruses
ALOIS A. BELL 914
Biochemical factors affecting pathogenicity of Botrytis cinerea on safflower
I. BARASH, J. M. KLISIEWICZ, AND T. KOSUGE 923
Pectolytic and cellulolytic enzymes produced by Botrytis allii, B. cinerea, and B. squamosa in vitro and in vivo
J. G. HANCOCK, R. L. MILLAR, AND J. W. LORBEER 928

Role of pectolytic and cellulolytic enzymes in Botrytis leaf blight of onion
J. G. Hancock, R. L. Millar, and J. W. Lorbeer 932
Adaptation and sensitization of bean leaves to heat ..... C. E. Yarwood 936
Release of methylisothiocyanate from soils treated with Mylone (3,5-dimethyl-tetrahydro-1,3,5,2H-thiadiazine-2-thione) ..... Donald E. Munnecke and James P. Martin 941
Properties of citrus variegation virus ..... T. J. Grant and M. K. Corbett 946
Some environmental factors influencing penetration from appressoria of Puccinia graminis f. sp. tritici on seedling wheat leaves ..... J. F. Brown and W. A. Shipton 949
Inheritance of resistance to halo blight of bean ..... J. C. Walker and P. N. Patel 952
Factors influencing saprophytic growth of Pythium aphanidermatum in soil
Lina V. Luna and Richard B. Hine 955
Preventing aphid-spread cucumber mosaic virus with oils
G. Loebenstein, Miriam Alper, and Miriam Deutsch 960
Evolution of sexuality and pathogenicity. III. Effects of geographic origin and host association on cross-fertility between isolates of Helminthosporium with similar conidial morphology
R. R. Nelson and D. M. Kline 963
Nitrogen as a factor in the development of exocortis of citrus ..... L. G. Weathers 968
Properties of bacteria isolated from wheat stem rust spores
Richard C. French, James F. Novotny, and Richard B. Searles 970
Cymbidium mosaic virus in Phalaenopsis ..... C. I. Kado and D. D. Jensen 974
2-Aminobutane salts for control of post-harvest decay of citrus, apple, pear, peach, and banana fruits
J. W. Eckert and M. J. Kolbezen 978
Fats and fatty acid derivatives as growth stimulants and carbon sources for Phytophthora parasitica var. nicotianae ..... James W. Hendrix and J. L. Apple 987
Serological detection and differentiation of prune dwarf and necrotic ringspot viruses in Prunus tissue extracts
J. H. Tremaine, Wayne R. Allen, and R. S. Willison 995
Factors affecting field performance of nickel salt plus dithiocarbamate fungicide mixtures for the control of wheat rusts ..... J. B. Rowell 999
Longevity of Xanthomonas malvacearum in dried cotton plants and its significance in dissemination of the pathogen on seed ..... W. C. Schnathorst 1009
Prevalence and virulence of Phytophthora, Aphanomyces, Pythium, Rhizoctonia, and Fusarium isolated from diseased alfalfa seedlings ..... A. F. Schmitthenner 1012
Pathogenicity of certain parasitic nematodes on Upland cotton seedlings .... Bill B. Brodie and W. E. Cooper 1019
Relation of parasitic nematodes to postemergence damping-off of cotton .... Bill B. Brodie and W. E. Cooper 1023
Simultaneous infection and transmission of two viruses in flax by Macrosteles fascifrons ... R. A. Frederiksen 1028
Phytopathological Notes
Fungi associated with a wood wasp in dying pines in Tasmania ..... O. Vaartaja and Jocelyn King 1031
Peroxidases and their relation to vascular browning in banana roots ..... M. E. Mace 1033
Isolation of Cephalosporium gramineum from buried, naturally infested host debris
G. W. Bruehl, P. Lai, and O. Huisman 1035
Detecting Xanthomonas vesicatoria in Capsicum frutescens leaves by bentonite flocculation
Donald J. Morton 1037
The influence of substrate on spore production by Cladosporium cucumerinum
D. F. Crossan, A. L. Morehart, and W. Biehn 1038
Letter to the Editor ..... E. S. Luttrell 1039
News 1040

No. 9—SEPTEMBER

Evaluation of fusaric acid as a factor in development of Fusarium wilt .... M. S. Kuo and R. P. Scheffer 1041
Symptomless hosts of the potato spindle tuber virus ..... Muriel J. O'Brien and W. B. Raymer 1045
Relation of nutrients in inoculum and inoculum concentration to severity of spring black stem of alfalfa
E. E. Banttari and R. D. Wilcoxson 1048
Relation of temperature, pH, and nutrition to growth and sporulation of Fusarium spp. from red clover
C. C. Chi and E. W. Hanson 1053
Tests for the protection of cucumbers from a white fly-borne virus
F. E. Nitzany, H. Geisenberg, and B. Koch 1059
Accumulation of fluorescent compounds in tobacco associated with tobacco mosaic virus hypersensitivity
Raymond E. Hampton, Roesmilah Suseno, and David M. Brumagen 1062
Helminthosporium leaf spot of bluegrass ..... George A. Bean and Roy D. Wilcoxson 1065
Maple decline in New Hampshire ..... Norman L. Lacasse and Avery E. Rich 1071
Solopathogenicity in Tilletia caries ..... E. L. Kendrick 1076
Inhibition of indoleacetic acid oxidase in tobacco plants infected by Pseudomonas solanacearum
Luis Sequeira 1078

Pathogenicity of three species of Helminthosporium on roots of bluegrass
GEORGE A. BEAN AND ROY D. WILCOXSON 1084
Investigations of antigenic components produced by sweet potato roots in response to black rot infection
NOBUMARO KAWASHIMA, HIROSHI HYODO, AND IKUZO URITANI 1086
Formation of the basidial stage of some isolates of Rhizoctonia
HELENA M. STRETTON, A. R. MCKENZIE, KENNETH F. BAKER, AND N. T. FLENTJE 1093
Pathogenicity and serological relationship of three strains of Pseudomonas solanacearum in Hawaii
VIVENCIO L. QUINON, MINORU ARAGAKI, AND MAMORU ISHII 1096
Relation of hydrolytic enzyme activity with the virulence of strains of Colletotrichum falcatum
G. P. SINGH AND AKHTAR HUSAIN 1100
Preparation of the protein fragments of several rod-shaped plant viruses and their use in agar-gel diffusion tests ..... D. E. PURCIFULL AND R. J. SHEPHERD 1102
Changes in nucleic acid content of Prunus mahaleb leaves as a result of virus infection
R. P. HONEYCUTT AND D. F. MILLIKAN 1109
Nucleotide composition of RNA in healthy and mildew-infected leaves of barley
ISAAC MALCA, F. P. ZSCHEILE, JR., AND R. GULLI 1112
Compatibility between Tilletia caries and T. controversa ..... M. J. SILBERNAGEL 1117
Feeding of Ditylenchus destructor ..... ROGER V. ANDERSON 1121
Interactions of Sclerotium rolfsii and other microorganisms isolated from stolon tissue of Trifolium repens
J. D. HANSEN AND E. A. CURL 1127
Amino acid utilization in relation to the pathogenic potential of several isolates of the tobacco black shank pathogen, Phytophthora parasitica var. nicotianae ..... W. H. WILLS 1133
Nature of plugging material in xylem and its relation to rate of water flow in Fusarium-infected tomato stems ..... G. J. SAALTINK AND A. E. DIMOND 1137
Physiology of sexual reproduction in Hypomyces solani f. cucurbitae. II. Effects of radiant energy on sexual reproduction ..... C. R. CURTIS 1141
Morphological and physiological characteristics of mating types of Phytophthora cinnamomi
FRANK A. HAASIS, R. R. NELSON, AND D. H. MARX 1146
Hypersensitive response in selections of Malus to fungi nonpathogenic to apple
A. J. GRIJSEELS, E. B. WILLIAMS, AND J. KUĆ 1152
Variation among isolates of necrotic ringspot and prune dwarf viruses isolated from sour cherry
H. E. WATERWORTH AND ROBERT W. FULTON 1155
Epidemiology of a seedling disease of Spanish peanut caused by Aspergillus niger
L. J. ASHWORTH, JR., B. C. LANGLEY, M. A. W. MIAN, AND C. J. WRENN 1161
Radish black-root fungus: Host range, nutrition, and oospore production and germination .... ABDUL GHAFOOR 1167
PHYTOPATHOLOGICAL NOTES
Nitrogen nutrition and development of Phialophora cinerescens in carnation
GOSTA I. NILSSON AND P. VICTOR NELSON 1172
Karathane-controlled powdery mildew on the Curtis and Pabst varieties of pecan in Florida and Georgia
J. R. LARGE AND J. R. COLE 1174
Degeneration of the apical meristem and apex of bentgrass roots by a fungal toxin
ROBERT M. ENDO, ISAAC MALCA, AND EMMYLOU M. KRAUSMAN 1175
Alanine synthesis in the nematode Aphelenchoides ritzemabosi ..... C. W. MILLER AND R. N. ROBERTS 1177
Postinfection development of flag smut of wheat in relation to controlled soil moisture .... LAURENCE H. PURDY 1178
NEWS 1180

No. 10—OCTOBER

Chromatographic analyses of purine breakdown by Phytophthora infestans ..... O. T. PAGE AND M. C. CLARK 1181
Influence of nitrogen on severity of Piricularia grisea infection in St. Augustine grass ..... T. E. FREEMAN 1187
Inoculation of sweetpotato roots with the Fusarium wilt fungus during harvest ..... L. W. NIELSEN 1190
The effect of adsorption of organic cations to plant tissue on their use as systemic fungicides
L. V. EDGINGTON AND A. E. DIMOND 1193
Survival and infectivity of Xanthomonas malvacearum in cotton plant debris and soil
L. A. BRINKERHOFF AND G. B. FINK 1198
Tylenchulus semipenetrans: Parasitism and injury to orange tree roots ..... HENRY SCHNEIDER AND R. C. BAINES 1202
Evolution of sexuality and pathogenicity. IV. Effects of geographic origin and host association on the pathogenicity of isolates of Helminthosporium with similar conidial morphology ... R. R. NELSON AND D. M. KLINE 1207
Quantitative changes in the free and protein amino acids in roots of healthy, Radopholus similis-infected, and "recovered" grapefruit seedlings ..... A. W. FELDMAN AND R. W. HANKS 1210
Duration of susceptibility of eastern white pine stumps to Fomes annosus
F. W. COBB, JR., AND R. A. SCHMIDT 1216
Effectiveness of 2,6-dichloro-4-nitroaniline-impregnated peach wraps in reducing Rhizopus decay losses
N. S. LUEPSCHEN 1219
The diphenylamine reaction and transmission experiments with phenol extracts of plants infected with potato leaf roll virus ..... RENATE KOENIG AND WALTER C. MUELLER 1223

Effect of soil temperature on development of Heterodera glycines in soybean roots ..... J. P. Ross 1228
Lupinus species—common hosts for wilt fusaria from alfalfa, bean, Cassia, cowpea, lupine, and U.S. cotton
G. M. Armstrong and Joanne K. Armstrong 1232
Growth of Cercospora arachidicola in a glucose-phosphate-asparagine-thiamine-agar medium .... K. E. Landers 1236
Synthesis of indoleacetic acid by Pseudomonas solanacearum ..... Luis Sequeira and Paul H. Williams 1240
Bacterial leaf spot and stem blight of safflower caused by Pseudomonas syringae
Donald C. Erwin, Mortimer P. Starr, and Paul R. Desjardins 1247
The celery late blight organism Septoria apiicola ..... R. L. Gabrielson and R. G. Grogan 1251
A dependable local lesion assay for turnip yellow mosaic virus ..... T. O. Diener and F. G. Jenifer 1258
Uptake of cycloheximide by a sensitive and a resistant yeast ..... Elbert W. Westcott and Hugh D. Sisler 1261
Lethal dosage concentrations of nematocides for the soybean cyst nematode and the effect of a nonhost crop in reducing the population ..... James M. Epps, J. N. Sasser, and Grover Uzzell, Jr. 1265
Biological relationship between pea enation mosaic virus and its vector, the pea aphid
L. R. Nault, G. G. Gyrisco, and W. F. Rochow 1269

Phytopathological Notes

The distribution of clover yellow mosaic virus in Vicia faba root tips .... S. H. Smith and D. E. Schlegel 1273
Effect of chilling on phenol metabolism and Fusarium infection of cut potato tissue ..... G. J. Griffin 1275
Isolation of ethylenebis(thiocarbamyl) disulfide from fungicide-exposed spores
A. L. Morehart and D. F. Crossan 1278
Increased susceptibility to root rots in virus-infected peas ..... J. D. Farley and J. L. Lockwood 1279
Dehydrogenase activity in relation to development of the Helminthosporium leaf spot disease of maize
Isaac Malca and F. P. Zscheile, Jr. 1281
Results of three years of spraying with dodine to control pecan scab ..... John R. Cole 1283
Antagonistic effect of a Bacillus subtilis strain upon Erwinia amylovora
M. K. Abo-El-Dahab and M. A. El-Goorani 1285
Influence of soil temperature on root and heart rot of pineapple caused by Phytophthora cinnamomi and Phytophthora parasitica ..... Richard B. Hine, Cesar Alaban, and Howard Klemmer 1287
Serodiagnosis of barley stripe mosaic facilitated by detergent ..... R. I. Hamilton 1290
Detection of potato virus X in tubers by the bentonite flocculation test
Howard A. Scott, Robert P. Kahn, J. Bozicevich, and M. M. Vincent 1292
Resistance to fusiform rust in slash pine as shown by artificial inoculation
F. F. Jewell and S. L. Mallett 1294
Pathogenicity of Pseudomonas savastanoi to herbaceous plants ..... Peter A. Ark 1295
Heterothallism and ascospore number in Calonectria rigidiuscula ..... R. E. Reichle and W. C. Snyder 1297
Chlorotic leaf spot from a mechanically transmissible virus from apple
R. M. Lister, J. B. Bancroft, and J. R. Shay 1300
Crown gall on avocado ..... D. E. Munnecke and G. A. Zentmyer 1302
News 1304

No. 11—NOVEMBER

Symposium on Plant Disease Losses 1305
Introduction ..... W. D. McClellan 1305
Plant disease losses as they occur worldwide ..... J. Vallega and L. Chiarappa 1305
Crop losses due to plant diseases in the United States .....E. L. LeClerg 1309
Changing plant disease losses in a changing agriculture ..... Ervin H. Barnes 1314
Leaf spot of bananas caused by Mycosphaerella musicola: Factors influencing production of fructifications and ascospores ..... R. H. Stover 1320
Influence of guttation fluid on infection structures of Helminthosporium sorokinianum
Robert M. Endo and Richard H. Amacher 1327
Migration patterns of a mild and a severe strain of Prunus ringspot virus in newly inoculated Bing cherry trees ..... Bart Bolwyn and A. W. Helton 1335
Comparative value of bud-shields and bark-patches in transfer of Prunus ringspot virus from Italian prune to Shirofugen ..... A. W. Helton and Bart Bolwyn 1339
Pre- and postinoculation effects of light quality on infection intensity of stem rust of wheat .... J. M. Daly 1342
Pear decline virus transmission by pear psylla
D. D. Jensen, W. H. Griggs, C. Q. Gonzales, and H. Schneider 1346
Selection of entities of Puccinia graminis f. sp. tritici that infect wheat at low temperatures
Roland F. Line and William M. Bugbee 1352
Expression of black shank resistance in leaves of flue-cured tobacco ..... W. H. Wills and J. W. Crews 1356
Rapid indexing for exocortis of citrus .
E. C. Calavan, E. F. Frolich, J. B. Carpenter, C. N. Roistacher, and D. W. Christiansen 1359
Inheritance of susceptibility to Gymnosporangium juniperi-virginianae ..... James B. Mowry 1363

Resistance to tobacco mosaic virus in Capsicum, with reference to the Samsun latent strain
W. H. Greenleaf, A. A. Cook, and A. N. J. Heyn 1367
Cellulase and the Rhizoctonia disease of bean ..... D. F. Bateman 1372
A new severe symptom-inducing strain of common bean mosaic virus ..... W. J. Zaumeyer and R. W. Goth 1378
An adenosine triphosphate-binding substance from Ceratocystis ulmi ..... Ralph H. Kurtzman, Jr. 1386
Identity and significance of certain organisms associated with sugar maple decline in New York woodlands
Craig R. Hibben 1389
Efficiency of donor bark-patches from stems of different age in the transfer of Prunus ringspot virus from Italian prune to Shirofugen indicator trees ..... A. W. Helton and Bart Bolwyn 1393
Amino acids in relation to thermoperiod-cycling in Sclerotinia trifoliorum
Jean B. Obreiter and Thomas Sproston 1395
Nature of partial resistance of certain clones of three Solanum species to Phytophthora infestans
Julia Guzmán-N. 1398
Boron nutrition of Nicotiana tabacum and its influence on the multiplication and translocation of potato virus X
Richard E. Ford and D. F. Bateman 1405
Significance of morphological barriers and osmotic pressure in resistance of mature peach leaves to powdery mildew ..... Albert R. Weinhold and Harley English 1409
Effect of pea aphids on spring black stem of alfalfa ..... E. E. Banttari and R. D. Wilcoxson 1415
Radish mosaic virus, a crucifer virus serologically related to strains of bean pod mottle virus and to squash mosaic virus ..... R. N. Campbell 1418
Phytopathological Note
Ecology of plant pathogens in soil. I. Influence of chitin and lignin amendments on development of bean root rot ..... Charles L. Maurer and Ralph Baker 1425
Letter to the Editor ..... Richard D. Schein 1427
News 1428

No. 12—DECEMBER

Jonas J. Christensen, 1892-1964 ..... M. F. Kernkamp 1429
Report and Abstracts of the 1964 Annual Meeting of the Pacific Division of The American Phytopathological Society 1431
Control of hop downy mildew by chemical desiccants ..... R. R. Romanko 1439
Effect of temperature and moisture on formation and ejection of ascospores and on survival of Leptosphaerulina briosiana ..... Arthur M. Elliot and Roy D. Wilcoxson 1443
Orchard development and discharge of ascospores of Guignardia citricarpa and the onset of infection in relation to the control of citrus black spot ..... K. C. McOnie 1448
Influence of some environmental factors on hereditary variation in monospore cultures of Verticillium albo-atrum ..... J. N. Roth and W. H. Brandt 1454
A mechanism for mercury tolerance in fungi ..... L. J. Ashworth, Jr., and J. V. Amin 1459
Effect of moisture content and length of storage period upon germination percentage of seeds of corn, wheat, and barley free of storage fungi ..... C. M. Christensen 1464
Evidence of an energy requirement for absorption of carbon^{14}-labeled streptomycin and leucine by apple leaves
Shoji Kamimura and R. N. Goodman 1467
New medium for the isolation of Thielaviopsis basicola on dilution plates from soil and rhizosphere
George C. Papavizas 1475
Phytopathological Notes
Relationship of the rest period to the rate of symptom appearance and graft transmission of the necrotic ringspot virus in Prunus tomentosa ..... P. R. Fridlund 1482
Hardwoods as inoculum carriers of Polyporus tomentosus inoculations ..... R. D. Whitney 1484
Influence of substrate and microbial interactions on growth of Fomes annosus
E. A. Curl and M. M. Arnold 1486
Speckled blotch of citrus induced by the citrus black spot pathogen, Guignardia citricarpa .. K. C. McOnie 1488
Xanthomonas guizotiae sp. nov. on Guizotia abyssinica ..... D. Yirgou 1490
An intermediate reaction to victorin ..... H. H. Luke and Harry Wheeler 1492
A disease of pollen mother cells of sweetpotato associated with Fusarium moniliforme ..... Alfred Jones 1494
News 1496
Index for 1964 i
Errata xlii
Tables of Contents for 1964 iii

INDEX

For Volume 54

INDEX FOR VOLUME 54

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in bold face. A special listing is made of "new diseases, species, and varieties."

Abo-El-Dahab, M. K., 597, 1285
Acer (see also **maple**)
  platanoides, decline due to salt injury, 1071
  rubrum
    decline due to salt injury, 1071
    frost cracks, 128
  saccharinum
    decline due to salt injury, 1071
    Polyporus versicolor and P. cinnabarinus, 895
  saccharum
    decline of, 1389
    decline due to salt injury, 1071
Achillea ptarmica, Pseudomonas savastanoi on, 1295
acid
  low molecular weight-, produced by Bacillus sp. and antagonistic to Ceratocystis ulmi, 819
  phosphatases, from bean leaves, healthy vs. rust-infected, 749
  production, by Erwinia carotovora, 237
acquired resistance (see **resistance**)
Acyrthosiphon pisum
  attractiveness of different red clover clones to, 909
  feeding and honeydew increasing severity of Phoma herbarum in alfalfa, 1415, 1416
  transmission of pea enation mosaic virus, biological relationship, 1269
Adam, A. V., 498
Adams, R. E., (151), (749)
adaptation
  bean leaves to heat, 936
  enzyme production by Xanthomonas malvacearum, 597
adenosine triphosphate-binding substance, from Ceratocystis ulmi in culture, 1386
advanced pink disease, of coffee, caused by Corticium salmonicolor, 500
aerobiology, spore dispersal, Alternaria, 268
Agallia constricta, electron micrographs of wound tumor virus in, 908
agar-gel (see **techniques**)
agriculture, changes in, plant disease losses, 1313
Agrobacterium tumefaciens
  in avocado, a first report, 1303, **1303**
  on Datura stramonium, pathogenicity in 4 Prunus spp., resistance to, from irradiated seeds, 891
  strains of, 1436
  tissue culture, tomato, 339, **340, 341**
Agropyron spp., Podosporiella verticillata on, 353, **353**
Agrostis
  palustris
    Helminthosporium sorokinianum in, influence of guttation fluid on infection structures, 1327, **1329**
    Sclerotinia homeocarpa toxin on, 1175, **1175**
  tenuis, Fusarium roseum in, influence of nutrition and soil moisture on, 890
Ahrens, J. F., (901)
Aichele, M. D., (1432)
Aizoaceae, beet western yellows virus in, new host, 736
Alaban, C., (1287)
alanine (see **amino acid(s)**)
Albugo candida, on radish, metabolic studies, 446, **447**
Aleurites spp.
  Armillaria root disease of, variation in isolates, 122
  fordii, angular leaf spot disease of, 627
Alexander, L. J., (912)
alfalfa
  alfalfa mosaic virus in, seed transmission of, 893
  Ascochyta imperfecta in, pectolytic enzymes vs. pathogenesis, 894
  Colletotrichum trifolii in, association of polygalacturonate trans-eliminase with, 894
  Corynebacterium insidiosum, antagonistic variant from, 330
  fungi from roots of, 746
  Fusarium oxysporum f. lupini in, 1232
  Fusarium spp., penetration and development of 3 spp., 434, **435, 436**
  Leptosphaerulina briosiana, factors affecting spore formation and ejection, 1443
  nematodes on, control of, 1436
  Pellicularia filamentosa in, penetration and infection, 750, **752, 753**
  Phoma herbarum on, relation of nutrients in inoculum and inoculum concentration to severity of, 1048, **1050**
  Phoma herbarum var. medicaginis in, pea aphid feeding and honeydew increasing severity of, 1415, **1416**
  Pratylenchus penetrans ingression, effect of Trichoderma viride and Fusarium oxysporum on, 892
  roots of, Pratylenchus penetrans into, relation to soil moisture, 128
  Sclerotinia trifoliorum on, host-parasite relationship, 784
  seedling root-rot fungi of, prevalence and virulence of 5 spp. of fungi in, 1012, **1013, 1016**
  Stemphylium botryosum in, pectolytic enzymes associated with pathogenesis of, 894
  Verticillium dahliae in, colonization of plant debris in soil by, 900
alfalfa mosaic virus
  in bean, respiratory metabolism of, 914
  inhibitor of, in Chenopodium amaranticolor, 888
  in pea, increased susceptibility to Aphanomyces euteiches or Fusarium solani, 892, 1279
  in red clover, resistance to, 909
  transmission of, by alfalfa seed, 893
Allen, E. H., 886
Allen, O. N., (872)
Allen, R. M., 1431
Allen, T. C., Jr., 580, (888), 1431, (1434)
Allen, W. R., 455, (995)
Allington, W. B., (887)
Allium (see **onions**)
almond
  bacterial canker and crown gall resistant seedlings from irradiated seed, 891
  Coryneum blight of, 1434
almond calico virus, relation to Prunus ringspot virus, 1435
Alper, M., (960)
Alternaria spp.
  leaf spot of Pittosporum, first report, **478, 479, 480**
  wood decay by, 867
  passiflorae, inhibition of sporulation by radiation, 565
  porri
    f. solani, spore dispersal, 628
    inhibition of sporulation by radiation, 565
  solani
    inhibition of sporulation by radiation, 565
    response of, to soil fungistasis, 906
  tenuis, spore dispersal, 628
  tenuissima
    nonhosts of, 13, 478
    on Pittosporum tobira, first report, 478, **478, 479, 480**
  tomato
    chemical requirements for growth and sporulation, 562
    relation of radiation and temperature to sporulation, 565
Altman, J., 886
Amacher, R. H., (104), (1327)
Amador, E. J., 886
Amaranthus retroflexus, Verticillium dahliae in, colonization of plant debris by, 900
amaryllis, Pratylenchus scribneri and Scutellonema brachyurum in, 902

Amaryllis mosaic, relationship to cucumber mosaic virus, 360, **361**
Ambrosia artemisiifolia, aster yellows virus on, 45
American Phytopathological Society
annual meeting abstracts, 886
annual report, 2
division reports and abstracts
Caribbean, 498
Northeastern, 127
Pacific, 1431
Potomac, 746
Southern, 621
amide(s)
effect of chloramphenicol on, in cucumber mosaic virus-infected plants, 907
in strawberry, of virus-infected plants, 775, **776**
Amin, J. V., (886), 1459
amino acid(s)
alanine, synthesis of, in Aphelenchoides ritzemabosi, 1177
in cucumber slices, affected by Pythium aphanidermatum, 233
effect of
on conidia germination of Verticillium albo-atrum, 18 different ones, 906
prolonging zoospore mobility of Olpidium brassicae, 29
effect of chloramphenicol on, in cucumber mosaic virus infected plants, 907
in elm xylem sap, infected with Ceratocystis ulmi, 908
in ethanolic extracts, from cucumber, 234
in grapefruit seedlings, changes in, resulting from infection by Radopholus similis, 1210
leucine absorption by apple leaves, 1467
in Sclerotinia trifoliorum sclerotia, the effect of thermoperiod-cycling on, 1395
in strawberry, of virus-infected plants, 775, **776**
tryptophan, metabolism of, by Pseudomonas solanacearum to indoleacetic acid, 1240
utilization of, by Phytophthora parasitica var. nicotianae, 1133
2-aminobutane salts (see **fungicides**)
amitrole (see **herbicides**)
Amomum
aromaticum, a new mosaic streak disease of, 904
subulatum, a new mosaic streak virus of, 904
Amylostereum sp., in Pinus radiata, associated with a wood wasp, 1031, **1031**
Anderson, A. L., (896)
Anderson, R. L., 253
Anderson, R. V., 1121
Anemonella thalictroides, Puccinia recondita pycnia and aecia on, 905
angular leaf spot. in cucumber, inheritance of resistance to, 51
antagonism
of Ceratocystis ulmi, by Bacillus sp., 819, **820**
of Corynebacterium insidiosum, to C. insidiosum and other corynebacteria, 330, **332**
to Fusarium spp., stimulation of genera, effect of herbicides in soil, 897
of Trichoderma, to Poria weirii, 120, **120**
anthracnose
of cucumber, protection of, 898
of cucurbits, caused by Glomerella magna, 452, **453**
of soybean, leaf symptoms, 625
antibacterial substances, a survey of green plants, 748
antibiotics
activity of pear leaves, against Erwinia amylovora due to β-glucosidase activity, 59, **61, 62**
bacterial, in vitro production, reduction in cucumber anthracnose, 405
from Cephalosporium gramineum, a crude extract from, 1036
from Corynebacterium insidiosum, antagonistic variant of, properties of inhibitor, 330
Etamycin, effect on seedling growth and chlorophyll production, 741
phytoactin production, 741
adsorption to carbohydrates, 1434
metabolic changes in yeast associated with treatment of, 899
produced by Bacillus subtilis upon Erwinia amylovora, 1285
produced by diseased Helminthosporium victoriae, to bacteria spp., 899
streptomycin, absorption by apple leaves, 1467
antifungal substances, a survey of green plants, 748
antigens
plant, separation from viruses, 282
TMV, intracellular labeling, in tomato, 907
antigen-antibody reactions, effect of placement of reactants on immunodiffusion precipitin patterns, 163, **165**
antimicrobial substances, a survey of green plants, 748
Aphanomyces spp., in alfalfa and red clover, virulence, 1012, **1013, 1016**
euteiches
in pea, effects of cropping on disease indices, 910
in pea, increased susceptibility in virus-infected peas, 892, 1279
raphani, host range, nutrition and oospore production and germination, 1167
Aphelenchoides ritzema-bosi
alanine synthesis in, 1177
photonegative reaction of, 118
aphid(s)
(see **Acyrthosiphon, Aphis, Macrosiphum, Rhopalosiphum, Toxoptera**)
(see also **insect transmission** and **virus(es)**)
Aphis gossypii
transmission of cucumber mosaic virus, preventing spread with oil, 960
transmission of a virus from sweetpotato to Ipomoea setosa, 900
Apium graveolens (see **celery**)
Apple, J. L., 23, (987)
apple (see also **Malus spp.**)
absorption by leaves, of streptomycin and leucine, 1467
chlorotic leaf spot disease, filamentous virus from, 899
chlorotic leaf spot virus, from a mechanically transmissible virus, 1300, **1301**
Erwinia amylovora in
copper content in leaf and twig affecting, 713
virulence, 894
Glomerella cingulata in, comparative morphology of, 909
Gymnosporangium juniperi-virginianae in, inheritance of susceptibility to, 1363
Helminthosporium spp., hypersensitive response produced by, 1152
latent virus in, mechanical transmission and host range, 229, **231**
post-harvest decay of, control by 2-aminobutane salts, 978, **982**
resistance of, to Venturia inaequalis, related to oxidation of phloridzin and phloretin, 92
stem-pitting disease, filamentous virus from, 899
twisted twig of, 1432
Venturia inaequalis in, resistance to vs. β-glycosidase and phenoloxidase in leaves, 98
apple callus tissue, Venturia inaequalis growth in relation to pathogenicity, 905
apple latent virus, tentative name, 229
apple rust (see **Gymnosporangium juniperi-virginianae**)
apple scab (see **Venturia inaequalis**)
appressoria penetration, of Puccinia graminis tritici, factors affecting, 949
Arachis spp. (see **peanuts**)
Aragaki, M., 562, 565, (1096), 1431
arbutin, in pear tissue, hydroquinone inhibitory to Erwinia amylovora, 640, **643, 644**
Arceuthobium
americanum and campylopodum, 1432, 1433
Colletotrichum gloeosporioides in, 906

Ark, P. A., 1295
Arkansas cowpea mosaic virus, transmission by the bean leaf beetle, 911
Armillaria mellea
growth of, ethanol as carbon source, 912
variation in isolates, in Nyasaland, 122
Armstrong, G. M., 886, 1232
Armstrong, Joanne K., (886), (1232)
Arnold, M. M., (622), (1486)
Arny, D. C., (896)
arrowroot, mosaic streak virus of cardamom in, alternate host for, 904
Arthrobacter globiformis, effect of chlorinated hydrocarbons on growth and amino acid production of, 886
Asante, G. S., 819
Asare-Nyako, A., 886
Ascochyta imperfecta, in alfalfa, enzymes associated with pathogenesis of, 894
ascorbic acid oxidase activity, decrease in, compared to chlorogenic acid oxidase activity, 339
Asegueda, H. A., (499)
ash die-back, cankers associated with, 272, **272, 273, 274**
Ashworth, L. J., Jr., 187, 621, (626), 886, 1161, 1459
asparagus
presence of Fusarium oxysporum on seed, 128
resistant lines of, to Fusarium oxysporum, 128
aspen (see **Populus tremuloides**)
Aspergillus spp.
isolated from white clover stolons, 1128
surfactant effects on, 909
awamori, metabolism of, influence of hatching factor on, 36
candidus, in rough rice, control by sodium propionate, 858
glaucus
in rough rice, control by sodium propionate, 858
on soybeans, moisture content and seed viability, 771
niger
epidemiology of, 1161, **1163**
mercury tolerance of, 886, 1459
on peanut, sources of inoculum, 621
spores of, competition for silver, cerium, and dodine, 900
restrictus, in stored wheat, relation of moisture content and storage time, to invasion by, 905
terreus, response to soil fungistasis, 906
aster yellows virus
in barley, compared with yellow dwarf virus, 887
in flax
transmission by leafhopper, 1028, **1030**
virus transmission and varietal reactions to, 44, **44, 46**
recovery from carrot tissue culture, 747
Athow, K. L., (723) (886)
Aureobasidium pullulans, in Pinus radiata, associated with a wood wasp, 1031
auxin(s)
in callus formation, in carnation, 903
indoleacetic acid
from Fusarium oxysporum f. cubense, 899
origin of, in Pseudomonas solanacearum-infected tobacco, 907
Avena spp. (see **oats**)
Averre, C. W., III, 779, 886
avocado
Agrobacterium tumefaciens on, first report, 1303
Guignardia sp. on, 40
Phytophthora cinnamomi, mating type and pathogenicity, 238
seed and root rot (Rhizoctonia), 211, **212, 213**
Axonopus scoparius, gummosis disease of, epidemiology of, 498
azalea, nematodes on southern-propagated stock in Wisconsin, 887
6-azauracil, effect on Erysiphe spp., inhibition of growth, 815, **818**
baby-blue-eyes (see **Nemophila microcalyx**)
Bacillus sp.
antagonistic to Ceratocystis ulmi, 819, **820**
megaterium and polymyxa, inhibition of uredospore germination of Puccinia graminis, 970
subtilis
antagonistic to Erwinia amylovora, 1285
antibiotic from diseased Helminthosporium victoriae active against, 899
effect of chlorinated hydrocarbons on, 886
inhibition of uredospore germination of Puccinia graminis, 970
bacteria
from cucumber leaves, disease protection by, 898
longevity on cotton seed, 617
pseudomonads, in tobacco, 474
rust spores inhibited by, 970
soil-, effect of chlorinated hydrocarbons on, 886
substance from diseased Helminthosporium antibiotic to, 899
from white clover stolons, 1127
bacterial blight of cotton, longevity of bacteria in seed, 617
bacterial brown-spot, of bean, resistance to 16 Phaseolus spp. tested, 903
bacterial disease, of soybeans, a new spp., 891
bacterial slow wilt (stunt) carnation, 610, **610**
bacterial spot of pepper, 358
bacterial wilt, wilt severity vs. ratio of virulent to avirulent cells, 779, **781**
bacterial wilt of tomato, role of nematodes in infection, 151, **153**
bactericides, standardized screening technique, using Xanthomonas vesicatoria in tomato, 889
Baines, R. C., (1202)
Baker, K. F., (1093)
Baker, R., (584), (889), (1425), (1435)
Bald, J. G., (802)
Baldingera arundinacea, sclerotia of ergot collected from, 244
Baldwin, R. E., 746
Ball, E. M., 887
banana
Fusarium oxysporum f. cubense in, 840, 1033
Fusarium wilt, influence of nutrition on sporulation of, 389, **390**
Mycosphaerella musicola on, factors influencing fructification, 1320
peroxidases in, related to vascular browning, 1033
phenol oxidases in, associated with vascular browning, 840
post-harvest decay of, control, 978
Sigatoka leaf spot of, spray oils for control, 235, 498
Bancroft, J. B., (899), (1300)
Banfield, W. M., (127)
Bankuti, M. M., 1431
Banttari, E. E., 887, 1048, 1415
Barash, I., 923
Barbarea verna, Cercosporella brassicae in, resistance, 892
Barbe, G. D., 369
Barker, K. R., 887
bark factors, relations of, to canker susceptibility, 250
barley
aster yellows virus on, 45
compared with barley yellow dwarf virus, 887
barley stripe mosaic virus in, serodiagnosis of, 1290, **1290, 1291**
barley yellow dwarf virus, on oats, 1224
purification, 889
resistance to, in barley, 219
transmission by: aphids, 908; dodder, 910
Erysiphe graminis hordei in,
changes in enzymatic activity of infected barley, 900
effect on RNA composition, 1112
ultrastructure of haustoria, 889

Helminthosporium sorokinianum in, influence of guttation fluid on infection, 1327, **1329, 1331**
leaf rust in, gene loci conditioning reaction to, 904
Podosporiella verticillata, soil borne pathogen of, 353
resistance, inheritance to barley yellow dwarf virus, 219, **220**
resistance, inheritance and linkage to stem rust and loose smut, 308
Sclerophthora macrospora on, 409
Sclerotinia homeocarpa toxin on, 1176
seed borne fungi, 506
storage molds on, 1464
Ustilago hordei in, inheritance of pathogenicity, 890
Ustilago nigra, inheritance of pathogenicity, 890
Verticillium dahliae in, colonization of in plant debris, 900
barley stripe mosaic virus, serodiagnosis of, 1290, **1290, 1291**
barley yellow dwarf virus
in barley
comparison with aster yellows virus, 887
inheritance of resistance, 219
transmission by: aphids, 908; dodder, 910
in oats, diphenylamine reaction of plant extracts, 1224
purification of and electron microscopy of, 889
Barnes, E. H., 1313
Barnett, H. L., 746
Barnett, O. W., Jr., (911)
barnyard grass (see **Echinochloa colonum**)
Barr, Rita, 104
Barratt and Horsfall rating system, 904
Bart, G. J., 887
basidial formation, in Rhizoctonia spp., 1093, **1093, 1094**
Bateman, D. F., 438, (523), 887, 1372, (1405)
Bauling, J. A., 887
Bean, G. A., 888, 1065, 1084
bean (see also **Phaseolus spp.**)
adaptation and sensitization of leaves by heat, 936
damping-off, effect of seed exudation on, 670
flour, for virus transmission, 489
fraction 1 protein from, 283
Fusarium oxysporum f. lupini in, 1232
Fusarium phaseoli in,
dissemination, 880
resistance to, 896
Fusarium solani in, chitin and lignin affecting, 1425
Glomerella cingulata in, comparative morphology of, 909
halo blight of, factors affecting, 140
lima-
downy mildew of,
high temperature and disease development, 181
prevalence, 749
transmission by slugs, 749
nonsaponifiable fractions from, for oospore formation in Phytophthora, 895
Phytophthora phaseoli in, temperature effects, 896
Pseudomonas phaseolicola in,
proteins and enzymes of interaction, 904
reaction to races 1 & 2, 903
resistance to, 952
toxin from, 895
Rhizoctonia solani
calcium and pectin related to susceptibility, 887
cellulase in, role in pathogenesis, 1372, **1374**
resistance to polygalacturonase, 438, **442, 443**
root rot, nutrient effects, 389, **390,** 1435
rust (Uromyces phaseoli), control, 580
phosphatases of, in leaves, 749
phosphates associated with, 895
protein and enzyme changes, 760, **761, 762, 764,** 909
race determination of, 336, **337**
respiration, photosynthesis and dark fixation of $C^{14}O_2$, 913
Uromyces appendiculatus on, 815
virus on:
alfalfa mosaic virus in, indicator plant, 893
alfalfa mosaic virus in, respiratory metabolism of, 914
apple latent virus in, 230
bean common mosaic virus in, aphid transmission of, 129
bean pod mottle virus in, growth during infection, 893
bean pod mottle virus in, relationship to cowpea mosaic, 466
bean pod mottle virus, serological relationship to 2 other viruses, 1418, 1421
bean yellow mosaic virus, serology of, 1102, **1105**
common bean mosaic virus in, a new strain of, 1378, **1379**
southern bean mosaic virus in, respiratory metabolism of, 914
southern bean mosaic virus in, translocatability of, 701
tobacco ringspot virus in, ribonuclease distribution, 908
tobacco ringspot virus in, translocatability of, 701
virus relationship, of 3 viruses, 75, **77**
virus transmission, with flour, 489
viruses of, systemic resistance to, 1436
bean pod mottle virus
relationship to cowpea mosaic virus, 466
relationship to radish mosaic and squash mosaic viruses, 1418, **1422**
in soybean, 893
transmission by leaf beetles, 240
bean yellow mosaic virus
agar-gel serology, 1102, **1105**
in pea,
increased susceptibility to Aphanomyces or Fusarium, 892
increasing susceptibility to Fusarium and Aphanomyces, 1279, **1280**
in red clover, resistance to, 909
Beckman, K. M., 1431
Bedford, E. R., (890)
beech bark disease, interaction of a fungus and a scale insect, 263
beet (see **Beta vulgaris**)
beet western yellows virus, new hosts, 736
beet yellow stunt virus, hosts for, 1432
Bell, A. A., 914
Bell, D. L., (1432)
BeMiller, J. N., 888
Bemisia tabaci, bottle gourd mosaic virus transmission to cucumber, 1059
Beno, D. W., 872
bentgrass (see **Agrostis**)
bentonite flocculation test, for detection of potato virus X in tubers, 1292
Beraha, L., 755
Berbee, J. G., (154)
Berberis julianae, Pratylenchus penetrans on, host-parasite relationship, 718, **720**
Berg, L. A., (895)
Bergee, J. G., 257
Bergeson, G. B., 723
Berry, F. H., (742)
Berry, Judith W., (893)
Beta vulgaris, apple latent virus on, 230
Bhullor, S., 888
Biehn, W., (1038)
Bier, J. E., 250
big-vein virus of lettuce, acquisition and transmission by Olpidium brassicae, 681
binapacryl (see **fungicides**)
Bing, A., (748)
biological control
bean root rot, 1435

Nectria by Hypoxylon, 266
snapdragon rust to European earwig, 369, **369, 370**
biotin, growth requirement for Verticillium albo-atrum, 481, **483**
Birchfield, W., 393, 888
Bird, G. W., 677
Bird, L. S., 621, (621)
bird-of-paradise (see **Caesalpina mulcherrima**)
birds, role in epidemics on cacao, 894
black cowpea (see **Vigna sinensis**)
Black Hills spruce, winterkill association with nematode, 177, **179**
black shank, altered by irradiation, 23, **26**
black stem of sunflower, cause, 492, **493**
Bleak, A. T., (353)
Blodgett, E. C., 1432
Bloom, J. R., 118, 888
Bloss, H. E., 888
bluegrass (see also **Poa pratensis**)
Curvularia pallescens on, in D.C., 888
Helminthosporium dictyoides on, in D.C., 888
Helminthosporium triseptatum on, in D.C., 888
blue lupine (see **Lupinus**)
Boettcher, A. D., 889
Bohn, G. W., 587
Bolwyn, B., 1335, (1339), (1393)
book listings, 247, 619, 743
Boone, D. M., (775), (905)
Boothroyd, C. W., 127
boron, influence on potato virus X in tobacco, 1405, **1406**
Botryotinia ricini, germination, growth, and sporulation, 903
Botrytis
allii
pectolytic and cellulolytic enzymes produced by, 928, **930**
pectolytic enzyme activity of, fungicides for, 130
cinerea
in chrysanthemum, nitrogen and potassium affecting, 674
conidia germination, grape exudate effects, 167
conidia germination, on safflower, biochemical factors affecting, 923
pear decay, radiation for, 755
pectin trans-eliminase and polygalacturonase production by, 907
pectolytic and cellulolytic enzymes produced by, 928, **930**
in safflower, pathogenicity of, biochemical factors affecting, 923
squamosa, in onion, role of enzymes in, 928, **930,** 932, **933, 934**
bottle gourd mosaic virus, onset in cucumber delayed with straw mulch, 1059
Bowman, D. H., (624)
Boyle, J. S., 127
Bozarth, R. F., 746
Bozicevich, J., (1292)
Bracker, C. E., 889
Brakke, M. K., 889
Brandt, C. S., 1454
Brandt, W. H., (363)
Brassica spp. (see **broccoli, Brussels sprouts, cabbage, collard, kale, kohlrabi, mustard, rutabaga, turnip**)
Bretz, T. W., 742
Bricker, J. L., (910)
Brinkerhoff, L. A., (617), 1198
broccoli
Aphanomyces raphani in seedling infection by, 1168
root homogenate of, as culture medium for Fusarium oxysporum, 290
Brodie, B. B., 1019, 1023
bromacil (see **herbicides**)
Bromfield, K. R., 68, (116), (382)
Bromus spp., hosts for Podosporiella verticillata, 353, **353**
broomrape, false-, on tobacco roots, soil temperature effect, 622
Brown, E., 889
Brown, I. F., Jr., (904)
Brown, J. F., 89, 949
brown rot, pectolytic activity and fungicides for, 130
Brown-wood rotting fungi, color on media, related to lignin breakdown, 897
Bruehl, G. W., (219), 1035, 1432, (1432)
Brumagen, D. M., (1062)
Brussels sprouts, seedling infection by Aphanomyces raphani, 1168
Bugbee, W. M., (1352)
bunt (see **Tilletia**)
Burleigh, J. R., 1432
Bushong, J. W., 713, 889
Byther, R., 889

cabbage
fraction 1 protein from, 283
Plasmodiophora brassicae in, host-parasite relations, 912
root homogenate of, for culturing Fusarium oxysporum, 290
seedling infection by Aphanomyces raphani, 1167
turnip yellow mosaic virus in,
local lesion: assay for, 746; indicator plant for, 1258, **1259**
cacao
Calonectria rigidiuscula from
heterothallism and ascospore number of, 1297, **1298**
in Venezuela, 499
5 diseases of, in the Western Hemisphere, 499
greenpoint cushion gall on, resistance to, 499
knob gall on, predisposition to, 499
Phytophthora palmivora from, compatibility types and sporulation of, 500
Thielaviopsis (Ceratocystis) paradoxa, role of brown jay in epiphytotics of, 894
Caesalpina mulcherrima (bird-of-paradise)
host for Guignardia sp., 40
Pseudomonas solanacearum on, 1096
Cairns, E. J., (625)
Cajanus cajan, common bean mosaic virus in, new strain, 1378, **1379**
Calavan, E. C., 1359
calcium
in bean, in relation to pectic substances and Rhizoctonia, 887
effect of, on Pythium ultimum, 901
Caldwell, R. M., (104), (214)
California cotton leaf crumple virus, in cotton, compared with Texas cotton vein clearing virus, 623
Callistephus chinensis, aster yellows virus on, 44
callus formation, in carnation, factors affecting, 903
Calonectria rigidiuscula
causing a gall disease of cacao and mango in Venezuela, 499
heterothallism and ascospore number in, 1297, **1298**
Calpouzos, L., 235, 890
Campbell, L., (1433)
Campbell, R. N., 681, 890, 1418
Campos, A., 501
Canavalia ensiformis, common bean mosaic virus in, new strain of, 1378, **1379**
Candida sp., in Pinus radiata, associated with a wood wasp, 1031
Canetta, Alice C., (633)
canker disease
ash die-back, cankers associated with, 272, **273, 274**
Hypoxylon pruinatum
developmental morphology in bark of aspen, 154, **156, 158, 159, 160**
impact on aspen, 253
life cycle, host range, and pathogenesis on poplar, 257

of maple, etiology of, 269, **270, 271**
Nectria galligena, pathogenesis of, 261
research in, trends and needs, 275
Rhodosticta quercina, of Prunus domestica, effect of myo-inositol on parasitism, 697
summary of symposium on, 275
susceptibility of host, relation of bark factors, 250
cantaloupe
Glomerella magna on, 452
mosaic virus diseases of, relation to crown blight, 460
powdery mildew on, genetics of resistance, 587
Capsicum (see also **pepper**)
annuum (frutescens)
potato spindle tuber virus in, symptomless host of, 1045
Samsun latent tobacco mosaic virus in, 1367, **1368, 1369**
captan (see **fungicides**)
carbaryl (see **insecticides**)
carbon^{14} (see **radioactive elements**)
cardamom (see **Amomum** aromaticum)
cardamom mosaic streak virus, a new disease of cardamom, transmitted by the corn aphid, 904
Carlstrom, R. C., 1432
carnation (see also **Dianthus spp.**)
bacterial disease resembling slow wilt or stunt, 610, **610**
callus formation, factors affecting, 903
Fusarium oxysporum f. dianthi, symptomless carrier, 323
Fusarium roseum macroconidia on, effects of ultrasonic treatment, 891
mottle and ringspot viruses, purification, 608
Phialophora cinerescens in, development and nitrogen nutrition, 1172
root homogenate of, as medium for Fusarium oxysporum, 290
carnation mottle virus, purification by chromatography, 608
carnation ringspot virus, purification by chromatography, 608
Carns, H. R., (906)
Carpenter, J. B., (1359)
Carroll, R. B., 746
carrot, aster yellows virus on, 45
Cassia
Fusarium oxysporum f. lupini in, 1232
occidentalis, cymbidium mosaic virus of, 974
tora
common bean mosaic virus in, new strain, 1379
peanut leaf mottling virus on, 624
Castano, J. J., 498
castorbean (see **Ricinus communis**)
Catovic-Catani, S., 127
cauliflower, Aphanomyces raphani in, seedling infection by, 1167
cauliflower mosaic virus, detection by immune adherence, 395
celery, Septoria apiicola on, symptoms, etiology, morphology, and taxonomy of, 1251, **1253**
cell death rates, in corn stalks, related to spread of stalk rot, 626
cellulase (see **enzymes**)
cellulolytic activity
of fungi, a rapid cultural test for, 904
of Xanthomonas malvacearum, cultural filtrates, 597
Cephalosporium
gramineum, isolation from buried debris, 1035, **1035**
zonatum, causing zonal leaf spot of coffee in Costa Rica, 500
Ceponis, M. J., (237)
Ceratocystis
fagacearum
isolate variation in pathogenicity, host specificity, and mat production, 865
pathogenicity retention in culture, 742
fimbriata
in sweetpotato, antigenic components produced in roots of, 1086
in sweetpotato, protein and isozyme patterns, 911
ulmi
an adenosine triphosphate-binding substance from, 1386
antagonism to, by acids, 819
antagonistic effect of a Bacillus on, 819, **820**
in elm, nitrogenous compounds in the xylem, 908
fungitoxicity of quaternary ammonium compounds to, 1193
resistance in clones, 896
virulence in, single-ascospore crosses, 128
Ceratoma trifurcata
transmission of: Arkansas cowpea mosaic virus, 911
bean pod mottle virus, 240
Cercos, A. P., 741
Cercospora, on Clerodendron spp., 500
arachidicola, growth of, in a synthetic medium, 1236
beticola, sporulation of, in light and darkness, 890
coffeicola, leaf and fruit spots of coffee, control by fungicides, 501
Cercosporella
brassicae, in radish, resistance to, 892
herpotrichoides, sporulation on artificial media, 729, **731, 732, 734**
cereal crops, annual-, Sclerophthora macrospora on 7 hosts in South Dakota, 409
cerium, uptake by fungus spores, competition, 900
Cervantes, J., 498
Chaetomium sp.
effects of, on dwarf tomatoes in gnotobiotic conditions, 899
indicum, Ditylenchus destructor feeding on, 1121
Chambers, A. Y., (622)
Chambers, T. C., (892)
Chand, J. N., 49, 51
Chandrasekhar, B. K., (908)
Chang, E-W. P., 729
Chapman, R. A., 417
charcoal rot (see **Macrophomina phaseoli**)
Chatterjee, S. N., (904)
chelating agents, effect of, on transmission of tobacco necrosis virus by Olpidium brassicae, 895
chemotherapeutant, for rust, symmetrical dichlorotetra fluoroacetone, 580
chemotherapy, adsorption of organic cations, to plant tissue, use as systemic fungicides, 1193
Chen, Tseh-An, 127
Chenopodiaceae
beet western yellows virus in 11 new host spp., 736
cowpea mosaic virus, 3 spp. as host for, 467
Chenopodium
album
apple latent virus on, 229
local-lesion host for pea enation mosaic virus, 843, **847**
amaranticolor
cymbidium mosaic virus of, 974
extracts of, inhibitory to 3 viruses, 888
host of: apple latent virus, 229, **231**; cucumber mosaic virus, 960; Samsun latent tobacco mosaic virus in, 1367, **1368**; Wisconsin pea streak virus, 807, **807, 809**
botrys, apple latent virus on, 230
quinoa
grapevine fanleaf virus in, 895
indicator plant for 2 types of virus from apple leaves and flowers, 899
virus infection of, with an apple virus, 1300
Cherewick, W. J., 890
cherry (see also **Prunus**)
bacterial canker resistant seedlings, frequency of, from seed irradiated with thermal neutrons, 891
latent aphid-transmissible virus on, 1435
Shirofugen (see **Prunus** serrulata)

sour- (see **Prunus** cerasus)
sweet- (see **Prunus** avium)
cherry rugose mosaic, relation to Prunus ringspot virus, 1435
Chi, C. C., 434, 646, 750, 1053
Chiarappa, L., (1305)
chick pea (see **Cicer arietinum**)
chicory, witloof, acid production in, by Erwinia carotovora, 237
Chidester, J. L., (890)
Childers, W. R., (434), 750
chilling, effects of, on phenol metabolism and Fusarium infection of cut potato tissue, 1275
China aster (see **Callistephus chinensis**)
Chinn, S. H. F., 349
chitin, soil amendment with, for Fusarium solani in bean, 1425
chlamydospore formation, of Fusarium solani f. radicicola, influence of carbon and nitrogen on, 894
chloramphenicol, effects of, on amino acids and amides in virus infected plants, 907
chlorogenic acid, oxidase activity,
to distinguish normal and pathological tissue, 339
in potato roots, relation to infection by Verticillium albo-atrum, 531
chloroplast fragmentation, in local lesions of TMV infected Nicotiana glutinosa, electron microscopy, 870, **871**
chlorotic leaf spot disease, of apple, characteristics of a filamentous virus isolated mechanically from, 899, 1300, **1301**
Choanephora sp., isolated from white clover stolons, 1128
Christensen, C. M., (905), 1464
Christiansen, D. W., (1359)
chrysanthemum
Botrytis cinerea in, effect of nitrogen and potassium on, 674
foliar nematode on,
photonegative reaction of, 118
sodium injury, in cuttings, 911
Fusarium wilt of, caused by race 1 of the cowpea Fusarium, 886
Chrysomyxa spp., spore germination of, 1433
Cicer arietinum, common bean mosaic virus in, new strain, 1379
Cichorium intybus, acid production in, by Erwinia carotovora, 237
Citrullus (see **watermelon**)
Citrus spp. (see also **grapefruit, lemon, lime, orange**)
exocortis virus on,
indexing for, 1352, **1361,** 1431
nitrogen effects on, 968
Guignardia on, 40, **42,** 1448
Phytophthora parasitica on, 114
post-harvest decay, control, 755, 978
tristeza virus on, 1431
citrus nematode (see **Tylenchulus semipenetrans**)
citrus variegation virus, in cowpea, properties of, 946
Cladosporium cucumerinum
in cucumber, biochemistry of resistance, 899
sporulation of, influence of substrate, 1038
Clark, M. C., (1181)
Clark, M. F., 199
Claviceps
gigantea, a new pathogen of maize in Mexico, 379, **380**
purpurea, changes in N and P content of sclerotia during growth, 244
Clerodendron spp., leaf spot of, caused by Cercospora, 500
clover (see also **Trifolium spp.**)
alsike-
flower juice of, lesion inhibition on Gomphrena, 892
Sclerotinia trifoliorum on, host-parasite relationship, 784, **785**
ladino-
virus infection of, effect on clover persistence, 898
red-
flower juice effect, lesion inhibition on Gomphrena, 892
Fusarium on,
factors affecting growth and sporulation, 1053
penetration and development of 3 spp., 434, **435, 436**
wilt caused by, mechanism, 646, **649, 651, 652**
Heterodera trifolii on, growth effect, 417
low-temperature survival, 897
nematodes on, associated with site, 746
Pellicularia filamentosa on, infection, 750, **753**
root rot complex, viral fungus relationship, 911
seedling root rot fungi, 746, 1012
virus on, resistance to, 909
wilt of, 646, **649, 651, 652**
white-
Heterodera trifolii on, growth effect, 417
Sclerotium rolfsii in, interactions with other organisms, 1127
stolon-rotting fungi, seasonal prevalence, 623
survival, at low temperature, 897
wound tumor virus in, electron micrographs of, and arthropod host, 908
clover cyst nematode, on red and white clover, growth reduction, 417
clover yellow mosaic virus
degradation of, agar-gel serology of, 1102, **1105, 1107**
on pea, purification, 1433
in red clover, causing severe root rot, 911
serological identification of, 615, **615**
in Vicia faba root tips, 1273, **1273**
Cobalt-60 (see **radioactive elements**)
Cobb, F. W., Jr., (865), 1216
Cochliobolus (see also **Helminthosporium spp.**)
carbonum, perithecial formation, genetic inhibition of, 876
sativus
effect of associated fungi on infection by, 506
inherent spore germinability and survival, 349
Cochran, G. W., 890
Coffea spp.
Cercospora leaf and fruit spots, fungicides for, 501
Corticium salmonicolor, symptoms, 500
arabica
Vinas disease, a new disease in Guatemala, 500
zonal leaf spot, caused by Cephalosporium zonatum, 500
liberica excelsa, caused by C. zonatum, 500
coffee (see **Coffea spp.**)
Cognee, M., 621
Colberg, C., (235)
Cole, J. R., (1174), 1283
collard, Aphanomyces raphani in, seedling infection by, 1168
Colletotrichum spp., from white clover stolons, 1127
capsici, maneb treatment of spores, 1278
coccodes, nitrogen nutrition of, 691
falcatum, virulence of, related to polygalacturonase, 1100
gloeosporioides, in dwarfmistletoe, variation and pathogenicity of, 906
graminicolum, inoculation of sorgo with a tractor-mounted sprayer, 621
lagenarium
in cucumber, accumulation of sulfur^{35} around lesions, 893
on cucumber, influence of bacteria on, 405
on cucumber, inhibition by 6-azauracil, 815
on cucurbits, asexual stage of Glomerella magna, 452, **453**
trifolii, in alfalfa, association of polygalacturonate transeliminase with, 894
truncatum, of soybean, leaf symptoms of, 625

common bean mosaic virus
aphid transmission, 129
in bean, a new strain, 1378, **1379**
competition
effect on growth of Pythium aphanidermatum in soil, 955
by Peniophora gigantea, effect on growth of Fomes annosus, 623
competitive ability, of Fomes annosus in Pinus echinata stumps, 556
Compositae, beet western yellows virus in, 4 new host spp., 736
conifers, root rot of, influence of temperature and source on Fomes annosus, 373, **375**
Converse, R. H., (173), 890
Cook, A. A., (1367)
Cook, R. J., (670)
Cooper, G. R., 127
Cooper, W. E., (1019), (1023)
copper, in apple leaves and twigs, effect on Erwinia amylovora, 713
Corbett, D. C. M., (122)
Corbett, M. K., (627), (946)
Corden, M. E., 247, 1432
corn
Claviceps gigantea on, new pathogen in Mexico, 379, **380**
diseases, in Costa Rica, factors, 127
Fusarium moniliforme in, histological changes in stalks, 898
Helminthosporium carbonum in
causing changes in enzymatic carboxylations, 663
dehydrogenase activity relationship, 1281
Helminthosporium turcicum on
conidia, overwintering in soil, 886
histopathology of, in lines, 570, **571, 573**
longevity of, factors affecting, 896
northern leaf blight of, protection from, by a bacterium from cucumber leaves, 898
Pratylenchus penetrans on, pathogenicity and population trends, 317
Puccinia sorghi in, the locus Rp_1 conditioning resistance to, 905
Sclerophthora macrospora on, in South Dakota, 409
stalk rot of
resistance related to glycoside content, 888
spread related to cell death rate, 626
storage molds on, 1464
virus in, unidentified, in Ohio, 912
Corticium red thread, development of, influence of nutrition and soil moisture on, 129
Corticium salmonicolor, in coffee, initial disease symptoms and site of infection, 500
Cory, L., (895)
Corynebacterium spp.
from orchardgrass, comparisons with Corynebacterium rathayi and C. tritici, 912
insidiosum, antagonistic variant of, 330, **332**
rathayi, comparison with a C. spp. from orchardgrass, 912
tritici, comparisons with a C. spp. from orchardgrass, 912
Coryneum beijerinckii, control on almond, 1434
Costonis, A. C., 127
cotton
bacterial blight of, longevity on seed of, 617
boll rot fungi, effects in cotton fiber by Rhizopus, 748
fiber
effect of Rhizopus on, 748
fragmentation by enzymes, 747
Fusarium oxysporum f. lupini in, 1232
hypocotyl necrosis, 627
Myrothecium roridum on, 621
nematodes on
effects of 7 spp. on 10 cotton selections, 625
pathogenicity of 8 spp. on, 1019, **1021, 1022**
N,N'-dimethylphosphorodiamidate treated, 626
a nonhost for Phytophthora parasitica from okra, 114
Pellicularia filamentosa on, from cotton stems in Louisiana, 626
postemergence damping-off, relation of nematodes to, 1023
Pseudomonas syringae on, 1436
reniform nematode on, control of by new combinations of nematocides, 393
Rhizoctonia solani, soil fungicides for, 518, 625
root homogenate of, for Fusarium oxysporum, 290
seedling disease, soil fungicides vs. soil microflora, 621
Verticillium albo-atrum in, related to tracheal fluids of resistant plants, 906
virus in, comparison of Texas cotton vein clearing virus with California cotton leaf crumple virus, 623
Xanthomonas malvacearum in
longevity, dissemination, and recovery, 1009, **1011**
survival and infectivity of, 1198, **1199**
Couch, H. B., (129), 890
Coulson, J. G., (895)
Cowling, E. B., (128), 373, (542), (904)
cowpea
Erwinia amylovora in, 898
Fusarium oxysporum f. lupini on, race 1, 1232
Fusarium oxysporum, race 1, causing wilt of chrysanthemum, 886
Fusarium wilt of, biological races, 623
virus of
relationship of severe bean mosaic to southern bean mosaic and related strain in cowpea, 75, **77**
separation of mixtures on 4 indicator plants, 739
viruses of, systemic relation to, 1436
cowpea chlorotic mottle virus, purification, serology, and properties of, 853, **854, 856**
cowpea mosaic virus (see also **Arkansas cowpea mosaic virus**)
Chenopodiaceae, 3 host spp., 467
Leguminosae, 11 host spp., 467
mixture with other cowpea viruses, 739
nonhosts for, 13 spp., 467
properties of and hosts, relation to bean pod mottle virus, 466, **468, 472**
Solanaceae, 5 host spp., 467
cowpea-southern bean mosaic virus, serological relationships to other bean viruses, 75, **77**
Craigmiles, J. P., (612)
cranberry
Hemicycliophora similis, population dynamics, 654
nematodes associated with, 19 spp., 677
Crews, J. W., (1356)
Criconemoides curvatum, on cranberry, pathogenicity, 677, **679**
Cronartium
cerebrum, serological comparison with other spp., 622
fusiforme
in Pinus elliottii and P. taeda, insects and fungi associated with, 902
serological comparison with other spp., 622
in slash pine, resistance to, 1294
ribicola, serological comparison with other spp., 622
crop sequence, nematode populations, Heterodera field bins, 622
Cross, J. E., 890
Crossan, D. F., 358, 1038, (1278)
cross-protection
Erwinia amylovora in apple, influence of forms and spp. on virulence of, 894
Fusarium wilt suscepts, with 8 f. sp. of Fusarium oxysporum, 891
crown blight of cantaloupe, relation to mosaic virus, 460
crown gall (see **Agrobacterium tumefaciens**)
Cruciferae, beet western yellows virus in, 8 new host spp., 736
cryobiology, spore germination and dormancy, in Puccinia graminis tritici, 68

cucumber
angular leaf spot, inheritance of resistance to, 51
anthracnose of, protection from, by bacterium from cucumber, 898
apple latent virus on, 230
bottle gourd mosaic virus in, 1059
Cladosporium cucumerinum in, resistance to, biochemistry of, 899
Colletotrichum lagenarium in
accumulation of sulfur^{35} around lesions, 893
influence of bacteria from healthy leaves on, 405
inhibition by 6-azauracil, 815
cottony-leak, changes in sugars and amino acids of fruits, 233
cowpea mosaic virus on, 467
cucumber mosaic virus in
chloramphenicol effect on amino acids, 907
preventing aphid-spread with oils, 960
cymbidium mosaic virus in, hosts, 974
Erysiphe cichoracearum
influence of bacteria from healthy leaves on, 405
inhibition by 6-azauracil, 815, **816, 818**
fraction 1 protein from, 283
fruits of, changes in sugars and amino acids when infected, 233
Glomerella magna on, 452
heat effects on, adaptation and sensitization, 936
leaf spot of, 1433
Pseudomonas lachrymans, factors affecting multiplication, 49
Pseudomonas savastanoi in, 1295
Pythium aphanidermatum, effect on sugars and amino acids in fruits, 233
roots of, electrotaxis of Phytophthora parasitica zoospores to, 226
tobacco ringspot virus in, 799
Xiphinema americanum as vector, 625, 900
wilt, beetles as vectors, 606
cucumber beetles, vector for cucumber wilt, 606
cucumber mosaic virus
aphid-spread prevented with oil, 960
in blue lupine, seedborne, 627
of cantaloupe, relation to crown blight, 460
in cucumber
effect of chloramphenicol on amino acids, 907
effects of heat on, 936
infectivity of phenol extracts, 1433
purification of, 282
serological relationship with Amaryllis mosaic, 360, **361**
Cucumis spp. (see **cucumber**)
melo (see **cantaloupe**)
Cucurbita spp. (see also **pumpkin, squash**)
maxima, apple latent virus on, 230
pepo, fraction 1 protein from, 282
Cucurbitaceae, beet western yellows virus in, 736
cucurbits, Glomerella magna, new anthracnose disease, 452, **453**
culm rot of oats, Helminthosporium sorokinianum compared to H. victoriae, 147, **149**
cultivation, effects on Fusarium population, 499
culture medium, for wheat bunt fungi, 592, **593, 594**
Cunningham, J. L., 891
Curl, E. A., 621, 622, (1127), 1486
Currin, R. E., (205)
Curtis, C. R., 891, 1141
Curvularia
pallescens
on bluegrass, prevalence in D.C., 888
surfactant effects on, 909
trifolii, in white and red clover, low temperature effects, 897
Cuscuta campestris, transmission of barley yellow dwarf virus to barley, 910
Cyamopsis tetragonoloba, apple latent virus on, 230
cycloheximide
hawthorn leaf spot control, 129
sensitivity and resistance to in yeast, 748
uptake in yeast, 1261
Cymbidium sp., cymbidium mosaic virus of, 974
cymbidium mosaic virus, in Phalaenopsis, symptoms, transmission, purification, and electron microscopy of, 974, **975**
Cyprex (see **fungicides**)
cytology
a method for fixing and mounting fungi, 863, **863**
nuclei in spore and mycelium of Verticillium, 363, **363**
Phytophthora capsici, 498
Rhizoctonia solani, nuclear condition and division of, 907
of virus-infected plant cells, staining and fixation, 802, **803, 804**
cytopathology, potato virus X in Datura tatula, 909
Cytophoma pruinosa, association with ash die-back, 272
Cytospora decipiens, factors affecting pigmentation of, 907

Dactylella doedycoides, technique for fixing and mounting, 863, **863**
Daft, G. C., (898)
Dahlstrom, R. V., 36
Daines, R. H., (900)
Daly, J. M., (895), 1342
damping-off, of bean, effects of seed exudations on, 670
Damsteegt, V. D., 219
dapple apple virus, detection of antigens by complement fixation, 900
dark fixation of $C^{14}O_2$, bean infected with Uromyces phaseoli typica, 913
Darling, H. M., (317)
Datura spp.
potato spindle tuber virus in, symptomless host of, 1045
inoxia, apple latent virus on, 230
meteloides, apple latent virus on, 230
stramonium
apple latent virus on, 230
cymbidium mosaic virus of, 974
potato leaf roll virus in, diphenylamine reaction and transmission, 1223
variation among clones of Myzus persicae, 199
potato virus X in, temperature effect on particle length and infectivity, 901
Pseudomonas savastanoi and Agrobacterium tumefaciens on, 1295, **1295**
Samsun latent tobacco mosaic virus in, 1367, **1369**
tatula, potato virus X in, cytopathology of, 909
Daubeny, H. A., (241)
Daucus spp. (see **carrot**)
Davis, D., 290, 891, (905)
Davison, A. D., 336
Day, M. F., (395)
DBCP (see **nematocides**)
Dean, J. L., 621
Dean, L. L., (489)
decay resistance, extractive-free coniferous wood by white-rot fungi, 542
Dekker, J., 815
de Lourdes de la Isla, Maria, (379)
density gradient centrifugation, viruses and plant antigens, separation, 282
De Reyes, Lillian C., (499)
Desjardins, P. R., (1247)
detergent, use in serodiagnosis of barley stripe mosaic virus, 1290, **1290, 1291**
Deutsch, M., (960)
DeVay, J. E., (697), 891, (1436)
deZeeuw, D. J., 196
Dhaliwal, A. S., (890)
Diabrotica spp. (see **cucumber beetles**)
Dianthus spp. (see also **carnation**)
barbatus, roots of electrotaxis of Phytophthora zoospores to, 226
caryophyllus, root homogenates of, for Fusarium oxysporum culture, 290

1,2-dibromo-3-chloropropane (DBCP)
control of reniform nematode of cotton, 393
inhibition of Rhizoctonia solani, 187
dichlobenil (see **herbicides**)
2,6-dichloro-4-nitroaniline (DCNA) (see **fungicides**)
2,4-dichlorophenoxyacetic acid (2,4-D) (see **herbicides**)
1,2-dichloropropane and 1,3-dichloropropene, effect on growth and amino acid production of soil bacteria, 886
Dickerson, O. J., 317
Dickey, R. S., (610)
dicryl (see **herbicides**)
Diener, T. O., 746, 1258
Dimond, A. E., (903), (1137), (1193)
Dingman, E., (1434)
Dioryctria amatella, association with rust in pines, 902
Dioscorea
composita and floribunda, Helminthosporium leaf spot of, in Guatemala, 365, **365**
dioxathion (see **insecticides**)
diphenamid (see **herbicides**)
diphenylamine reaction
oat extracts, infected with barley yellow dwarf virus, 1224
plant extracts, infected with potato leaf roll virus, 1223
Diplocarpon earliana, in strawberry, 906
Diplodia
viticola
in grape, time of infection and latency, 636
metabolism of organic acids during rot of grape, 242
zeae
in corn, glycoside content vs. resistance to, 888
differences in spread vs. cell death rate, 626
response to soil fungistasis, 906
diquat (see **herbicides**)
disease assay, statistical methods, quantitative inoculator, 512
disease evaluation, nematodes of crops plants, host reaction classes, 895
disease transmission, Pseudomonas syringae in peach by buds, 891
Disyston, nematocidal activity in woody ornamentals, 748
Ditylenchus spp.
Pyrenochaeta as host for, 888
destructor, feeding mechanism on 5 fungus spp., 1121
dodder (see **Cuscuta compestris**)
dodine (see **fungicides**)
Dody, D. G., (908)
dormancy, cold-induced-, in uredospores of Puccinia graminis tritici, 68
Dowler, W. M., 891
downy mildew (see **Phytophthora** or **Sclerophthora**)
Duffus, J. E., 736, 1432
Dukes, P. D., 622
Dunleavy, J., 891
Dutch elm disease, single-ascospore culture crosses, 128
dwarf bunt (see **Tilletia controversa**)
dwarf mistletoe (see also **Arceuthobium**)
Colletotrichum gloeosporioides in, cultural variation and pathogenicity, 905

early blight (see also **Alternaria spp.**)
of tomato, protection of, by bacteria from cucumber leaves, 898
earthworms, effects on teliospore germination of Tilletia controversa, 878, **878**
earwig (see **Forficula auricularia**)
Echandi, E., (500)
Echinochloa colonum, Meloidogyne sp. on, histopathology of galls, 888
Echinocystis sp., source of wild cucumber mosaic virus, 163
Eckert, J. W., 978
ecology of soil pathogens, chitin and lignin amendments vs. development of Fusarium solani in bean, 1425
Edgington, L. V., (129), 892, 1193
Edmunds, J. E., 892
Edmunds, L. K., 514
Edwardson, J. R., (54)
eggplant
bacterial wilt of, severity influenced by virulent to avirulent cells, 779
phytotoxicity to, by metabolic products of Penicillium, 127
electrophoresis (see **techniques**)
electrotaxis, zoospores of Phytophthora parasitica, root surface areas, 225, **227**
El-Goorani, M. A., (1285)
El-Kandelgy, S. M., 892
Elliot, A. M., 1443
Elliott, E. S., (746)
elm (see **Ulmus spp.**)
Elsaid, H. M., 518, 622, 892
Elson, J. E., (1432)
Endo, B. Y., 79
Endo, R. M., 1175, 1327
Endoconidiophora fagacearum (see **Ceratocystis**)
endothion (see **insecticides**)
English, W. H., (891), (1409)
enzymatic reduction, associated with rust infection, 895
enzymes (general) (see also **enzymes,** specific)
activity, related to change in barley mildew, 900
in bean leaves, changes associated with bean rust, 760, **762, 764**
in cotton fiber, fragmentation by, 747
of Embden-Meyerhof-Parnas pathway, detected in extracts of Sclerotinia, 896
in host-parasite relationship
Helminthosporium leaf spot of corn, 663, 1281
Pseudomonas phaseolicola in bean, 904
isozymes
changes associated with infection by the bean rust fungus, 760, **762, 764**
in sweetpotatoes, infected with Ceratocystis fimbriata, 911
in sweetpotato, 1086
enzymes (specific) (see also **enzymes,** general)
cellulase
measurement of activity by rotating spindle viscometry, 110, **110**
in Rhizoctonia, role in pathogenesis of bean, 1372, 1374
cellulolytic-
in Botrytis squamosa, role in onion disease, 932
produced by 3 spp. of Botrytis, 928
glucose-6-phosphate dehydrogenase, relation to Helminthosporium leaf spot of maize, 1281
β-glucosidase
in Erwinia amylovora and Pseudomonas syringae, 906
in pear leaves, role in antibiotic activity to Erwinia amylovora, 59, **61, 62,** 640, **641, 643**
β-glycosidase, in apple leaves, possible relation to resistance to Venturia inaequalis, 98
indoleacetic acid oxidase, inhibition of, in infected Nicotiana tabacum, 1078
oxidase activity, crown gall tumor, 339
pectic and cellulolytic, produced by Xanthomonas malvacearum in culture, 597, **598**
pectin methylesterase
production in culture by Xanthomonas malvacearum, 597
Rhizoctonia, involvement in host resistance, 438
pectin trans-eliminase production, by 5 spp. of fungi, 907
pectolytic-
in Botrytis allii, effect of fungicides on, 130
in Botrytis squamosa, role in onion disease, 932, **933**
produced by 3 spp. of Botrytis, 928, **930**
peroxidases
relation to vascular browning in banana roots, 1033
in roots invaded by Fusarium oxysporum f. cubense, 1033
phenoloxidases

in apple leaves, relation to resistance to Venturia, 98
in banana roots invaded by Fusarium oxysporum f. cubense, 840
6-phosphogluconate dehydrogenase, relation to development of Helminthosporium leaf spot of maize, 1281
polygalacturonase
in Colletotrichum falcatum, related to virulence, 1100
inhibition of, 1432
produced by Rhizoctonia solani, activity measured by rotating spindle viscometry, 110, **110**
in Rhizoctonia-infected hypocotyls of bean, 438
polygalacturonase production, by 5 spp. of fungi, 907
polygalacturonate trans-eliminase, association with Colletotrichum trifolii in alfalfa, 894
polyphenoloxidase, role in tolerance to Phymatotrichum omnivorum, 888
polyphenol-polyphenoloxidase, role in tolerance to Phymatotrichum omnivorum, 888
proteolytic, of free-living and plant-parasitic nematodes, 129
ribonuclease, distribution in bean leaves infected with TMV, 908
epidemiology
gummosis disease of Imperial grass caused by Xanthomonas axonoperis, 498
glume blotch on wheat, 300
leaf and stem rust of wheat, affected by fungicides, 999
Septoria nodorum on wheat, 300
Spanish peanut, a seedling disease in, caused by Aspergillus niger, 1161
splash dispersal and wind for halo blight of bean, 140
Epps, J. M., 622, 1265
Epstein, A. H., (177)
eradication, virus from a stock of horseradish, 747
ergot (see also **Claviceps**)
of corn, a new pathogen in Mexico, 379, **380**
sclerotia, changes in N and P content during growth, 244
Erigeron, aster yellows virus on, 45, 54
Erkelens-Nanninga, K. E., (608)
Erodium cictarium, apple latent virus on, 230
Erwin, D. C., 114, 1247
Erwinia spp.
causing soft-rot of onions, selective isolation of, 897
amylovora
affected by copper content in apple leaf and twig, 713
in cowpea, a new nonrosaceous host, 898
filament form of, 911
β-glucosidase activity in, 906
infection of pear aided by sandblasting, 747
longevity on pear trees, 747
in pear, development of, arbutin-hydroquinone complex as a factor, 640
relation of β-glucosidase in pear leaves and antibiotic activity, 59, **61, 62**
a strain of Bacillus subtilis antagonistic to, 1285
virulence, influence of avirulent forms of E. amylovora and saprophytic species on, 894
aroideae, in potato tuber tissue, pathogenesis in a CO_2-N atmosphere, 902
atroseptica, in potato tuber tissue, pathogenesis in a CO_2-N atmosphere, 902
carotovora
acid production, factor in virulence, 237
carbon source and tetrazolium agar to distinguish virulence, 494
mutant, UV-induced, with reduced virulence, 237
in potato tuber tissue, pathogenesis in a CO_2-N atmosphere, 902
tracheiphila, cucumber beetles as vectors, 606
Erysiphe
cichoracearum
on cucumber, influence of bacteria isolated from healthy leaves on, 405
on cucumber, inhibition of by 6-azauracil, 815, **816, 818**
effects of heat on, adaptation and sensitization, 936
race 2, in muskmelon, genetics of resistance, 587
graminis
in barley, haustoria ultrastructure and relationship to epidermal cell, 889
on wheat, inhibition of by 6-azauracil, 815, **818**
graminis hordei
in barley, changes in enzymatic activity, 900
in barley, effect on RNA composition, 1112
in wheat, predisposition, 618
graminis tritici, predisposition of wheat to infection by Erysiphe graminis hordei, 618
Escherichia ashbyii, flavin nucleotide cofactor obtained from, effect on Aspergillus awamori, 36
etamycin, effects on seedling growth and chlorophyll production, 741
ethanol, as a carbon source for the growth of Armillaria mellea, 912
ethylenebis (thiocarbamyl) disulfide, isolation from spores of Colletotrichum capsici treated with maneb, 1278
Eucalyptus sp., a Guignardia sp. on, different from the citrus black spot pathogen, 40
Eurytoma aciromatis, association with rust on pines, 902
Everett, T. R., (624)
exocortis virus of citrus
nitrogen effects on development, 968
a rapid indexing for, 1359, **1361,** 1431
in sour orange, histological study of, 892
eyespot foot rot of winter grains, caused by Cercosporella herpotrichoides, sporulation, 729, **731, 732, 734**

Fabraea maculata, control by cycloheximide, 129
Farkas, G. L., (474)
Farley, J. D., 892, 1279
Faulkner, L. R., 344
Feder, W. A., 863
Feijoa, host for Guignardia sp., 40
Feldman, A. W., 1210
Felix, E. L., 892
ferbam (see **fungicides**)
Fergus, C. L., (691), (865)
Festuca rubra
Corticium red thread on, development of, 129
Fusarium roseum in, influence of nutrition and soil moisture on development, 890
Ficus carica, effects of heat on, adaptation and sensitization, 936
field resistance (see **resistance**)
Fields, M. L., (901)
Fink, G. B., (1198)
fire blight (see **Erwinia** amylovora)
Fischer, W. R., (1432), 1432
Fisher, E. G., (706)
flax
aster yellows and oat blue dwarf viruses in transmission by leafhopper, 1028, 1030
aster yellows virus in, transmission and resistance to, 44, **46**
Melampsora lini on, somatic variation for pathogenicity, genetics of, 823
root homogenate of, as culture medium for Fusarium, 290
Flentje, N. T., 788, (1093)
Flor, H. H., 823
flowery gall of cacao, wounds caused by excising, predisposition to knob gall, 498
fluorescence
antibodies for staining inclusion bodies of virus on rice, 367, **368**
compounds of, in tobacco infected with TMF, 1062

Fomes
annosus
cellulolytic activity of, rapid test for, 904
in eastern white pine, duration of susceptibility in stumps, 1216
effect of temperature on growth and survival of, in pine, 893
growth of, competition by Peniophora affecting, 623
growth in culture, influence of organic matter and microbial interactions, 622, 1486, **1486**
infection, growth rate, and competitive ability, in Pinus echinata stumps, 556
influence of temperature on growth of, 373, **375**
in Pinus elliottii, infections in Florida, 904
in Pinus elliottii and P. taeda, association with Cronartium fusiforme, 902
in Pinus taeda roots, host factors influencing, 901
pinicola, surfactants on, effects of, 909
Forbes, I., 54
Forbes, I., Jr., (627)
Ford, R. E., 615, 1405, 1433
Ford, Z. T., (205)
Fordyce, C., Jr., 795
forest nursery seedlings, Tylenchorhynchus claytoni, host range, 749
Forficula auricularia, relation to snapdragon rust, 369, **369, 370**
fraction 1 protein, electron microscopy, properties, 282, **287**
Francki, R. I. B., 892, 1433
Fraxinus spp. (see **ash**)
Frederiksen, R. A., 44, 1028
Freeman, T. E., 1187
freezing, quick-, for relaxing nematodes, 869
Freiberg, A. H., (580)
French, D. W., (56), (867)
French, R. C., 970
Freyre, R. H., (827)
Fridlund, P. R., 1482
Friedman, B. A., 237, 494
Frolich, E. F., (1359)
Frosheiser, F. I., 893
frost cracks, coefficient of expansion of wood, in relation to, 128
fruit rot
Botrytis cinerea, exudates of grape berries; their effect on conidial germination, 167
of grape berries, caused by Diplodia viticola, 242
fruit wraps, impregnated with fungicide(s), to reduce Rhizopus decay of peaches, 1219, **1221, 1222**
Fry, P. R., 893
Fuentes, S. F., 379
Fukushi, T., (908)
Fulton, R. W., (1155)
fungi
airborne spores, portable and continuously sampling trap, 613, **613, 614**
$C^{14}O_2$ fixation, by Fusarium nivale and a psychrophilic basidiomycete, 909
cellulase and pathogenesis, Rhizoctonia solani in bean, 1372
cellulolytic activity of, a rapid test for, 904
colonization of plant debris in soil by Verticillium dahliae, 900
cytology, technique for fixing and mounting, 863, **863**
effects on, due to mineral fertilization and soil reaction, 134
growth of, on vegetable oils as carbon source, 987
haustorium, of Erysiphe graminis, ultrastructure and relation to the epidermal cell, 889
$HC^{14}N$ fixation, Fusarium nivale and a psychrophilic basidiomycete, 909
interactions, Sclerotium rolfsii and other organisms from clover, 1127
nematode feeding, protoplasmic changes due to, 1121
nonpathogenic fungi in apple, hypersensitivity, 1152
pigmentation, factors affecting, Phialophora and Cytospora, 907
populations of, Fusarium spp., cultivated vs. non-cultivated fields, 499
root isolations, from alfalfa and red clover, 746
saprophytic growth in soil, factors influencing, 955
seed borne on barley, treatments for, 506
sugar maple decline, spp. associated with but not causing, 1389
surfactants on, effects on 13 spp., 909
fungicides (general) (see also **fungicides,** specific)
adapted tolerance to, in Rhizoctonia, 518
Cercospora coffeicola controlled by leaf and fruit spots of coffee, 501
common names for, 10
for control of late blight of potato, Mexico, 498
cotton damping-off, soil fungicides for, 625
decomposition of, ferbam, 910
deposition and retention of, spray gallonage and leaf character on, 912
2,6-dichloro-4-nitroaniline (DCNA), effectiveness of, in peach wraps for Rhizopus decay, 1219, **1221, 1222**
disease control by, Aspergillus on peanut, 1161
maneb treatment of Colletotrichum capsici spores, 1278
pectolytic enzyme activity affected by, in Sclerotinia and Botrytis, 130
quaternary ammonium, movement in plants, 1193
retention of, spray gallonage and leaf character on, 912
soil-
a bioassay for volatile toxicants, 836
compatibility with Rhizobium leguminosarum, 887
influence on microflora in cotton seedling disease, 621
for Verticillium dahliae, 1432
spray gallonage, deposition and retention of, 912
systemic, quaternary ammonium compounds
adsorption of organic cations on plant tissue, 1193
chromatography for, 892
fungicides (specific) (see also **fungicides,** general)
2-aminobutane salts, inhibition of post-harvest decay fungi, 978, 982
binapacryl, 10
Botran, compatibility with Rhizobium, 887
captan
compatibility with Rhizobium, 887
sulfur-depletion of yeast cells by, 881
2-(2-chloro-4-tert-butylphenoxy)triethylamine HCl, mobile and fungicidal in plant cuttings and rooted plants, 892
CP-30249, compatibility with Rhizobium, 887
cycloheximide, effect on pectolytic enzyme activity of Sclerotinia and Botrytis, 130
Cyprex, with Karathane, for powdery mildew of pecan, 1174
DAC-649, compatibility with Rhizobium, 887
Difolatan, effect on pectolytic enzyme activity of Sclerotinia and Botrytis, 130
(2,2-dimethyl-5-oxo-undec-3-enyl) dimethylbenzylammonium chloride, fungicidal in plant cuttings and rooted plants, 892
dodine
to control Fusicladium effusum in pecan, 1283
with Karathane, for powdery mildew of pecan, 1174
pectolytic enzyme activity of Botrytis and Sclerotinia affected by, 130
uptake by fungus spores, 900
ferbam, decomposition of, 910
H-3944, compatibility with Rhizobium, 887
Karathane, for powdery mildew of pecan, 1174
Lanstan, compatibility with Rhizobium, 887
maneb
compatibility with Rhizobium, 887
control of wheat rusts by, factors affecting, 999
mylone, release of methylisothiocyanate from soils treated with, 941
nabam, effect on pectolytic enzyme activity of Sclerotinia and Botrytis, 130

nickel salt plus dithiocarbamate, for wheat rusts, factors affecting, 999
N-(3-chlorophenyl) itaconimide (CPI), toxicity to yeast, dosage-response curves, 894
N-(3-nitrophenyl) itaconimide (NPI), toxicity to yeast, dosage-response curves, 894
Panogen Turf Spray, effects on infestation of Taxus by Rhizoctonia, 901
PCNB
compatibility with Rhizobium, 887
effects on inoculum potential of Rhizoctonia, 626
phaltan, effect on pectolytic enzyme activity of Sclerotinia and Botrytis, 130
tetra-decamethylenedioxy-3,3'-bis-(1,1'-dimethylpiperidinium bromide), fungicidal in plant cuttings and rooted plants, 892
thiram, compatibility with Rhizobium, 887
zineb, control of wheat rusts by, factors affecting, 999
fungistasis
an assay method, response of 11 fungal spp., 906
of Ceratocystis ulmi, by low molecular weight acids produced by Bacillus sp., 819, **820**
Cochliobolus sativus, inherent germinability and survival of spores, 349
Glomerella cingulata, effect on conidia germination, 910
Phytophthora parasitica, effect on zoospore germination, 910
to Polyporus cinnabarinus, by sapwood of oak, 895
to Polyporus versicolor, by sapwood of oak, 895
of Saccharomyces pastorianus, by phytoactin, metabolic changes associated with, 899
fungus transmission, downy mildew of lima bean by slugs, 749
fusaric acid, from Fusarium oxysporum f. lycopersici on tomato, 1041
Fusarium spp.
in alfalfa, prevalence, 746, 1012
filtrates, effects on red clover, 646, **647**
infection cushions in alfalfa and red clover, 434, **435**
isolated from white clover stolons, 1127
penetration and development of alfalfa and red clover, 434, **435, 436**
from Phytophthora-resistant soybeans, 906
quantitative and qualitative comparisons between cultivated and noncultivated fields, 499
root rots, in alfalfa and red clover, 434, **435, 436**
sporulation of, nutrition effects, 389, **390**
stimulation of antagonistic genera to, effect of herbicides in soil, 897
surfactants on, effects of, 909
avenaceum
in alfalfa, penetration and development, 434, **435, 436**
in red clover, penetration and development, 434, **436**
batatatis var. vanillae, on vanilla, resistance to, 827
culmorum, growth, influence of herbicides on, 901
moniliforme
in corn stalks, histological changes in, 898
on sweetpotato pollen mother cell, 1494, **1495**
nivale
control of, by regulating winter soil temperature, 693, **694**
$HC^{14}N$ and $C^{14}O_2$ fixation by, and a psychrophilic basidiomycete, 909
wheat resistant to, 1432
oxysporum
in alfalfa, penetration and development, 434
causing wilt of red clover, 646, **647**
cross-protection, with 8 f. sp. of, 891
effect of, on ingression of alfalfa roots by Pratylenchus penetrans, 892
growth and sporulation of, factors affecting, 1053
race 1 of cowpea causing wilt of chrysanthemum, 886
in red clover, penetration and development, 434
in red clover, with white clover mosaic virus causing severe root rot, 911
selective pathogenicity, fungitoxicants for, 290
oxysporum f. asparagi, on asparagus seed, 128
oxysporum f. batatas
growth rate as index fungitoxicity, 290
in sweetpotato roots, inoculated at harvest, 1190
oxysporum f. conglutinans, growth rate as index of fungitoxicity, 290
oxysporum f. cubense
in banana, oxidation of root phenols by, 1033
in banana, phenol oxidases associated with vascular browning, 840
indoleacetic acid from, isolation and identification, 899
oxidation of phenols from banana roots by, and vascular browning, 840
oxysporum f. dianthi
carnation as symptomless carrier of, 323
growth rate as index of fungitoxicity, 290
oxysporum f. lini, growth rate as index of fungitoxicity, 290
oxysporum f. lupini
growth rate as index of fungitoxicity, 290
race 2 of, nonpathogenic to 32 spp., 1234
redefinition of 3 races of, 1235
oxysporum f. lycopersici
Difolatan for, 1431
fungitoxicity of quaternary ammonium compounds to, 1195
fusaric acid isolated from, effects on tomato, 1041
growth rate as index of fungitoxicity, 290
pectin trans-eliminase and polygalacturonase production by, 907
in tomato, nature of plugging material in xylem and its relation to water flow, 1137, **1139**
oxysporum f. medicaginis, growth rate as index for fungitoxicity, 290
oxysporum f. niveum, growth rate as index of fungitoxicity, 290
oxysporum f. perniciosum, growth rate as index of fungitoxicity, 290
oxysporum f. pisi, growth rate as index of fungitoxicity, 290
oxysporum f. tracheiphilum
growth rate as index of fungitoxicity, 290
wilt of cowpea, races, 623
oxysporum f. vasinfectum, growth rate as index of fungitoxicity, 290
roseum
in Agrostis tenuis, influence of nutrition and soil moisture on disease, 890
causing wilt of red clover, 646, **647**
effects on tomatoes in gnotobiotic conditions, 899
in Festuca rubra, nutrition and soil factors, 890
growth and sporulation of, factors affecting, 1053
macroconidia on carnation cuttings, ultrasonic treatment for, 891
in Poa pratensis, influence of nutrition and soil moisture on disease development, 890
in potato, chilling effect on infection, 1275
in red clover, with virus causing severe root rot, 911
roseum f. sp. cerealis, utilization of inorganic nitrogen by, 899
solani
in alfalfa and red clover, penetration and development, 434, **435**
in bean, chitin and lignin soil amendments for, 1425
causing wilt of red clover, 646, **647**
growth and sporulation of, factors, 1053
macroconidia germination, ultrasonic treatment, 891
okra seed infection and seedling root rot caused by, 624
in pea, relation to virus infection, 1279, **1280**
solani f. phaseoli
in bean, resistance to, 896
dissemination with bean seed, 880

nitrogen utilized in culture, 889
in Phaseolus coccineus, resistance to, 896
solani f. pisi, in peas, previous virus infection vs. susceptibility to, 892
solani f. radicicola
chlamydospore formation of, influence of carbon and nitrogen nutrition on, 894
in potato, chilling effects, 1275
Fusicladium effusum, in pecan, dodine for, 1283
Fusicoccum sp., associated with ash die-back, 272
Futrell, M. C., (502), (626), 893

Gabrielson, R. L., 1251, 1433
Galindo A., J., 238, 498, 499
Gallegly, M. E., 746
gallic acid, effects on germination, growth, and sporulation of Botryotinia ricini, 903
galls on cacao, 499
Galvez, G. E., (887)
Gamez, R., (500)
Garren, K. H., 279
Geisenberg, H., (1059)
genetics
corn, the locus Rp_1 conditioning resistance to rust, 905
genes conditioning resistance of blue lupine to Stemphylium solani, 54
host gene(s), effect on penetration of strains of wheat stem rust, 90
induced mutation, effect upon virulence, 795
inheritance of susceptibility, apple to Gymnosporangium, 1363
linkage, in barley, stem rust and loose smut resistance, 308
mixed dominance, virulence and avirulence in Ustilago avenae, 660
of pathogenicity, in Ustilago avenae, mode of inheritance, 660
somatic variation, for pathogenicity in Melampsora lini, 823
genetics of microorganisms
Cochliobolus carbonum, perithecial formation, 876
Helminthosporium sp.
geographic origin and host association, 1207
sexual mechanisms of, 963
interspecific compatibility patterns, in 6 Phytophthora spp., 902
leaf rust in barley, gene loci conditioning reaction to, 904
Melampsora lini, somatic variation for pathogenicity, genetics of, 823
Phytophthora spp., interspecific compatibility patterns among 6 spp., 902
Phytophthora capsici, 498
Phytophthora cinnamomi
compatibility types in, on hemp seed agar, 746
mating types of, 238, **239,** 499
morphological and physiological characteristics, 1146, **1150**
Phytophthora cryptogea, compatibility types in, 746
Phytophthora palmivora, compatibility types of, from cacao, 500
Tilletia spp., compatibility between spp., 1117
Ustilago avenae, pathogenicity, 660, 890
Ustilago hordei, 890
Ustilago kolleri, 890
Ustilago nigra, 890
Verticillium albo-atrum
heterokaryosis and parasexualism in, 795
nuclei in spores and mycelium, 363, **363**
Geotrichum sp., from white clover stolons, 1127
geranium (see also **Pelargonium spp.**)
growth and differentiation of apical meristems, 889
germination
conidia
Botryotinia ricini, effect of gallic acid on, 903
Botrytis cinerea, grape-berry exudate effects, 167
Botrytis cinerea on safflower, biochemical factors, 923
Cochliobolus sativus, inherent, in soil, 349
Fusarium solani, reduction by ultrasonic treatment, 891
Glomerella cingulata, soil fungistasis affecting, 910
Helminthosporium sorokinianum, factors influencing, 1327
Helminthosporium turcicum overwintering in soil, 886
Penonospora manshurica, 903
Venturia inaequalis, inhibition by lesion extracts, 92, 99
Verticillium albo-atrum, related to tracheal fluids, 906
inhibition of, uredospores of Puccinia graminis tritici, 382, 970
moisture requirements, letter to editor, 1427
oospores, Aphanomyces raphani, 1167
seed, ultrasonic treatment on 10 spp. tested, 891
teliospores, of Tilletia controversa, affected by ingestion by earthworms, 878, **878**
uredospores
in Chrysomyxa, stimulation of, 1433
Puccinia graminis tritici, cold-induced, 68; light inhibited, 382
Puccinia recondita, light-inhibited, 116
Puccinia sorghi, immuno-fluorescent staining for, 872, **872**
wheat seeds in storage, relation of moisture content, time, and flora, 905
zoospores, Phytophthora parasitica, soil fungistasis affecting, 910
Ghabrial, S. A., 893
Ghafoor, A., 1167
Gibberella zeae
in corn, relation of glycoside content in resistance to, 888
differences in spread related to cell death rate, 626
Gibson, I. A. S., 122
Gibson, P. B., (623)
Gill, C. C., 1433
Gillaspie, A. G., 893
ginger, Pseudomonas solanacearum in, 1096
Givan, C. V., 116, 382
Gladiolus sp., Gladiolus virus, a new disease of, properties and fine structure of, 892
Gliocladium spp., surfactants on, effects of, 909
globe-amaranth (see **Gomphrena globosa**)
Gloeosporium musarum, in banana, control by 2-aminobutane salts, 978
Glomerella
cingulata
comparative morphology, from 6 different hosts, 909
soil fungistasis affecting zoospore germination, 910
magna, on cucurbits, a new disease, 452, **453**
glucose-6-phosphate dehydrogenase (see **enzymes**)
β-glucosidase (see **enzymes**)
glume blotch of wheat, epidemiology of, 300
Glycine spp. (see **soybean**)
β-glycosidase (see **enzymes**)
glycoside, in corn, relation to corn stalk rot resistance, 888
Gnomonia fructicola, inoculum concentration and perithecia production, 490, **490, 491**
gnotobiotic conditions, dwarf tomatoes grown in, effect of Trichoderma, Fusarium, Rhizopus, and Chaetomium on growth of, 899
Gold, A. H., (29)
Gomphrena globosa
apple latent virus on, 229, **231**
inhibition of local lesions of red clover vein-mosaic virus by clover flower juice on, 892
local lesion indicator for clover yellow mosaic virus, 1273
potato spindle tuber virus in, symptomless host of, 1045
potato virus X causing local lesions in, factors influencing, 896

Gonzales, C. Q., (1346)
Gonzales, L. G., (500)
Good, J. M., 622
Goode, M. J., 893
Gooding, G. V., Jr., 622, 893
Goodman, R. N., 894, (1467)
Gossypium spp. (see **cotton**)
Goth, R. W., (749), (1378)
Gottlieb, D., (896)
Gould, G. J., 1433
gourd (see **Lagenaria leucantha**)
Graham, S. O., 1433, (1434)
Graham, T. W., 205, 623
Gramineae
35 spp. of, Helminthosporium sp. isolated from, 1207
downy mildew on, in South Dakota, 409, **410, 413**
host ranges of hoja blanca virus and its insect vector, 17 genera in 8 tribes, 536
Podosporiella verticillata, a pathogen of western grasses and cereals, 353, **353**
snow mold on, control by temperature, 693, **694**
Grant, T. J., 946
grape
Botrytis cinerea, exudates of grape berries and their effect on conidial germination, 167
Diplodia viticola in
metabolism of organic acids during rot, 242
time of infection and latency, 636
grapevine fanleaf virus of, inoculation of etiolated but light-treated leaves with, 895
grapefruit (see also **Citrus spp.**)
Guignardia sp., latent occurrence and confusion with the citrus black spot organism, 40
Radopholus similis in, changes in free and protein amino acids in, 1210
grapevine fanleaf virus, of grape, inoculation of etiolated but light-treated leaves, 895
Graphium spp., in Pinus radiata, associated with a wood wasp, 1031
grasses (see **Gramineae**)
Greeley, L. W., (618)
Green, R. J., Jr., (795), (906)
Greenleaf, W. H., 1367
green-mottle apple virus, detection of common antigens by complement fixation, 900
green peach aphid (see **Myzus persicae**)
greenpoint cushion gall, on cacao, partial resistance to, 499
Gries, G. A., (888)
Griffin, G. D., 177, (317)
Griffin, G. J., 894, 1275
Griggs, W. H., (1346)
Grijseels, A. J., 1152
Grogan, R. G., 75, 163, (681), (893), (1251)
groundcherry (see **Physalis spp.**)
Grover, R. K., 130, 894
growth
Armillaria mellea, ethanol as a carbon source, 912
Botryotinia ricini, gallic acid on, 903
Cercospora arachidicola, a glucose-phosphate-asparagine-thiamine-agar medium, 1236
Corynebacterium, inhibition by variant, 330, **332**
3 Fusarium spp., temperature, pH, and nutrition, 1053
Helminthosporium dictyoides, temperature, pH, and nutrition, 1065
Helminthosporium sativum, temperature, pH, and nutrition, 1065
leafhopper vector cells, 747
Leptosphaerulina briosiana, light and temperature, 910
Macrophomina phaseoli, diurnal fluctuations of temperature, 849
Penicillium atrovenetum, lipid changes, 911
Phytophthora parasitica var. nicotianae, on vegetable oils and the effects of surfactants on, 987
Pythium ultimum, carbon source and calcium, 901
soil fungi, herbicide effect, 901
Venturia inaequalis, on apple callus tissue, 905
Verticillium albo-atrum
biotin, 481, **483**
light, 765, **767, 768**
growth-promoting substance, nellite, for cotton seedlings, 626
growth rate
Colletotrichum falcatum, related to polygalacturonase production and virulence, 1100
Fomes annosus
influence of organic matter and microbial interactions, 622
influence of temperature and geographic source, 373
in Pinus echinata stumps, 556
Guava (see **Psidium guajava** and **montanum**)
Guignardia citricarpa
a Guignardia sp. morphologically similar to, 40, **42**
perithecia of, as major source of inoculum, 64, 1448
speckled blotch of citrus, caused by, 1488, **1488**
Guizotia abyssinica, bacterial leaf spot on, 1490, **1490**
Gulli, R., (1112)
Guthrie, J. W., (901)
guttation fluid, influence on infection structures of Helminthosporium sorokinianum conidia, 1327, **1329, 1331**
Guzman-N., Julia, 1398
Gymnosporangium juniperi-virginianae, inheritance of susceptibility in apple, 1363
Gyrisco, G. G., (1269)

Haas, J. H., 894
Haasis, F. A., (902), 1146
Hagedorn, D. J., (788), (807), 843, (910)
Halliwell, R. S., 623
halo blight of bean, epidemiology, 140
Halpin, J. E., 623, (627), (910)
Hamilton, R. I., 1290
Hampton, R. E., 1062
Hancock, J. G., 894, 928, 932
Hanks, R. W., (1210)
Hansen, A. J., 894
Hansen, J. D., 1127
Hanson, E. W., (434), (646), (909), (1053)
hardwoods, decay and discoloration patterns of, 129
Hardy, G. W., (627)
Hare, W. W., 623
Harnish, W. N., 747, 895
Harris, H. B., (612)
Hart, J. H., 895
Hartwell, W. V., (36)
Hartwig, E. E., (901)
Harvey, A. E., 1433
hatching factor, of Heterodera rostochiensis, effect on metabolism of Aspergillus awamori, 36
haustorium
of Erysiphe graminis, in barley, ultrastructure and relationship to epidermal cell, 889
formation, interference in Erysiphe spp., by 6-azauracil, 815, **818**
Hawn, E. J., (33)
hawthorn leaf spot, control with cycloheximide, 129
Heald, C. M., Jr., (748)
heat, influence of
predisposition of peanut to Aspergillus niger, 1161, **1163**
relaxing of nematodes, 869
virus inoculum, 1433
heat injury, bean leaves, adaptation and sensitization to, 936
heat-labile mosaic components, detection in red raspberry, Rubus henryi for leaf grafting, 890
Hebert, T. T., (428)
Hecht, Eva I., 523
Hedden, O. K., (912)
Heleocharis palustris, sclerotia of Claviceps purpurea collected from, nitrogen and fat content, 244

Helianthus (see **sunflower**)
Helicotylenchus spp.
in cranberry bogs, population dynamics, 654
dihystra
in Puerto Rico, 501
population levels, on sour cherry, effect of host nutrition, 706
nannus
desiccation in soil, 903
role in infection of tomatoes by Pseudomonas solanacearum, 151, **153**
Helminthosporium spp. (see also **Cochliobolus**)
geographic origin and host association vs. pathogenicity, 1207
leaf spot, on Dioscorea in Guatemala, 365, **365**
morphology and physiology, species compared, 147, 149
sexual mechanisms of, effects of geographic isolation and host association on its evolution, 963
carbonum
in apple, hypersensitivity, 1152
in corn
dehydrogenase activity in relation to development of, 1281
enzymatic carboxylations in seedlings, 663
in potato tubers, disease resistance in, role of steroid alkaloids in, 886
dictyoides
in bluegrass
pathogenicity of, effects of temperature on, 1084
prevalence in Washington, D.C., 888
growth of, effects of pH, temperature, and nutrition on, 1065
maydis
in apple, a hypersensitive response produced by, 1152
response to soil fungistasis, 906
sativum
in bluegrass
effects of nitrogen on, 1065
pathogenicity of, effects of temperature on, 1084
growth of, effects of pH, temperature, and nutrition on, 1065
sorokinianum
influence of guttation fluid on infection structures of, 1327, **1329, 1331**
morphology and physiology of 2 strains, compared to H. victoriae, 147, **149**
triseptatum, on bluegrass, prevalence in Washington, D.C., 888
turcicum
in apple, a hypersensitive response produced by, 1152
conidia of, germination and overwintering in soil, 886
in corn leaf tissue, factors affecting longevity of, 896
host-parasite relationship in corn seedlings, 570, **571, 573**
inhibition of sporulation by high-temperature radiation, 565
vagans, in bluegrass, pathogenicity of, effects of temperature, 1084
victoriae
antibiotic produced by diseased isolates of fungus, 898
diseased, antibiotic production by, 898
factors affecting the pattern of respiratory changes in victorin-treated oat tissue, 886
morphology and physiology of, and related species, 147, **149**
spores of, interactions between oat leaves, 902
toxin of, initial physiological effects on oat tissue, 906, 1492
toxin production: pathogenicity, 602; uptake by oat tissue, 832
Helton, A. W., (1335), 1339, 1393
Hemicycliophora similis
on cranberry, occurrence, parasitism, and pathogenicity, 677
in cranberry bogs, population dynamics, 654
hemp seed, nonsaponifiable fractions for stimulation of oospore formation in 9 spp. of Phytophthora, 895
henbane mosaic virus, degradation of, agar-gel serology, 1102, **1105**
Hendersonula toruloidea, on walnut, 1436
Hendrick, R. D., (536), (624)
Hendrix, F. F., Jr., 389, (556)
Hendrix, J. W., 895, 987, (1432), (1435)
herbicides, common name, 10
amitrole, influence on growth of 4 spp. of soil fungi, 901
atrazine, effects on soil fungi in corn- and soybean-cropped soil, 897
bromacil, 10
2-chlorallyl diethyldithiocarbamate, interaction with EDB and irrigation, on control of Meloidogyne incognita acrita, 622
dichlobenil, 10
dicryl, 10
diphenamid, 10
diquat, 10
diuron, effect on soil fungi in corn- and soybean-cropped soil, 897
isocil, 10
linuron, effects on soil fungi in corn- and soybean-cropped soil, 897
paraquat, 10
simazine
effects on infestation of Taxus by Rhizoctonia, 901
effects on soil fungi in corn- and soybean-cropped soil, 897
influence on growth of 4 spp. of soil fungi, 901
solan, 10
swep, 10
trifluralin, 10
2,4-D
effect on crown gall tumor tissue, 339, **340**
influence of, on growth of 4 spp. of soil fungi, 901
Herrington, L., 128
Hess, W. M., 113
heterocaryosis (see also **genetics of microorganisms**)
vegetative recombination, Puccinia recondita tritici, mixtures of races affecting urediospore color and virulence, 104
Heterodera
glycines
interaction with Meloidogyne incognita on soybeans, 304
populations under cropping sequences in field bins, 622
in soybean, effects of soil temperatures on development, 1228
in soybean, lethal dosage concentrations and the effect of a nonhost crop, 1265
in soybean roots, penetration and development in, anatomical changes to, **79, 81, 83, 85, 86**
rostochiensis
cysts found on buffalo burr near potato fields in Mexico, 501
hatching factor, influence on metabolism of Aspergillus awamori, 36
negative report on its existence in Mexico, 501
trifolii, reduction in growth of red and white clovers, 417
Heterosporium
echinulatum and tropaeoli,
inhibition of sporulation by high-temperature radiation, 565
heterothallism, Calonectria rigidiuscula, ascospore number, 1297, **1298**
Heuberger, J. W., (749)
Hewitt, W. B., (167), (636), 895
Heyn, A. N. J., (1367)

Heyne, E. G., (385)
Hibben, C. R., 1389
Hibiscus (see **okra**)
Hildebrand, D. C., 59, 640, (906)
Hildebrandt, A. C., (339), (889)
Hilu, H. M., 570
Hindu datura (see **Datura spp.**)
Hine, R. B., (955), 1287, 1431, 1434
Hirai, T., 367
Hiruki, C., 895, 1434
Hirumi, H., 747
histology
corn stalks infected with Fusarium moniliforme, 898
eastern white pine with Lophodermium needle cast disease, 127
Hix, Sally M., 584
Hobbs, C. D., (502)
Hobbs, E. L., 674
Hodges, C. S., 623
Hodges, C. S., Jr., (904)
Hoff, J. K., 246, 869
Hoffman, E. C., (1436)
Hoffmann, J. A., 878
Hoitink, H. A. J., 895
hoja blanca virus
host range, insect vector, 536
of rice, host range and insect vector using 17 genera in the Gramineae, 536
transmission of, to rice plant by viruliferous vectors, 624
Holcomb, G. E., (339)
Hollis, J. P., 624, 895
Holmes, F. O., 747
Holmes, F. W., 128, 896
Holton, C. S., 660
Honeycutt, R. P., 1109
Hooker, A. L., (570), (905)
Hooker, W. J., (909)
Hoplaimus tylenchiformis, in cotton, pathogenicity of, 1019, **1022,** 1023
Hoppe, P. E., 896
Hordeum spp. (see **barley**)
Hormodendron, in Pinus radiata, associated with a wood wasp, 1031
Horner, C. E., (900)
horseradish, turnip mosaic virus, eradication, 747
host extracts, Nicotiana spp., effects of on infection by potato yellow dwarf virus, 142
host-parasite relationship
Albugo candida on radish, 446, **447**
in bean, respiratory metabolism of, infected with alfalfa mosaic and southern bean mosaic viruses, 914
Ceratocystis fimbriata in sweetpotatoes, protein and isozyme patterns, 911
citrus rootstock and citrus nematode, nature of resistance, 419, **421, 422, 423, 424**
corn stalk rot, relationship of glycoside content to resistance, 888
Diplodia viticola, metabolism of organic acids during rot of grape berries by, 242
Erysiphe graminis hordei in barley, effect on RNA composition, 1112
Fusarium oxysporum f. lycopersici, fusaric acid as a factor in wilt of tomato, 1041
Fusarium solani f. phaseoli, in bean, 896
garden balsam, 8 spp. of nematodes on, 748
Helminthosporium carbonum, enzymatic carboxylations in corn seedlings, 663
Helminthosporium turcicum in corn, 570, **571, 573**
of Heterodera glycines in soybean roots, 79, **81, 83, 85, 86**
Pellicularia filamentosa, penetration and infection of alfalfa and red clover, 750, **752, 753**
Phytophthora megasperma var. sojae on soybean, 886
Plasmodiophora brassicae in cabbage, 912
Pratylenchus penetrans on woody ornamentals, 718, **720**
Radopholus similis in grapefruit seedlings, 1210
Rhizoctonia solani in bean, role of cellulase in pathogenesis, 1372, **1374**
by Sclerotinia sclerotiorum in sunflower wilt, 33, **34**
Sclerotinia trifoliorum on clover and alfalfa, 784, **785**
tobacco mosaic virus in tobacco, accumulation of fluorescent compounds in, associated with hypersensitivity, 1062
host range, Phytophthora fragariae, species of Potentilla susceptible to, 173, **174, 175, 176**
Hoyman, W. G., 1434
Hubbes, M., 896
Huber, D. M., 896
Huber, F. M., 896
Huffaker, R. C., (663), (900)
Huguelet, J. E., 896
Huisman, O., (1035)
Humulus lupulus, hop downey mildew on, control, 1439
Hunter, J. E., 128, 488
Hunter, R. E., 617
Husain, A., (1100)
Husain, M., 502
Hutchins, L. M., 499
Hutchins, P. C., (863)
hydrogen sulfide, in soils submerged in water, a mechanism for continuous production of, 897
hydrophobic surface coating, Desicote, use to prevent droplet spreading, 1273
hydroquinone, in pear tissue inhibitory to Erwinia amylovora, 640, **644**
Hyodo, H., (1086)
hypersensitive response
in apple to 3 spp. of Helminthosporium, 1152
Pseudomonas spp. in tobacco leaf, 474, **475, 476**
hypocotyl necrosis, of cotton seedlings, environmental causes, 627
Hypomyces solani f. cucurbitae
physiology of sexual reproduction influence of carbon and nitrogen, 584
sexual reproduction in, effects of radiant energy on, 1141
Hypoxylon spp.
for biological control of Nectria spp., 266
canker, 154
pruinatum
developmental morphology of, in bark of quaking aspen, 154, **156, 158, 159, 160**
impact on aspen, 253
life cycle, host range, and pathogenesis on poplars, 257
in Populus tremuloides, the invasion site of, 896
Hyre, R. A., 181, 896

Ilex
crenata, Pratylenchus penetrans on, host-parasite relationship, 718, **720**
crenata convexa, Pratylenchus penetrans on, host-parasite relationship, 718
rotundifolia, Pratylenchus penetrans on, host-parasite relationship, 718
Imle, E. P., 499
immunodiffusion precipitin patterns, effect of placement of reactants on, 163, **165**
immunoelectrophoresis, of bean virus, relationship to bean and cowpea viruses, 75
immuno-fluorescent staining (see **techniques**)
Impatiens balsamina, 8 spp. of nematodes, host-parasite relationships, 748
Imperial grass (see **Axonopus scoparius**)
indoleacetic acid
from Fusarium oxysporum f. cubense, isolation and identification, 899
Pseudomonas solanacearum
oxidation of IAA, in tobacco, 1078
synthesis of IAA, 1240

infection
Diplodia viticola, in grape, time of and latency, 636
by Fomes annosus
of Pinus echinata stumps, 556
in P. taeda roots, factors, 901
guttation fluid influence, by Helminthosporium sorokinianum conidia, 1327, **1329, 1331**
by Piricularia grisea of St. Augustine grass, nitrogen vs. severity, 1187
of tobacco by Phytophthora parasitica zoospores, electrotaxis of roots, 225, **227**
infection cushions, Fusarium in alfalfa and red clover, 434, **435, 436**
infection efficiency, definition of, a proposed term, 510
infectivity
of Meloidogyne javanica as affected by storage time and temperature, 192
of Xanthomonas malvacearum in cotton, from plant debris and soil, 1198, **1199**
infrared drying, of stored rough rice, control of storage and field fungi, 858
infrared film, use of, for potato late blight detection, 127
inheritance of resistance (see **resistance**)
inoculation
mechanical, effect of sucrose and host components in inoculum, 142
uniformity of, a quantitative inoculator, 509, **509, 510**
inoculator, quantitative, design, performance, and use, 509, **509, 510**
inoculum concentration
effect of, on determination of races of Uromyces phaseoli, urediospore concentration, 336, **337**
of Gnomonia fructicola, perithecia production in culture, 490, **490, 491**
of Phoma herbarum var. medicaginis, relation to disease severity of, in Medicago, 1048, **1052**
inoculum potential
of Aspergillus niger, influence on a seedling disease of peanut, 1161
of Fomes annosus, effect on colonization of Pinus echinata stumps, 556
of Rhizoctonia solani
effect of organic amendments and PCNB on, 626
reduction by 1,2-dibromo-3-chloropropane, 187
Sclerotium rolfsii, affecting differences among peanuts in susceptibility to, 279
inositol
concentrations in bark tissue, effect of on parasitism of Prunus domestica by Rhodosticta quercina, 697
insecticides
common names, 10
carbaryl, 10
dioxathion, 10
endothion, 10
nellite, for treating cotton seedlings, 626
insects (see genera of)
in the beech bark disease, organism interactions, 263, **264, 267, 268**
insect transmission
barley yellow dwarf virus, efficiency of aphids, 908
bean pod mottle virus by bean leaf beetles, 240
cardamom mosaic streak virus, 904
of cucumber wilt by cucumber beetles, some observations as to their effectiveness, 605
oat mosaic virus, 430
pea enation virus, by aphids, 1269
Prunus ringspot virus, lack of, by 32 aphid spp., 18 leafhopper spp., and 12 spp. of other insects and mites, 399
Sogata orizicola, of hoja blanca virus of rice, host range, 536
virus from sweetpotato to Ipomoea setosa, 900
Ipomoea (see also **sweetpotato**)
batatis, root homogenate of, as culture medium for Fusarium oxysporum, 290
purpurea
electrotaxis of Phytophthora parasitica var. nicotianae zoospores to roots of, 226
Glomerella cingulata from, comparative morphology with isolates from 5 other hosts, 909
setosa, an aphid-transmitted virus in, from russet crack-affected, 900
Irvin, J., 827
Ishii, M., (1096)
isocil (see **herbicides**)
isolation of soil fungi (see **techniques**)
isozymes (see **enzymes**)

jack-bean (see **Canavalia ensiformis**)
Jackson, C. R., 624
Jenifer, F. G., (746), (1258)
Jenkins, S. F., Jr., 452, (622)
Jenkins, W. R., (677), (747), (748)
Jensen, D. D., (974), 1346
Jensen, H. J., 1434
Jerusalem cherry (see **Solanum spp.**)
Jewell, F. F., 1294
Jimenez, F. A., (827)
Jimson-weed (see **Datura spp.**)
Johnson, G. V., (748)
Johnson, H. W., 624, (625)
Johnson grass (see **Sorghum**)
Johnston, C. O., 385
Jones, A., 1494
Jones, E. M., 897
Jordan, J. W., (897)
Judd, R. W., Jr., (897)
Juglans nigra, Polyporus versicolor and P. cinnabarinus in, lack of resistance, sapwood to decay, 895

Kable, P. F., 128
Kado, C. I., 974
Kahn, R. P., 360, (748), (1292)
Kaiser, W. J., 481, 765
kale, Aphanomyces raphani in, seedling infection, 1168
Kamimura, S., 1467
Karathane (see **fungicides**)
Kashiwagi, Y., (367)
Katsanos, R. A., 624, (626)
Kaufman, D. D., 134, 897
Kawamoto, S. O., 897
Kawashima, N., 1086
Keil, H. L., 747
Kelman, A., (110), (373), (779), (897)
Kendrick, E. L., 1076
Kennedy, B. W., 771, (890)
Kernkamp, M. F., 1429
Khera, S., (654)
Kilby, W. W., (627)
Kilgore, W. W., 1434
Kilpatrick, R. A., 897
Kimble, K. A., (75), (163)
Kimura, I., (367)
King, Jocelyn, (1031)
Kirk, T. K., 897
Kirkpatrick, H. C., 229
Kirkpatrick, J. D., (192), (419), 706
Klement, Z., 474
Klemmer, H., (1287)
Kline, D. M., (963), (1207)
Klisiewicz, J. M., (923)
Knauss, J. F., 128
Koch, B., (1059)
Koch, W., 365
Koenig, R., 1223
kohlrabi, Aphanomyces raphani in, seedling infection by, 1168
Kolbezen, M. J., (978)
Kommedahl, T., (898)
Kosuge, T., 167, (242), (923), (1436)
Krausman, E. M., (1175)
Kreitlow, K. W., 353, 898

Kuć, J., (92), (98), (886), (1152)
Kucharek, T. A., 898
Kuhlman, E. G., 556
Kuhn, C. W., 624, 739, 853
Kumar, D., 898
Kuo, M. S., 1041
Kurtz, E. B., 691
Kurtzman, R. H., Jr., 1386
Kybal, J., 244
kynurenine, pathway of tryptophan breakdown by Pseudomonas solanacearum, 1240

Lacasse, N. L., 1071
Lactuca (see **lettuce**)
Lagenaria leucantha, Glomerella cingulata from, comparative morphology with isolates from 5 other hosts, 909
Lagerstroemia indica, host for Guignardia sp., 40
Lai, P., (1035)
Lamborn, C. R., 898
Lamey, H. A., 536, 624
Landers, K. E., 1236
Langley, B. C., (187), (621), (626), (1161)
Large, J. R., 1174
laticifers, as invasion channels for Pseudomonas savastanoi, a tumor-inducing bacterium of oleander, 576, **578**
Laviolette, F. A., (723)
Lawlor, S., (886)
Layne, R. E. C., (843), 898
Leach, C. M., (113), 1434, 1435
Leach, J. G., (151), 606
leafhoppers (see **Macrosteles fascifrons**)
leaf mottling virus, of peanuts, mechanical transmission of, 624
leaf rust (see also **Puccinia**)
in barley, gene loci conditioning reaction to, 904
in wheat (see **Puccinia**)
Lebeau, J. B., 693
Leben, C., 405, 898
LeClerg, E. L., 1309
Leguminosae
beet western yellows virus in, 2 new host spp., 736
cowpea mosaic virus, 11 host spp., 467
lemon (see also **Citrus spp.**)
exocortis virus in, effects of nitrogen on, 968
Guignardia sp., as host of, 40
Lens culinaris, common bean mosaic virus in, a new strain of, 1379
Lenzites trabea, surfactants on, effects of, 909
Leptographium, in Pinus radiata, associated with a wood wasp, 1031
Leptosphaerulina
australis, light and light quality affecting growth of, 627
briosiana, growth and sporulation of, factors affecting, 910, 1443
trifolii, light and light quality affecting growth of, 627
LeTourneau, D., (913)
letters to the editor
moisture requirements of spore germination, 1427
semiography defined, 247
symptomatology vs. semeiography, 1039
lettuce
apple latent virus on, 230, **231**
leachates of, effects on motility of zoospores of Olpidium brassicae, 29
lettuce big-vein virus in, relationship to Olpidium and compared with TNV, 893
tobacco necrosis virus in, relationship to Olpidium and compared with TNV, 893
lettuce big-vein virus
acquisition and transmission of, by Olpidium brassicae, 681
relationship to Olpidium brassicae and compared with TNV, 893
Lewis, G. D., 128
Lewis, W. A., (627)
Libman, G., 151
light, effects on
appressoria penetration, Puccinia graminis tritici in wheat, 949
germination
of Arceuthobium seeds, 1432
in Leptosphaerulina briosiana, 910
in Peronospora manshurica, 903
in Puccinia graminis tritici uredospores, 382
in Puccinia recondita uredospores, 116
growth
Leptosphaerulina, 627, 910
Verticillium albo-atrum, 765, **767, 768**
infection
peanut by Aspergillus niger, 1161
wheat by Puccinia graminis tritici, 1342
photonegative reaction, chrysanthemum foliar nematode, 118
sexual reproduction, Hypomyces solani f. cucurbitae, 1141
sporulation
Cercospora beticola, 890
Leptosphaerulina briosiana, 910
Phytophthora spp., 900
Puccinia graminis tritici, 382
Puccinia recondita, 116
Thanatephorus cucumeris, 874
Verticillium albo-atrum, 765, **767, 768**
lignin
breakdown by wood-rotting basidiomycetes, related to color formation on phenol-containing media, 897
soil amendment with, for Fusarium solani in bean, 1425
Lilly, V. G., (746)
lima bean (see **bean,** lima-)
lime (see also **Citrus spp.**)
exocortis virus in, effects of nitrogen on, 968
Lindberg, G. D., 898
Lindner, R. C., (229)
Lindsey, D., 899
Line, R. F., 1352
linkage, in barley, stem rust and loose smut resistance, 308
Linn, M. B., (887)
Linum usitatissimum (see **flax**)
lipids, changes during growth of Penicillium atrovenetum, 911
liquid nitrogen (see **techniques**)
Lister, R. M., 899, 1300
Littlefield, L. J., 899
Livne, A., (895)
local-lesion formation, potato virus X in Gomphrena globosa, factors influencing formation, 896
local-lesion test plant
for cowpea chlorotic mottle virus, Glycine max, 853, **854**
for pea enation mosaic virus, Chenopodium album, 843, **847**
for turnip yellow mosaic virus, chinese cabbage, 1258, **1259**
for Wisconsin pea streak virus, Chenopodium amaranticolor, 807, **807,** 809
Lockwood, J. L., (892), (1279)
Loebenstein, G., 960
Lolium spp. (see also **ryegrass**)
multiforum
Sclerotinia homeocarpa toxin on, causing degeneration of apical meristem, 1176
Sclerotium rolfsii on, 624
perenne, ergot sclerotia collected from, nitrogen and fat content, 244
remotum, ergot sclerotia collected from, nitrogen and fat content, 244
longevity
Erwinia amylovora on pear trees, 747

Xanthomonas malvacearum in dried cotton plants, 1009, **1011**
Lophodermium needle cast disease, histology and control in eastern white pine, 127
Lorbeer, J. W., (897), (928), (932)
Lortie, M., 261
losses (see **plant disease losses**)
Lovrekovich, L., (474)
Lowe, S. K., (1435)
Luepschen, N. S., 1219
Luke, H. H., 792, 1492
Lukens, R. J., 881
Lukezic, F. L., 697
Lumaden, R. D., (887)
Luna, Lina V., 955
Lupinus
Fusarium oxysporum f. lupini in, 1232
angustifolius
cucumber mosaic virus in, seed borne, 627
perennis, electrotaxis of Phytophthora parasitica zoospores to roots of, 226
Stemphylium solani on, resistance to, 54
Luttrell, E. S., 612
Lycopersicon esculentum (see **tomato**)
Lynch, J. P., 899

Macadamia integrifolia, Phytophthora cinnamomi isolated from, a new mating type, 238
Mace, M. E., 840, 899, 1033
MacLeod, J., (749)
Macrophoma sabinea, in Pinus radiata, associated with a wood wasp, 1031
Macrophomina phaseoli
effect of temperature fluctuations on growth rate, 849
in grain sorghum, relation of plant maturity, temperature, and soil moisture on, 514, **516**
in Pinus lambertiana, effect of temperature on, 908
Macrosiphum
avenae
electron microscopy and purification, 889
virus transmission of barley yellow dwarf virus, 908
granarium, barley yellow dwarf virus transmission by, 908
Macrosteles fascifrons
cell growth of, culture medium, 747
oat blue dwarf virus on flax, 1028, **1030**
Prunus ringspot virus, 399
vector for,
aster yellows virus, 44
on flax, 1028, **1030**
Maduewesi, J. N. C., 899
Magie, A. R., (576)
Mahadevan, A., 899
Mai, W. F., (128), (246), (706), (869), (897)
Malaguit, G., 499
Malca, I., 663, 900, 1112, (1175), 1281
Malek, R. B., 747
Mallett, S. L., (1294)
Malus spp. (see also **apple**)
apple latent virus on, 229
Venturia inaequalis in, resistance related to enzymes, 98
platycarpa, apple latent virus on, 229
Malvaceae, beet western yellows virus in, 2 new host spp., 736
manganese
growth requirements in fungi, 746
toxicity, in soybean, Arkansas, 627
Mango
gall disease of, caused by Calonectria rigidiuscula in Venezuela, 499
host of a Guignardia sp. different from the citrus black spot pathogen, 40
Mankaw, R., 1435
Mankin, C. J., (409)
mannitol, produced by Pyrenochaeta terrestris, 913
Manzer, F. E., (127)
maple (see also **Acer**)
canker disease of, etiology, 269
phytotoxicity to, by metabolic products of Penicillium, 127
maple decline
of Acer saccharum, organisms associated with, 1389
due to salt injury, in New Hampshire, 1071
Maramorosch, K., (747), (908)
marigold (see **Tagetes erecta**)
Marsh, P. B., 747, (748)
Martin, J. P., (294), (941)
Martin, N. E., 1435
Martin, W. J., 624, 900
Martinez, A. P., (500)
Martinson, C. A., 900
Marx, D. N., (1146)
Maurer, C. L., 1425, 1435
McClellan, W. D., 1305
McCombs, C. L., 233
McCrum, R. C., 900
McDonald, H. H., (1431)
McDonald, W. C., 492
McGuire, J. M., 625, 799, 900
McIntosh, D. L., 1435
McKenzie, A. R., (1093)
McKinnon, Barbara A., (506)
McMillian, W. W., (536)
McOnie, K. C., 40, 64, 1448, 1488
meadow nematode (see **nematodes,** meadow-)
Medicago sativa (see **alfalfa**)
Melampsora lini, somatic variation for pathogenicity, genetics, 823
Meloidogyne spp.
on Echinochloa colonum, histopathology of galls, 888
in Puerto Rico, 501
arenaria
in cotton, pathogenicity of, 1019
on peanuts, chemical control of, 626
arenaria arenaria, in cotton, prolonging susceptibility to Rhizoctonia, 1023
hapla
in cotton, pathogenicity of, 1019, **1021**
in cotton, prolonging susceptibility to Pythium and Rhizoctonia, 1023
in tomato, association with Pseudomonas solanacearum, 151, **153**
incognita
on azalea, southern-propagated stock in Wisconsin, 887
on cotton, pathogenicity of, 1019, **1021**
in cotton, prolonging susceptibility to Pythium and Rhizoctonia, 1023
on soybeans, interaction of Heterodera glycines, 304
toxic substances to, in decomposing plant residue, 905
incognita acrita
ability to survive desiccation in soil, 903
control of, 622
response of tobacco varieties to, 205, 623
javanica
in cotton, pathogenicity of, 1019
effects of storage time and temperature on motility and infectivity, 192
response of tobacco varieties to, 623
Mendoza, M. D., (500)
Mentha (see **peppermint**)
mercury tolerance, by Aspergillus niger, via sulfhydryl compounds, 886, 1459
Merrill, W., 56, 867
Merz, W. G., (747), 900
methylisothiocyanate, release from soil treated with mylone, 941
Mian, M. A. W., (1161)
Milbrath, J. A., (399), (888), 1435

mildew
downy- (see **Phytophthora** or **Sclerophthora**)
powdery- (see **Erysiphe** and **Mycosphaera alni**)
Millar, R. L., (894), (928), (932)
Millecan, A. A., 1435
Miller, C. W., 129, 1177
Miller, L. P., 900
Miller, P. M., 901
Miller, T., 901
millet (see **Panicum miliaceum, Echinochloa colonum**)
Millikan, D. F., 901, (1109)
Minton, E. B., 625
Mircetich, S. M., 211
Mirocha, C. J., (913)
Mitchell, J. E., (913)
miticide, binapacryl, 10
mitosis, in Rhizoctonia solani and nuclear condition, 907
Mitsuhashi, J., 747
moisture
content, relation to fungi in stored: soybeans, 771; wheat, 905
requirements for spore germinations, comments, 1427
soil-, influence on:
citrus nematode reproduction, 294
Corticium red thread on fescue, 129
Fusarium blight of turf grass, 890
Pratylenchus penetrans into alfalfa roots, 128
Molinia coerulea, ergot sclerotia collected from, nitrogen and fat content, 244
Monascus, Ditylenchus destructor feeding on, 1121
Monilinia fructicola
peach decay, influence of radiation dose rate on, 755
on peaches, control by 2-aminobutane salts, 978
reduction of elemental sulfur by, 910
spores of, competition for uptake of silver, cerium, and iodine, 900
Monilochaetes infuscans, in sweetpotatoes, resistance, 624
Moore, J. N., 173
Moore, L. D., 901
Moore, L. W., 901
Morehart, A. L., (358), (1038), 1278
Morgan, F. L., 625, 901
morphological barriers, significance in resistance of peach leaves to powdery mildew, 1409, **1411**
morphology
comparative, of Glomerella cingulata, isolates from 6 different hosts, 909
developmental
Helminthosporium victoriae and related spp., 147, **149**
Hypoxylon pruinatum in aspen bark, 154, **156, 158, 159, 160**
mating types, Phytophthora cinnamomi, 1146, **1150**
Morton, D. J., 625, 902, 1037
Mosch, W. H. M., (608)
Moseman, J. G., 618
Mowry, J. B., 1363
Mucor, isolated from white clover stolons, 1128
Mueller, W. C., (1223)
Muller, A. S., 499
multiplier virus disease of strawberry, amino acid and amide content of healthy and diseased plants, 775, **776**
mung bean (see **Phaseolus spp.**)
Munnecke, D. E., (836), 941, 1302
Murakishi, H. H., 902
Murphy, H. C., (147)
Musa acuminata (see **banana**)
Muse, R. R., 129
muskmelon (see **cantaloupe**)
mustard, Aphanomyces raphani in, seedling infection by, 1168
Mycosphaera alni, in pecan, controlled with Karathane, 1174
Mycosphaerella
aleuritidis, of tung, effects of orchard sanitation, 627
citrullina, spore trap for, 613, **613, 614**
musicola
on banana, spray oil deposits, 235, 498
factors influencing fructification, 1320
mylone (see **fungicides**)
Myren, D. T., 902
Myrothecium roridum, in cotton, 621
Myzus persicae
transmission of a virus from russet sweetpotato to Ipomoea setosa, 900
variation among injected clones in transmitting potato leafroll virus, 199

Nadakavukaren, M. J., (899)
Nagamitsu, M., (1432)
Nakazawa, M., (367)
Nash, Shirley M., 499, 880
Nault, L. R., 1269
Neal, A. L., (36), (819)
Nebel, M., (885)
necrotic ringspot virus
in peach trees, influence on growth and yield, 604
in Prunus tissue extracts, detection and differentiation from prune dwarf virus, 995
in Prunus tomentosa, 1482
purification of, 282
from sour and pin cherry, variation among isolates of, 1155, **1157**
Nectria canker, of deciduous trees, host-parasite relationships, 261
Nectria spp.
in the beech bark disease, organism interactions, 263, **264, 267, 268**
galligena, host-parasite relationships, 261
Nelson, D. S., 395
Nelson, E. E., 120, **120**
Nelson, G. A., 185, 330
Nelson, M. R., 460
Nelson, P. E., 323, (610)
Nelson, P. V., (1172)
Nelson, R. R., (602), 876, 902, 963, (1146), 1207
nematocides
combinations, for reniform nematode of cotton, 393
DBCP, effect on Rhizoctonia solani, 187; in Taxus, 901
diffusion rates and patterns, techniques for measuring soil, 910
Disyston, use in woody plants, 748
ethylene dibromide, interaction with CDEC to control Meloidogyne incognita, 622
Heterodera glycines control, in soybeans, lethal dosage concentrations and nonhosts in reducing populations, 1265
nellite, for cotton seedlings, 626
phorate, use in woody ornamentals, 748
reniform nematode of cotton, new combinations for control of, 393
nematodes (see also genera of)
alanine synthesis in, by Aphelenchoides ritzema-bosi, 1177
chrysanthemum foliar-, photonegative reaction, 118
citrus-
on crops, in Puerto Rico, 501
reproduction of, factors influencing, 294
on cotton, effects of 7 spp. on 10 cotton selections, 625
on cranberry
population dynamics, 654
19 spp. associated with, occurrence, parasitism, and pathogenicity, 677
disease evaluation, based on host resistance and nematode attack, 895
effects on free and protein amino acids in plants, Radopholus similis in grapefruit, 1210
effects of soil temperatures on development, Heterodera glycines in soybean, 1228

feeding mechanism of, Ditylenchus destructor on 5 fungus spp., 1121
free-living, proteolytic enzymes of, 129
on garden balsam, 8 spp., host-parasite relationship, 748
on hairy vetch, effect of 4 spp. of plant parasitic nematodes, 747
host-parasite relations, Pratylenchus penetrans on woody ornamentals, 718, **720**
interaction, Heterodera glycines with Meloidogyne incognita on soybeans, 304
maple decline, species associated with but not causing, 1389
meadow-, ingression of, into alfalfa roots, related to soil moisture, 128
migration, of Pratylenchus penetrans, 897
nematode-root relations, quantitative theory of, 624
parasitism and injury, Tylenchulus semipenetrans in sweet and sour orange roots, 1202, **1203**
pathogenicity, Pratylenchus penetrans on corn and potato, 317
population dynamics, 7 spp. on 10 cotton selections, 625
population levels
effect of host nutrition on 5 spp. sour cherry, 706
Pratylenchus penetrans on corn and potato, 317
of Trichodorus christiei, soil depth and sampling date, 246
proteolytic enzymes, of free-living and plant-parasitic, 129
red clover-, favorable and unfavorable sites, 746
relaxing of, heat vs. quick freezing prior to mounting, 869
reproduction of, soil factors, 290
resistance, citrus rootstocks to citrus nematode, 419, **421, 422, 424**
role, in infection of tomato by Pseudomonas solanacearum, 151, **153**
root-knot-, effects of storage time and temperature on motility and infectivity, 192
selection and disinfestation of, technique for, 127
stubby-root-, populations, soil depth and sampling date, 246
virus vector, tobacco ringspot virus, by Xiphinema americanum to soybean, 723
Nemophila microcalys, electrotaxis of Phytophthora parasitica zoospores to roots of, 226
Nephotettix cincticeps, electron micrographs of rice dwarf virus in, 908
Neurospora sitophila, spores of, competition for uptake of silver, cerium, and dodine, 900
new diseases, species, varieties
Agrobacterium tumefaciens in avocado, 1302, **1302**
Alternaria consortiale on cucumber, 1433
Alternaria tenuissima of Pittosporum tobira, 478, **478, 479**
bacterial disease of soybean, unidentified, 891
beet western yellows virus, 4 plant families and 36 spp., 736
Calonectria rigidiuscula on cacao and mango, in Venezuela, 499
cardamom mosaic streak virus of cardamom, wheat and arrowroot, 904
Cephalosporium zonatum in coffee, in Costa Rica, 500
Cercospora sp. in Clerodendron, 501
Claviceps gigantea of maize, in Mexico, 379, **380**
in coffee, Vinas disease in Guatemala, 500
common bean mosaic virus in bean, new strain, 1378, **1379**
cowpea chlorotic mottle virus in cowpea, 853, **854, 856**
Curvularia pallescens on bluegrass in Washington, D.C., 888
Erwinia amylovora in cowpea, nonrosaceous host, 898
of Gladiolus sp., virus, 892
Glomerella magna of cucurbits, 452, **453**
Myrothecium roridum in cotton, 621
Pythium aphanidermatum in soybean, 901
Samsun latent tobacco mosaic virus in Capsicum, 1367
tobacco rust in Honduras, special stage, 499
Xanthomonas guizotie sp. nov., 1490, **1490**
niacin content, of wheat infected with Puccinia graminis tritici, 502
Nicandra physalodes, potato spindle tuber virus in, symptomless host of, 1045
Nichols, C. W., (1435)
Nicotiana (see also **tobacco**)
potato spindle tuber virus in, symptomless host of, 1045
glutinosa
apple latent virus on, 230
inhibition of TMV by 6-azauracil, 815
mechanical inoculation of potato yellow dwarf virus, 142
potato spindle tuber virus in, color-break in flowers of, 1045, **1046**
tobacco mosaic virus in, electron microscopy, 870, **871**
reduction in lesions by oil treatment, 962
repanda, Samsun latent tobacco mosaic virus in, 1368
rustica
aster yellows virus in, 44
host components of, effect on infection by potato yellow dwarf virus, 142
mechanical inoculation of potato yellow dwarf virus, 142
Samsun latent tobacco mosaic virus in, 1368
sylvestris
Samsun latent tobacco mosaic virus in, 1368
tobacco mosaic virus in, staining and fixation of infected cells, 802, **803**
tabacum
acquired resistance to pathogens, due to localized infections by Thielaviopsis basicola or viruses, 523, **525, 526, 527**
apple latent virus on, 230
bacterial wilt of, severity as influenced by virulent: avirulent cells, 779, **781**
black shank of, radiation-induced changes in resistance to, 23, **25, 26**
fraction 1 protein from, 283
Phytophthora parasitica nicotiana in, resistance, 1356, **1358**
potato virus X in, influence of boron nutrition on, 1405, **1406**
potato virus X in, length of particle and infectivity, 901
Pseudomonas solanacearum in, inhibition of indoleacetic acid oxidase after infection of, 1078
Pseudomonas spp., hypersensitive reaction to, 474, **475, 476**
resistance changes in, to black shank induced by irradiation, 23, **26**
root-knot resistant, varietal responses to Pratylenchus and Meloidogyne, 205
roots of, electrotaxis of Phytophthora parasitica zoospores to, 225, **227**
Samsun latent tobacco mosaic virus in, 1367, **1368**
Thielaviopsis basicola in, localized infections giving nonspecific acquired resistance to pathogens, 253, **525, 526, 527**
tobacco mosaic virus in, accumulation of fluorescent compounds in, associated with hypersensitivity, 1062
staining and fixation of virus-infected cells, 802, **804**
Niederhauser, J. S., (500)
Nielsen, L. W., 902, 1190
Nilsson, G. I., 1172
Nishimura, S., 902
nitrogenous compounds, in xylem of elm trees infected with Ceratocystis ulmi, 908
Nitzany, F. E., 1059
Nong, L., 902

northern leaf blight (see also **Helminthosporium spp.**)
of corn, protection by bacterium from cucumber leaves, 898
Noveroske, R. L., 92, 98
Novotny, J. F., (970)
nuclear condition
host-parasite relations, Plasmodiophora brassicae in cabbage, 912
of Rhizoctonia solani, vegetative hyphae of, 907
of Verticillium albo-atrum spores and mycelium, 363, **363**
nucleic acids, virus infection causing changes in, of Prunus ringspot virus in Prunus mahaleb, 1109
nutrient levels, effects of Pratylenchus penetrans on, in roots and leaves of holly and barberry, 718
nutrients in inoculum, related to disease severity, of Phoma herbarum medicaginis in alfalfa, 1048, **1050**
nutrition
carbon source
Aphanomyces raphani, 1167
Armillaria mellea, 912
Cercospora arachidicola, 1237
Cladosporium cucumerinum, 1038
Erwinia carotovora, 494
Fusarium solani f. radicicola, 894
Phytophthora parasitica var. nicotianae, 987
Pythium ultimum, 901
Chlamydospore formation affected by, in Fusarium, 894
growth affected by
Aphanomyces raphani, 1167
Armillaria mellea, 912
Cercospora arachidicola, 1237
Fusarium from red clover, 1053
Helminthosporium spp. from bluegrass, 1065
Phialophora cinerescens, 1172
Phytophthora parasitica var. nicotianae, 987
Pythium spp., 901, 955
nitrogen source
Aphanomyces raphani, 1167
Botrytis cinerea, 674
Cercospora arachidicola, 1237
Claviceps sclerotia, 244
Colletotrichum coccodes, 691
exocortis virus of citrus, 968
Fusarium roseum, 889
solani, 894
Phialophora cinerescens, 1172
phosphorus, sour cherry, nematode population, 607
sexual reproduction affected by, in Hypoxylon solani f. cucurbitae, 584
sporulation affected by
in Cladosporium cucumerinum, 1038
in Fusarium: from banana, 389, **390**; from red clover, 1053
sulfur source, Aphanomyces raphani, 1167
susceptibility affected by
chrysanthemum to Botrytis cinerea, 674
fescue to Corticium, 129
sour cherry to nematodes, 706
St. Augustine grass, 1187
turfgrass to Fusarium, 890
virulence affected by
in Erwinia carotovora, 494
in exocortis on citrus, 968
virus affected by
citrus exocortis-, 968
oat mosaic-, 429
Nyland, G., (891), (1435), 1435

oak (see **Quercus spp.**)
oak wilt (see **Ceratocystis**)
oat blue dwarf virus, in flax, transmission by Macrosteles fascifrons, with aster yellows virus, 1028, **1030**
oats
culm rot of, Helminthosporium sorokinianum, morphological and physiological investigations of, 147, **149**
Helminthosporium victoriae
spores, interactions on leaves, 902
toxin
physiological effects on oat tissue, 906
uptake by oat tissue, 832
mosaic virus, soil borne, properties and transmission, 428
rearing host for leafhoppers in aster yellow virus studies, 44
Sclerophthora macrospora on, occurrence and development in South Dakota, 409
tissue, treated with victorin, respiratory changes, 886
Ustilago avenae
identification and distribution in southeastern USA, 792
inheritance of pathogenicity, 890
Ustilago kolleri
identification and distribution in southeastern USA, 792
inheritance of pathogenicity, 890
Verticillium dahliae in, colonization of debris in soil by, 900
winter-, Sclerotium rolfsii on, 624
obituaries
Harry Ardell Allard, 1880-1963, 125
Ruth Florence Allen, 1879-1963, 885
Charles Brooks, 1872-1962, 249
J. J. Christensen, 1892-1964, 1429
William Laurence Gordon, 1901-1963, 1
Dean Humbolt Rose, 1878-1963, 745
Gilbert Leonidas Stout, 1898-1963, 497
Obreiter, Jean B., 1395
O'Brien, M. J., 1045
Oden, W. R., (1431)
Odihirin, R. A., 748
Ogawa, J. M., (1434)
Oidiodendron nigrum, Ditylenchus destructor feeding on, 1121
oils
disease reduction by, preventing aphid-spread of cucumber mosaic virus, 960
vegetable-, effects on growth of Phytophthora parasitica var. nicotianae, 987
okra
Fusarium solani on, seed infection and seedling root rot caused by, 624
Glomerella cingulata in, comparative morphology of, with isolates from 5 other hosts, 909
Phytophthora parasitica on, a strain of, sexual compatibility with isolates from citrus, 114
oleander
Pseudomonas savastanoi from
on olive, 912
systemic invasion of, 576, **578**
olive
Pseudomonas savastanoi from
retention of pathogenicity, 912
system invasion of, 576
Olpidium brassicae
acquisition and transmission of lettuce big-vein virus, 681
relationship to tobacco necrosis and lettuce big-vein viruses, 893, 1434
transmission of tobacco necrosis virus, effect of chelating agents on, 895
zoospores of, motility and virus vector prolonged with chemicals, 29
Olsen, O. A. (185)
onions
Botrytis spp. in, pectolytic and cellulolytic enzymes produced by 3 spp. of, 928, **930**; role, 932, **933**, 934
Sclerotinia homeocarpa toxin on, causing degeneration of apical meristem, 1176
soft-rot of, selective isolation for bacteria causing, 897
Oort, A. J. P., (815)

oospore formation and production
in Aphanomyces raphani, 1167
in Phytophthora spp.
effect of β-sitosterol on, 747
stimulation in 9 spp. by nonsaponifiable fractions from lima bean and hemp seed, 895
orange (see also **Citrus spp.**)
black spot disease of, perithecia of Guignardia citricarpa as primary source of inoculum for, 64
sour- (Citrus aurantium)
exocortis virus infected, histological study of, 892
Guignardia on, 40
psorosis virus infected
detection in leaves by iodine test, 622
histological study of, 892
tristeza virus infected, histological study of, 892
Tylenchulus semipenetrans in, parasitism and injury to, 1202, **1203**
xyloporosis virus infected, histological study of, 892
sweet-
citrus nematode on, growth reduction due to, 294
Tylenchulus semipenetrans in, parasitism and injury to, 1202, **1203**
orchardgrass, Corynebacterium sp. in, spp. comparisons, 912
orchid (see **Phalaenopsis**)
Orellana, R. G., 903
organic acids, metabolism, during rot of grape berries, 242
Ortuno, C., (498)
Oryza (see **rice**)
osmotic pressure, significance in resistance, peach leaves to powdery mildews, 1409, **1411**
Owen, J. H., 625, (784)
oxygen concentration, effects on Pythium seed rot of soybean, 889

Page, O. T., 1181
Panagrellus redivivus
nematocide diffusion rates and patterns in soil, 910
phospholipid analysis of, 748
Panicum miliaceum, Sclerophthora macrospora on, in South Dakota, 409, **410**
panogen (see **fungicides**)
pantothenic acid, wheat plants infected with Puccinia graminis tritici, 502
Papavizas, G. C., 1475
Pappelis, A. J., (624), 626, (888)
paraquat (see **herbicides**)
parasexual recombination, in Puccinia recondita tritici, races, 104
parasitism, balance hypothesis, effect of myo-inositol in host tissue of Prunus domestica on Rhodosticta quercina, 697
Paratylenchus spp.
population, on sour cherry, effect of host nutrition, 706
hamatus, pathogenicity and population, on Mentha, 344
minutus, ability to survive desiccation in soil, 903
Parker, J., (128)
Parker, K. G., (706)
Passiflora edulis, Guignardia on, 40
Patel, P. N., (140), 903, (952)
pathogenicity
Colletotrichum gloeosporioides, to dwarfmistletoe, 906
evolution of, in Helminthosporium sp., geographic isolation and host association, 963, 1207
Paratylenchus hamatus on Mentha spp., 344
related to growth, Venturia inaequalis on apple callus tissue, 905
retention of, Pseudomonas savastanoi from olive and oleander, 912
solopathogenicity, Tilletia caries in wheat, 1076
Ustilago avenae
inheritance of, 890
mode of inheritance of, 660
Ustilago hordei, inheritance of, 890
Ustilago kolleri, inheritance of, 890
Ustilago nigra, inheritance of, 890
variability in, of Pseudomonas glycinea in soybean, 890
Patil, S. S., 531, 903
Patrick, Z. A., (905)
Patton, R. F., (898)
Paulus, A. D., (1436)
Pawlowski, S. H., 33
Paxton, J., 1436
pea
Aphanomyces euteiches in, cropping effects on disease indices, 910
clover yellow mosaic virus, purification of, 1433
cowpea mosaic virus on, 467
Idaho pea streak virus, purification of, 1433
pea enation mosaic virus in
RNA of leaves and pods, 746
transmitted by the pea aphid, 1269
root rot of, increased susceptibility in virus-infected peas to Fusarium solani and Aphanomyces euteiches, 1279, **1280**
Thanatephorus praticolus on, environment for its development, 788, **789, 790**
tip blight and stem rot, caused by Thanatephorus praticolus, environment for its development, 788, **789, 790**
Wisconsin pea streak virus
Chenopodium amaranticolor, a local-lesion test plant for, 807, **807, 809,** 899
in mutiplication and movement, 899
pea aphid (see **Acyrthosiphon pisum**)
pea common mosaic virus, in red clover, resistance to, 909
pea early browning virus, 1431
pea enation mosaic virus
host range: 20 spp. in 10 genera, 843
local-lesion host, Chenopodium album, 843, **847**
in pea,
increased susceptibility to Aphanomyces euteiches or Fusarium solani, 892, 1279
RNA of leaves and pods of infected plants, 746
pea aphid vector, biological relationship, 1269
pea streak virus (see **Wisconsin pea streak virus**)
peach
bacterial canker resistant seedlings, frequency of, from irradiated seed, 891
decay, caused by Monilinia fructicola, 755
necrotic ringspot virus, influence on growth and yield, 604
post-harvest decay of, control of, by 2-aminobutane salts, 978
Pseudomonas syringae in, transmission by bud propagation, 891
Rhizopus stolonifer in, effectiveness of 2,6-dichloro-4-nitroaniline impregnated peach wraps in reducing losses, 1219, **1221, 1222**
Sphaerotheca pannosa in, resistance of mature tissue to, 1409, **1411**
peanuts
leaf mottling virus of, mechanical transmission, 624
Sclerotium rolfsii, inoculum potential and susceptibility to, 279
Spanish-,
Aspergillus niger disease of, inoculum, 621; epidemiology, 1161, **1163**
Meloidogyne arenaria on, chemical control of, 626
reduction in inoculum potential of Rhizoctonia by 1,2-dibromo-3-chloropropane, 187
stem rot, caused by Sclerotium rolfsii, inoculum potential and susceptibility to, 279
pear
antibiotic activity of, to Erwinia amylovora due to β-glucosidase, 59, **61, 62**
Erwinia amylovora in
β-glucosidase activity in, 906
longevity on trees, 747

fire blight in, arbutin-hydroquinone complex, affecting susceptibility to, 640
pear decay, caused by Botrytis cinerea, influence of radiation on, 755
pear decline virus, transmission by pear psylla, 1346, **1348**
post-harvest decay of, control by 2-aminobutane salts, 978
Pseudomonas syringae in, β-glucosidase activity in, 806
wood-pitting of, 1435
pecan
Fusicladium effusum in, dodine for, 1283
Mycosphaera alni in, Karathane for, 1174
pectic enzymes (see **enzymes**)
pectolytic activity, of Xanthomonas malvacearum cells and culture filtrates, 597
Pederson, V. D., 903
Pelargonium spp. (see also **geranium**)
resistance, to Xanthomonas pelargonii, 128
Pelletier, R. L., (895)
Pellicularia filamentosa
in alfalfa and red clover, penetration and infection, 750, **752, 753**
on cotton stems in Louisiana, 626
penetration
Fusarium spp., in alfalfa and red clover, 434, **435, 436**
of Heterodera glycines in soybean roots, 79, **81, 83, 85, 86**
of Puccinia graminis tritici
by appressoria, factors affecting, 949
influence of variety, rust strains, and host gene(s), 89
Penicillium spp.
decay of wood by, 867
isolated from white clover stolons, 1128
phytotoxicity of metabolic products to eggplant and maple, 127
in Pinus radiata, associated with a wood wasp, 1031
on stored soybeans, moisture content and seed viability, 771
atrovenetum, lipid changes during growth of, 911
digitatum
on citrus, 2-aminobutane salts for, 978
lemon decay, influence of radiation, 755
expansum, on apples and pears, 2-aminobutane salts for, 978, **982**
italicum
on citrus, 2-aminobutane salts for, 978
orange decay, influence of radiation, 755
megasporum, Ditylenchus destructor feeding on, 1121
oxalicum, response to soil fungistasis, 906
variabile, surfactant effects of, 909
Peniophora gigantea
competition of, effecting growth of Fomes annosus, 623
competitive interaction in Pinus echinata stumps, 556
Pepin, H. S., 241
pepper (see also **Capsicum**)
fruit breakdown induced by TMV, 127
tobacco mosaic virus in, varietal differences to fruit breakdown, 127
tobasco-, tobacco etch virus on, 893
Xanthomonas vesicatoria in
detection in pepper leaf sap, 625, 902, 1037
isolated from internally-infected tissue, 358
peppermint
Paratylenchus hamatus on, pathogenicity and population dynamics, 344
Verticillium dahliae in, colonization of plant debris in soil by, 900
perithecial formation
in Cochliobolus carbonum, genetic inhibition of, 876
in Gnomonia fructicola, effects of inoculum concentration, 490, **490, 491**
periwinkle (see **Vinca spp.**)
Peronospora manshurica, conidia germination, light stimulation of, 903
Peronosporaceae, role of oospores, 1436
peroxidases (see **enzymes**)
Persea (see **avocado**)
Pestalotia macrotricha, response to soil fungistasis, 906
Peterson, C. A., 542
Peterson, D. H., (891)
Peterson, J. L., (127)
Petunia hybrida
apple latent virus on, 230
electrotaxis of Phytophthora zoospores to roots of, 226
potato spindle tuber virus in, symptomless host of, 1045
pH, effect on:
growth
Cercospora arachidicola, 1236
Fusarium from red clover, 1053
Helminthosporium from bluegrass, 1065
reproduction of citrus nematode, 294
soil fungi, 134
sporulation in:
Cladosporium cucumerinum, 1038
Fusarium from red clover, 1053
Phalaenopsis, cymbidium mosaic virus of, symptoms, transmission, purification, and electron microscopy of, 974, **975**
Phaseolus spp. (see also **bean**)
aconitifolius, Pseudomonas phaseolicola in, reaction to 2 races, 903
acutifolius, Pseudomonas phaseolicola in, reaction to 2 races, 903
angularis, Pseudomonas phaseolicola in, reaction to 2 races, 903
atropurpureus, Pseudomonas phaseolicola in, reaction to 2 races, 903
aureus
Pseudomonas phaseolicola in, reaction to 2 races, 903
tobacco necrosis virus on, via Olpidium zoospores, 29
braceatus, Pseudomonas phaseolicola in, reaction to 2 races, 903
calcaratus, Pseudomonas phaseolicola in, reaction to 2 races, 903
coccineus
Fusarium solani f. phaseoli in, resistance to, 896
Pseudomonas phaseolicola in, reaction to 2 races, 903
lathyroides, Pseudomonas phaseolicola in, reaction to 2 races, 903
limensis (see **bean,** lima-)
lunatus, Pseudomonas phaseolicola in, reaction to 2 races, 903
mungo, Pseudomonas phaseolicola in, reaction to 2 races, 903
polyanthus, Pseudomonas phaseolicola in, reaction to 2 races, 903
polystachyus, Pseudomonas phaseolicola in, reaction to 2 races, 903
radiatus, Pseudomonas phaseolicola in, reaction to 2 races, 903
vulgaris (see **bean**)
phenol metabolism, cut-potato tissue, effect of chilling on, 1275
phenolic synthesis, in potato roots, vs. resistance to Verticillium albo-atrum, 531, 903
phenoloxidase (see **enzymes**)
2-phenylethyl isothiocyanate, in resistance to Fusarium wilts, 290
Phialophora
cinerescens, in carnation, development and nitrogen nutrition, 1172
melinii, pigmentation of, factors, 907
Phillips, D. J., 903
Philodendron selloum, mosaic of, 1437

phloridzin and phloretin, oxidation of, related to resistance of Malus to Venturia inaequalis, 92
Phoma
helianthi-tuberosi, in sunflowers, black stem of, 492, **493**
herbarum var. medicaginis
in alfalfa, pea aphid feeding and honeydew increasing severity of, 1415, **1416**
nutrients vs. severity, 1048, **1050**
phorate, nematocidal activity in woody ornamentals, 748
phoretin oxidation, host resistance related to, Malus to Venturia inaequalis, 92
6-phosphogluconate dehydrogenase (see **enzymes**)
phospholipid analysis, Panagrellus redivivus, 748
phosphorus^{32} (see **radioactive elements**)
photosynthesis, bean infected with Uromyces phaseoli typica, 913
Phragmites communis, sclerotia of ergot collected from, nitrogen and fat content, 244
Phymatotrichum omnivorum, polyphenol-polyphenoloxidase, role in tolerance to, 888
Physalis spp.
potato spindle tuber virus in, symptomless host of, 1045
floridana
apple latent virus on, 230
cross protection tests with potato virus Y and potato veinal necrosis virus, 500
potato leaf roll virus in, diphenylamine reaction and transmission, 1223
variation among infected clones of Myzus persicae, 199
physiology of disease, role of growth substances in indoleacetic acid synthesis by Pseudomonas solanacearum, 1240
physiology of fungi
amino acids, in Sclerotinia trifoliorum sclerotia, thermoperiod cycling on, 1395
Botrytis cinerea, in safflower, biochemical factors, 923
Ceratocystis ulmi, an adenosine-triphosphate-binding substance from, 1386
culture medium, for Cercospora arachidicola, a glucose-phosphate-asparagine-thiamine-agar medium, 1236
exudates of grape berries, effect on germination in Botrytis cinerea, 167
growth requirements, high manganese requirements for certain filamentous fungi, 746
Helminthosporium victoriae and related spp., 147, **149**
lipid changes, in Penicillium atrovenetum during growth, 911
perithecia development and production
Gnomonia fructicola, related to inoculum concentration, 490, **490, 491**
Neocosmospora vasinfecta, requirement of manganese in the medium, 746
Phytophthora cinnamomi, morphological and physiological characteristics of mating types, 1146, **1150**
Phytophthora parasitica var. nicotianae, amino acid utilization vs. pathogenic potential of, 1133
Pyrenochaeta terrestris, mannitol produced by, in culture, 913
Rhizoctonia solani, role of cellulase produced by, in pathogenesis, 1372, **1374**
spore germination
cold-induced dormancy and reversal in Puccinia graminis tritici uredospores, 68
effect of exudates of grape berries on conidia of Botrytis cinerea, 167
sulfur reduction, by Monilinia fructicola, mechanism for, 910
physiology of nematodes, alanine synthesis by Aphelenchoides ritzema-bosi, 1177
physiology of sexual reproduction in Hypomyces solani f. cucurbitae, influence of carbon and nitrogen, 584
phytoactin (see **antibiotics**)
phytoalexin, role in bacterial disease, 782
Phytophthora spp.
distribution in soil, 1435
oospore formation in 9 spp., stimulated by nonsaponifiable fractions from lima bean and hemp seed, 895
oospore production by, the effect of β-sitosterol on, 747
capsici
effects of light on sporulation, 900
genetic and cytological studies of, 498
cinnamomi
compatibility types in, 746
genetics of, mating types, 238, **239,** 499, 1146, **1150**
interspecific compatibility patterns with 5 other spp., 902
in pineapple, influence of soil temperature on, 1287, **1288**
cryptogea
in alfalfa, prevalence and virulence, 1012, **1013**
compatibility types in, 746
interspecific compatibility patterns with 5 other spp., 902
in red clover, prevalence and virulence, 1012
drechsleri
effects of light on sporulation of, 900
interspecific compatibility patterns with 5 other spp., 902
fragariae
physiologic races, 241
Potentilla spp. susceptible to, 173, **174, 175, 176**
infestans
behavior of resistant clones from Mexico in Guatemala, 500
in clones of 3 Solanum spp., resistance to, 1398, **1400**
control of, fungicides for, 498
detection of, by aerial photographic techniques, 127
purine breakdown by, chromatographic analyses of, 1181
megasperma var. sojae
isolation in soil dilution plates, 894
on soybean, host-parasite interaction, 886
nicotianae, effects of light on sporulation of, 900
palmivora
effects of light on sporulation of, 900
interspecific compatibility patterns with 5 other spp., 902
isolated from cacao pods, sporulation and compatibility types, 500
parasitica
effects of light on sporulation of, 900
interspecific compatibility patterns with 5 other spp., 902
soil fungistasis effecting zoospore germination, 910
sporangial germination of, 1431
a strain of, from okra and compatibility with citrus isolates, 114
technique for fixing and mounting, 863, **863**
parasitica var. nicotianae
amino acid utilization of, related to the pathogenic potential of, 1133
effect of surfactants on growth of, 987
electrotaxis of zoospores, 225, **227**
growth on vegetable oils, 987
interspecific compatibility patterns with 5 other spp., 902
in tobacco, resistance in leaves, 1356, **1358**
defoliation effect, 912
irradiation for, 23, **26**
parasitici, in pineapple, soil temperature effect on, 1287
phaseoli
of lima bean, effect of temperature on colonization of, 896; and disease, 181

occurrence and decline in the Middle Atlantic states, 749
transmission by slugs, 749
phytotoxicity
to eggplant and maple, caused by metabolic products of Penicillium, 127
spray oils, for Sigatoka leaf spot disease of bananas, importance of source, 235
Picea spp. (see **spruce**)
Pierce, A. R., (654)
Pin nematode (see **Paratylenchus spp.**)
Pinckard, J. A., (393), 626
Pine, T. S., 604
pine (see also **Pinus**)
Lophodermium needle case disease, histology and control, 127
Polyporus tomentosus in, detection of by fluorescent antibody technique, 898
southern yellow-, decay resistance to white-rot fungi, 542
pineapple
nematodes of, 5 spp. survive desiccation, 903
Phytophthora cinnamomi and parasitica in, influence of soil temperature on, 1287, 1288
Pinus (see also **pine**)
echinata, Fomes annosus, infection, growth rate, and competitive ability of, in stumps, 556
elliottii
Cronartium fusiforme in, insects and fungi associated with, 902
Fomes annosus in, infections in Florida, 904
resistance to Cronartium fusiforme, 1294
lambertiana, Macrophomina phaseoli in, effect of temperature fluctuations on, 908
radiata, death of, 11 spp. of fungi associated with a wood wasp in, 1031, **1031**
strobus, Fomes annosus in, duration of susceptibility of stumps to, 1216
taeda
Cronartium fusiforme in, insects and fungi associated with, 902
Fomes annosus in, effects of temperature and host on growth and survival of, 893, 901
Piricularia grisea, in St. Augustine grass, influence of nitrogen on infection severity of, 1187
Pirone, T. P., (893)
Pissodes nemorensis, association with rust on pine, 902
Pisum sativum (see **pea**)
Pittosporum tobira, Alternaria leafspot of, first report, 478, **478, 479, 480**
plant antigens, separation from viruses, methods, 282
plant debris, Xanthomonas malvacearum in cotton, survival and infectivity of, 1198, **1199**
plant disease losses
changes in, due to changing agriculture, 1313
symposium on, 1305
types of, 1309
plant growth regulators, in a basal medium for isolating soil fungi, 621
plant maturity, effects on charcoal stalk rot of sorghum, 514
plant residue, decomposition of, toxic to Meloidogyne incognita and Pratylenchus penetrans, 905
Plasmodiophora brassicae, in cabbage, host-parasite nuclear relations in, 912
plum (see also **Prunus**)
bacterial canker resistant seedlings, frequency of, from irradiated seed, 891
crown gall resistant seedlings, frequency of, from irradiated seed, 891
Poa pratensis
Fusarium roseum in, influence of nutrition and soil moisture on development, 890
Helminthosporium spp. in, temperature effects on, 1084
infected with 12 spp. of Helminthosporium, 1065
Puccinia graminis on, controlled by symmetrical-dichlorotetra fluoroacetone, 580
root rot of, caused by 3 spp. of Helminthosporium, pathogenicity of, 1084
Podosporiella verticillata, a soil borne pathogen of western Gramineae, 353
polygalacturonase (see **enzymes**)
Polyporus
anceps, decay by, resistance of extractive-free coniferous woods to, 542
cinnabarinus
fungistasis to, by sapwood of Quercus alba, 895
surfactants on, effects of, 909
dichrous, lack of color formation on phenol-containing media, 898
tomentosus
detection of, by fluorescent antibody technique, 898
hardwoods as carriers for, 1484
versicolor
decay by, resistance of extractive-free coniferous woods to, 542
fungistasis to, by sapwood of Quercus alba, 895
volvatus, ostiolar development, 1437
poplar (see also **Populus tremuloides**)
Hypoxylon pruinatum, life cycle, host range, and pathogenesis on, 257
population dynamics
Hemicycliophora similis in cranberry bogs, 654
Heterodera glycines in soybeans, 1265
nematodes on cotton, 625
Paratylenchus hamatus on Mentha spp., 344
populations
Heterodera glycines, cropping sequences in field bins, 622
soil fungi, quantitative methods for estimating Thielaviopsis basicola, 633
Trichodorus christiei, soil depth and sampling dates, 246
Populus tremuloides
canker disease in, developmental morphology of Hypoxylon pruinatum in bark, 154, **156, 158, 159, 160**
decay of, by spp. of: Alternaria and Penicillium, 867; Xylariaceae, 56, **57**
Hypoxylon pruinatum; impact on, 253; invasion site, 896
Poria
monticola, in Pinus elliottii and P. taeda, association with Cronartium fusiforme, 902
taxicola, color in phenol-media, 898
weirii, survival in buried wood, effect of zone lines and soil fungi, 120, **120**
Portulacaca, beet western yellows virus in, 736
potassium
influence on susceptibility of chrysanthemum to Botrytis cinerea, 674
nutrition of sour cherry, effect on population of nematodes, 607
potato
bacterial soft rot of, by 3 spp. of Erwinia in a CO_2-N atmosphere, 902
chlorogenic acid in, resistance to infection by Verticillium albo-atrum, 531
field resistance to late blight, Mexican clones resistant in Guatemala, 500
Fusarium roseum infection of, effect of chilling on, 1275
Fusarium solani f. radicicola infection of, effect of chilling on, 1275
late blight, detection by aerial photography, 127
phenol metabolism of, effect of chilling on, 1275
phenols, free-, relation to resistance to Verticillium albo-atrum, 531, 903
Phytophthora infestans on
chromatographic analyses of purine breakdown by, 1181
nature of partial resistance of, 1398, **1400**
potato leaf roll virus in
diphenylamine reaction and transmission with phenol extracts of, 1223

in Mexico, control, 498
transmission by aphids, 199
potato virus X in
detection by bentonite flocculation test, 1292
particle length and infectivity as influenced by temperature, 901
Pratylenchus penetrans on, pathogenicity and population trends, 317, **320**
spindle tuber virus on
hosts, 1045
serology, 887
transmission, 128, 488
tuber resistance to Helminthosporium carbonum, role of steroid alkaloids in, 886
Verticillium albo-atrum on, resistance to, by oxidation products of chlorogenic acid, 531
yellow dwarf, on Nicotiana rustica, 142
potato leaf roll virus
in Mexico, control, 498
phenol extracts of plants infected with, diphenylamine reaction and transmission, 1223
transmission by injected aphids, 199
potato spindle tuber virus
hosts: 7 symptomless genera, 1045
liquid nitrogen transmission, 488
serological studies, comparison with potato virus X, 887
transmission, 128
potato veinal necrosis virus, on tobacco, cross-protection tests with potato virus Y, 500
potato virus X
in Datura tatula, cytopathology of, 909
effects of air temperatures on, particle length and infectivity, 901
in Gomphrena globosa, local lesions, factors, 896
in Nicotiana tabacum, influence of boron on, 1405, **1406**
in potato tubers, detection by bentonite flocculation, 1292
purification with agar-gel columns, 748
serological comparison with potato spindle tuber virus, 887
on tobacco, cross-protection tests with potato veinal necrosis virus, 500
potato wart, resting sporangia of Synchytrium endobioticum in soil, methods for estimating numbers of, 185
potato yellow dwarf virus, in tobacco, 142
Potentilla spp.
hosts for Phytophthora fragariae, 173, **174, 175, 176**
susceptible to Phytophthora fragariae, 173, **174, 175, 176**
Pound, G. S., (446)
powdery mildew (see **Erysiphe, Mycosphaera alni**)
Powell, D., (713), (906)
Powelson, R. L., (531), (1432)
Powers, H. R., Jr., (622)
Pratylenchus spp.
varietal responses of root-knot resistant tobaccos to, 205
brachyurus, ability to survive desiccation in soil, 903
penetrans
on alfalfa, 128, 892
on cranberry, and pathogenicity, 677
migration and survival in relation to soil moisture and aggregate range, 897
population on sour cherry, effect of host nutrition, 706
on potato and corn, pathogenicity and population trends, 317, **320**
toxic substances to, in decomposing plant residue, 905
on woody ornamentals, host-parasite relationship, 718, **720**
scribneri, in amaryllis, 902
precipitin patterns, immunodiffusion, effect of placement of reactants on, 163, **165**
predisposition
to cacao knob gall, in wounds where flowery gall excised, 499
effects in etiology of annual canker disease on maple, 271
of host to canker susceptibility, 250
of peanut to heat, role in infection by Aspergillus niger, 1161
of wheat, by Erysiphe graminis tritici to infection with E. graminis hordei, 618
Presley, J. T., (906)
Primulaceae, beet western yellows virus in, 736
Pringle, R. B., (602), (832)
Prior, G. D., 784
protein(s)
in bean leaves, changes associated with infection by the bean rust fungus, 760, **761,** 909
fraction 1, electron microscopy, physico-chemical properties, 282, **287**
in host-parasite relationship, of Pseudomonas phaseoli in bean, 904
in sweet potato infected with Ceratocystis fimbriata, 911
prune dwarf virus
from sour and pin cherry, variation among isolates of, 1155, **1157, 1159**
in tissue extracts, detection and differentiation from necrotic ringspot virus, 995
Prunus
avium, Prunus ringspot virus in, migration patterns, 1335
cerasus
necrotic ringspot and prune dwarf viruses from, variation among isolates of, 1155, **1157, 1159**
5 nematode spp. on, effect of nutrition on population, 706
domestica
Prunus ringspot virus in, indexing of, bark-shields vs. bark-patches in transferring to Shirofugen cherry, 1339
stem age and virulence, 1393
Rhodosticta quercina in, effect of myo-inositol in host tissue on parasitism, 697
mahaleb
prune dwarf and necrotic ringspot viruses in, serological detection and differentiation of, 995
Prunus ringspot virus in, changes in nucleic acid content in leaves of, 1109
pensylvanica, necrotic ringspot and prune dwarf viruses from, variation among isolates of, 1155, **1157, 1159**
serrulata (Shirofugen), index host for Prunus ringspot virus
bark-shields vs. bark-patches in transferring from Italian prune, 1339
effects of host stem age and strain virulence, 1393
tomentosa, necrotic ringspot virus on, 1482
Prunus ringspot virus
indexing of:
bud-shields vs. bark-patches in transferring from Italian prune to Shirofugen cherry, 1339
effects of stem age and strain virulence, 1393
in Prunus mahaleb, changes in nucleic acid in leaves, 1109
source and test plants, lack of transmission by aphids and leafhoppers, 399
in sweet cherry, migration patterns, 1335
Prunus viruses, necrotic ringspot, comparisons to Pfeffinger (rasp leaf) types, 455
Pseudomonas spp.
causing hypersensitivity in tobacco, 474, **475, 476**
alliicola, causing soft-rot of onions, 897
cepacia, causing soft-rot of onions, 897
fluorescens
effect of chlorinated hydrocarbons on growth and amino acid production of, 886
inhibition of uredospore germination of Puccinia graminis tritici, 970

glycinea, in soybeans, variability in pathogenicity, 890
lachrymans, in cucumber, relation of age of leaf and varietal resistance to multiplication, 49
phaseolicola
in bean, inheritance of resistance to, 952
in bean, proteins and enzymes of the interaction between, 904
epidemiology of, 140
16 Phaseolus spp. tested for resistance to races 1 and 2, 903
toxin of, halo-inducing in bean leaves, 895
savastanoi
on Achillea ptarmica, pathogenicity of, 1295
on cucumber, pathogenicity of, 1296
on Datura stramonium, pathogenicity of, 1295, **1295**
retention of pathogenicity of isolates from olive and oleander, 912
systemic invasion of oleander, 576, **578**
on tomato, pathogenicity of, 1296
solanacearum
cellulase produced by, measurement of activity of, by rotating spindle viscometry, 110, **110**
indoleacetic acid synthesis by, 1240
in Nicotiana tabacum, inhibition of indoleacetic acid oxidase after infection of, 1078
role of certain plant-parasitic nematodes in infection of tomatoes, 151, **153**
serological relationship of strains, 1096
severity of wilt as influenced by virulent to avirulent cells, 779, **781**
20 spp. tested for hosts of 3 strains, 1096
in tobacco, origin of indoleacetic acid, 907
syringae
in cotton, virulence vs. toxins, 1436
β-glucosidase activity in, 906
in peach, transmission by bud propagation, 891
in 4 Prunus spp., frequency of resistance to from irradiated seeds, 891
in safflower, pathogenicity and morphology of, 1247, **1247, 1248, 1249**
in tobacco, multiplication of, 474, **475, 476**
tabaci, in tobacco, multiplication of, 474, **476**

Pseudoperonospora humuli, control of desiccants, 1439

Psidium guajava and montanum, hosts of a Guignardia sp., 40

psorosis virus, in sour orange
detection by the iodine test, 622
histology of, 892

Psylla pyricola, transmission of pear decline virus, 1346, **1348**

Puccinia
antirrhini, relation of the European earwig to, 369, **369, 370**
coronata
a comparison with 12 digitate spp., 891
variation within the spp. of urediospores and teliospores, 891
graminis
on bluegrass, control, 580
uredospores, detection method in rain, 904
graminis tritici
appressoria penetration, factors, 949
bacteria from spores of, 970
in barley, resistance to, 308
dormancy, in uredospores of, cold-induced, 68
enzymatic reduction of phosphates associated with, 895
infection in wheat, light quality effect, 1342; vitamin effect, 502
light effect on uredospore germination, 382
nickel salt + dithiocarbamate for, 999
penetration by, factors, 89
sodium proprionate for, 893
polysora, response of urediospores of, to soil fungistasis, 906
recondita
control with nickel salt + dithiocarbamate, 999
light inhibition of uredospore germination, 116
recondita tritici
infection on 4 Thalictrum spp., 905
mixtures of races, vegetative recombination of urediospore color and virulence, 104
physiologic races of, differential varieties for, 385
stomatal exclusion by wheat peduncles and sheaths, 214
on wheat, controlled by dichlorotetrafluoroacetone, 580
sorghi
in corn, the locus Rp_1 conditioning resistance to, 905
immuno-fluorescent staining for identification of germinating urediospores, 872, **872**
striiformis, spore germination of, 1432

pumpkin (see also **Cucurbita spp.**)
Glomerella magna on, new anthracnose disease, 452

Purcifull, D. E., 1102

Purdy, L. H., (878), 1178

purine, breakdown by Phytophthora infestans, 1181

Pyrenochaeta terrestris
crop residues related to, 1437
fungus host for the culture of Ditylenchus sp., 888
mannitol produced by, 913
sporulation of, induced by near-ultraviolet light, 113, **113**
surfactants on, effects of, 909

Pyrus spp. (see **pear**)

Pythium spp.
on bean, influence of seed exudations on, 670
on red clover, prevalence, 1012
on soybean, seed rot of, 889
on Taxus, root rot on, 887
aphanidermatum
on cucumber fruits, changes in sugars and amino acids, 233
respiration of, 1434
saprophytic growth in soil, factors, 955
in soybean, a new pathogen of, 901
debaryanum
in alfalfa, prevalence and virulence, 1012, **1013**
in cotton, prolonging susceptibility to, in presence of Meloidogyne, 1023
reproduction of, effect of cations on, 913
irregulare
in alfalfa, prevalence and virulence, 1012, **1013**
dosage responses to toxicants in soil, 836
reproduction of, effect of cations on, 913
pareocandrum, in alfalfa, prevalence and virulence, 1012, **1013**
ultimum
in alfalfa, prevalence and virulence, 1012, **1013**
growth of, effect of carbon source and calcium on, 901
influence of herbicides on, 901
mercury tolerance, lack of, compared to Aspergillus niger, 886, 1459
reproduction of, effect of cations on, 913
on soybean, 906

quaking aspen (see **Populus tremuloides**)

quaternary ammonium (see **fungicides**)

Quercus spp.
wilt, retention of pathogenicity of pathogen in culture, 742
alba, polyporus versicolor and P. cinnabarinus in, resistance of sapwood to decay by, 895
prinus, Ceratocystis fagacearum in, variation in pathogenicity, host specificity and mat production, 865
rubra
Ceratocystis fagacearum in, variation in patho-

genicity, host specificity and mat production, 865
decay by species of Xylariaceae, 56, **57**
Quinon, V. L., 1096

Raabe, R. D., (911)
Radewald, J. D., 903, 1436
radiation
effect on sporulation
of Alternaria tomato, 565
Colletotrichum gloeosporioides, 1437
gamma-
effect on black shank resistance, 23
influence of dose rate on decay of citrus, pears, and peaches, 755
near-ultraviolet effect on fungi, 1434
ultraviolet, effect on sporulation of Pyrenochaeta terrestris, 113, **113**
radioactive elements
carbon^{14} dioxide
absorption in apple leaves, 1467
dark fixation of, in bean infected with rust, 913
enzymatic fixation in corn infected with Helminthosporium carbonum, 663
fixation by a psychrophilic basidiomycete and Fusarium nivale, 909
use in bacterial soft rot of potato, 902
Cobalt-60, effect on tobacco black shank, 23, **26**
hydrogen cyanide (HC^{14}N), fixation by a psychrophilic basidiomycete and Fusarium nivale, 909
phosphorus^{32}, translocation in Rhizoctonia, effects of temperature on, 899
sulfur^{35}, accumulations in lesions, of cucumber inoculated with Colletotrichum lagenarium, 893
radish
Albugo candida on, metabolic studies on the host parasite complex, 446
Aphanomyces raphani in, seedling infection by, 1167
Cercosporella brassicae in, resistance to leaf spot, 892
radish mosaic virus in, serologically related to bean pod mottle virus and to squash mosaic virus, 1418, **1421**
root homogenate of, as culture medium for Fusarium oxysporum, 290
radish mosaic virus
description, host range, symptomatology, physical properties, serology, and electron microscopy of, 1418, **1421**
isolated from turnip, physical properties, host range, and host reaction, 890
serologically related to bean pod mottle virus and squash mosaic virus, 1418, **1422**
Radopholus similis, in grapefruit seedlings, changes in free amino acids and proteins, 1210
Ragetli, H. W. J., (870)
ragweed (see **Ambrosia artemisiifolia**)
rainfall effect
on corn diseases in Costa Rica, 127
on production of fructifications in Mycosphaerella musicola, 1320
Ramirez, W., 500
Randles, J. W., (892)
Raphanus spp. (see **radish**)
raspberry, red-
heat-labile mosaic components, detection by leaf grafting to Rubus henryi, 890
Rubus yellow-net virus in, detection by leaf grafting to Rubus henryi, 890
Rautela, G. S., 904
Raychaudhuri, S. P., 904
Raymer, W. B., (1045)
red clover (see **clover**)
red clover vein-mosaic virus
effect of clover flower juice on local lesions on Gomphrena globosa, 892
in red clover, resistance to, 909
Reddy, D. V. R., (908)
Redman, C. E., 904
Reichle, R. E., 1297
reniform nematode (see **Rotylenchulus spp.**)
resistance
acquired-, in tobacco leaves to pathogens, due to localized infections by Thielaviopsis basicola or viruses, 523, **525, 526, 527**
apple to rust, 1363
apple to scab, enzymes affecting, 98
asparagus to Fusarium oxysporum, 128
barley to barley yellow dwarf virus, inheritance of, 219
bean
to Fusarium solani, characteristics, 896
to Rhizoctonia, relation of calcium to pectic substances in different age plants, 887
biochemistry of, to Cladosporium cucumerinum in cucumber, 899
blue lupine to Stemphylium, recessive genes, 54
of citrus rootstocks to nematode, 419, **421, 422, 423, 424**
clover, red-, to 5 viruses, 909
corn, to Puccinia sorghi, the locus Rp_1 conditioning resistance to, 905
cucumber to angular leaf spot, inheritance of, 51
disease-, potato tubers to Helminthosporium carbonum, role of steroid alkaloids in, 886
field-,
potato to late blight, in Guatemala, 500
sweetpotato to Monilochaetes infuscans, 624
hypersensitivity, citrus rootstocks to nematode, 419, **421, 422, 424**
induced-, in bean tissue to polygalacturonase, 438, 442, 443
to infection, by Verticillium albo-atrum, relation to chlorogenic acid and free phenols in potato roots, 531
inheritance of
barley to barley yellow dwarf virus, 219
barley to stem rust and loose smut, 308
bean to Pseudomonas phaseolicola, 952
cucumber to angular leaf spot, 51
Malus to Venturia inaequalis, 92
mechanism of, in Fusarium wilts, 290
muskmelon to powdery mildew race 2, 587
partial-, Solanum spp. to Phytophthora infestans, 1398, **1400**
to penetration, of Puccinia recondita, by wheat peduncles and sheaths, 214
pine stumps to Fomes annosus, 1216
poplar to Hypoxylon pruinatum, 260
potato to Helminthosporium carbonum, role of alkaloids in, 886
Prunus to bacterial canker and crown gall, in irradiated seed, 891
relation of age to, developing fruit and resistance to the black spot pathogen of citrus, 64
slash pine to Cronartium fusiforme, 1294
soybean to Phytophthora megasperma, inheritance of, 886
tobacco to Phytophthora parasitica var. nicotianae, 23, 912, 1356, **1358**
Vanilla spp. to Fusarium batatatis, techniques for evaluating, 827
wheat to
Puccinia recondita, stomatal exclusion, 214
stem rust, host gene effect, 90
wood to decay, by white-rot fungi, 542
respiration
in Aspergillus awamori spores, increased by golden nematode hatching factor, 36
in bean infected with
alfalfa mosaic and southern bean mosaic viruses, 914
Uromyces phaseoli typica, 913
diseased tissue changes in, factors affecting in victorin-treated oat tissue, 886
Reyes, L., 626

Rhizobium leguminosarum
compatibility of soil fungicides with, 887
effect of chlorinated hydrocarbons on growth and amino acid production of, 886
Rhizoctonia spp.
in alfalfa, prevalence and virulence, 1012
from Phytophthora-resistant soybeans, 906
in Pinus radiata, associated with a wood wasp, 1031
on strawberry, 1438
in white clover stolons, 1128
praticola, basidial formation in, 1093
solani
avocado seedlings, seed and root rot, 211, **212, 213**
on bean, influence of seed exudation on, 670
of bean, relation of calcium content and pectic substances related to susceptibility, 887
causing cotton damping-off, fungicide tests, 625
cellulase in relation to pathogenesis of bean, 1372, **1374**
from cotton, nuclear condition and division of, 907
in cotton, susceptibility to in presence of nematodes, 1023
dosage responses to toxicants from soil fungicides, 836
effect of PCNB on, in field, 626
growth, influence of herbicides on, 901
induced resistance to polygalacturonase in bean tissue, 438, **442, 443**
infestation of Taxus, effect of chemicals on, 901
inoculum potential of, effect of organic amendments and PCNB on, 626
lack of mercury tolerance of, compared to Aspergillus niger, 886, 1459
long-term inhibition by 1,2-dibromo-3-chloropropane, 187
pectin-trans-eliminase and polygalacturonase production by, 907
polygalacturonase produced by, measurement by rotating spindle viscometry, 110, **110**
from seedling cotton, tolerance to fungicides, 518
stimulation of basidial formation, 1093, **1093, 1094**
translocation of phosphorus^{32} in, temperature effects, 899
Rhizopus spp.
effect on cotton fiber, 748
nigricans, effects of, on dwarf tomatoes in gnotobiotic conditions, 899
stolonifer
peach decay, effectiveness of impregnated peach wraps in reducing decay losses, 1219, **1221, 1222**
polygalacturonase production by, 907
Rhodosticta quercina, in Prunus domestica, effect of myo-inositol in host tissue on parasitism, 697
Rhopalosiphum
fitchii, barley yellow dwarf virus transmission, 908
maidis
barley yellow dwarf virus transmission, 908
cardamom mosaic streak virus transmission, 904
ribonuclease (see **enzymes**)
ribonucleic acid
composition in barley infected with Erysiphe graminis, 1112
of leaves and pods of peas infected with pea enation mosaic virus, 746
rice
hoja blanca virus
host range and insect vector, 536
transmission by vectors, 624
rice dwarf virus in, electron micrographs of, and its arthropod host, 908
rough-, storage of, control of fungi in, 858
viruses of, inclusion bodies stained, 367, **368**
rice dwarf virus, electron micrographs of in arthropod and plant hosts, 908
Rich, A. E., (128), (488), (897), (1071)
Richardson, L. T., 836, (910)
Ricinus communis, apple latent virus on, 230
Riker, A. J., (339)
Rivera, H. S., (500)
Roane, C. W., 904
Roberts, R. N., (1177)
Rochow, W. F., (889), (1269)
Rodriguez-Kabana, R., 897
Rodriquez, A. E., (379)
Rodriquez, R. A., 500
Rogers, J. D., 154, (257)
Roistacher, C. N., (1359)
Romanko, R. R., 1439
Romero, S., 500
Romig, R. W., 214
root-knot nematode
motility and infectivity of, 192
varietal responses to, in tobacco, 205
root-lesion nematode
in alfalfa roots, relation to soil moisture, 128
varietal responses of tobacco to, 205
root rots
conifers, Fomes annosus causing, factors, 373, **375**
Fusarium spp. in alfalfa and red clover, 434, **435, 436**
of okra seedlings caused by Fusarium solani, 624
of pea, susceptibility to, when previously infected with viruses, 892
Rosberg, D. W., (623)
rose, as host of a Guignardia sp., 40
Rosenkranz, E., 807
Rosenow, D. T., (626)
Ross, A. F., (199), 1436
Ross, E. W., 272, 904
Ross, J. P., 304, 1228
Rotem, J., 628
Roth, J. N., 363
Rothman, P. G., (624)
Rotylenchus spp.
role in infection of tomatoes by Pseudomonas solanacearum, 151, **153**
reniformis
on cotton
nematocides for, 393
pathogenicity of, 1019, **1022**
susceptibility to Rhizoctonia solani, 1023
desiccation in soil, 903
in Puerto Rico, 501
Rowell, J. B., 904, 999
Rubio, R., (498)
Rubus henryi, for detecting latent Rubus yellow-net virus and heat-labile mosaic components, 890
Rubus yellow-net virus, detection of in red raspberry, by leaf grafting, 890
Rudolph, K., 904
Rumex acetosa, wound tumor virus in, electron micrographs of, and in its arthropod host, 908
Ruppel, E. G., (843)
Russakow, Natalie, (900)
russet-ring apple virus, detection of common antigens by complement fixation, 900
rust, chemotherapeutant of, dichlorotetrafluoroacetone, a synthetic organic, 580
bean- (see **Uromyces** phaseoli)
corn- (see **Puccinia** sorghi)
mist culture for, 1435
snapdragon- (see **Puccinia** antirrhini)
on tobacco, aecial stage on, in Honduras, 499
wheat leaf- (see **Puccinia** recondita)
wheat stem- (see **Puccinia** graminis tritici)
rutabaga, Aphanomyces raphani in, seedling infection by, 1168
rye
Claviceps purpurea on, nitrogen and fat content of sclerotia from, 244
Podosporiella verticillata, soil borne pathogen of, 353
ryegrass (see **Lolium spp.**)

Saad, A. T., 905
Saaltink, G. J., 1137
Saari, E. E., 905
Saccharomyces
carlsbergensis, toxicity of itaconimides to, dosage-response curves, 894
cerevisiae, cells of, competition for uptake of silver, cerium, and dodine, 900
fragilis, cycloheximide uptake by, 748, 1261
pastorianus
cycloheximide uptake by, 748, 1261
metabolic changes in, associated with phytoactin, 899
sulfur-depletion of cells by captan, 881
Safeeulla, K. M., 1436
safflower
Botrytis cinerea in, biochemical factors affecting pathogenicity of, 923
Pseudomonas syringae in, pathogenicity and morphology of, 1247, **1247, 1248, 1249**
St. Augustine grass (see **Stenotaphrum secundatum**)
Saksena, K. N., (908)
Salas, A., 500
Salpiglossis sinuata, electrotaxis of Phytophthora parasitica zoospores on roots of, 226
salt injury, causing maple decline in New Hampshire, 1071
Samsun latent tobacco mosaic virus, in Capsicum spp., resistance to, 1367, **1368**
sanitation, orchard-, effects of angular leaf spot of tung, 627
Santilli, V., (908)
Sarcina lutea, antibiotic produced by diseased Helminthosporium victoriae active against, 899
Sasser, J. N., (1265)
Sauer, D. B., 905
Saxena, K. M. S., 905
Sayre, R. M., 905
Scharen, A. L., 300
Scharpf, R. F., 905
Scheffer, R. P., 602, 832, 906, (1041)
Schein, R. D., 509, 1427
Schenck, N. C., 613
Schick, F. J., (891)
Schieber, E., 500
Schlegel, D. E., (1273), (1437)
Schmidt, R. A., 129, (1216)
Schmitthenner, A. F., 906, 1012
Schnathorst, W. C., 906, 1009, 1436
Schneider, H., 1202, (1346)
Schneider, I. R., 701
Schroeder, H. W., 858
Schroth, M. N., (59), (640), 670, 906
Schuepp, H., 906
Sclerocarya caffra, host for Guignardia, 40
Sclerophthora
macrospora, development on cereals and grasses in South Dakota, 409, **410, 413**
sorghi, on sorghum in Texas, 626
Sclerotinia
fructicola, cell-free extracts of mycelium, oxidation of glucose by, 896
homeocarpa, toxin from, effect on apical meristem and apex of bentgrass roots, 1175, **1175**
sclerotiorum
pectolytic enzyme activity of, effect of fungicides on, 130
sunflower wilt caused by, host-parasite relationship, 33, **34**
trifoliorum
amino acids in sclerotia of, the effects of thermoperiod cycling on, 1395
on clover and alfalfa, host-parasite relationship, 784, **785**
Sclerotium rolfsii
on annual ryegrass and winter oat, 624
inoculum potential of, affecting susceptibility of peanuts, 279
polygalacturonase production by, 907
in white clover, interactions with other microorganisms, 1127
scopoletin, indoleacetic acid oxidase inhibition by, in tobacco infected by Pseudomonas solanacearum, 1078
Scott, D. H., (173), 906
Scott, H. A., (360), (749), 1292
Scutellonema brachyurum, in amaryllis, 902
Searles, R. B., (970)
Secale cereale (see **rye**)
seed exudations, effect on damping-off of bean, 670, **672, 673**
Sehgal, O. P., 775, 907
semeiography, defined, 247
Semeniuk, G., (330), 409
sensitization, bean leaves to heat, 936
Septoria
apiicola, on celery, symptoms, etiology, morphology and taxonomy of, 1251, **1253**
nodorum, on wheat, epidemiology of, 300
Sequeira, L., 907, 1078, 1240
serology
barley stripe mosaic virus, facilitated by detergent, 1290, **1290,** 1291
bean viruses, relationship of, and related strain in cowpea, 75, **77**
cauliflower mosaic virus in sap, detection by immune adherence, 395
clover yellow mosaic virus, identification of, 615, **615**
cowpea chlorotic mottle virus, a new cowpea virus, 853
Cronartium spp., 622
cucumber mosaic virus vs. Amaryllis mosaic, 360, 361
gel diffusion vs. tube precipitation, 163, **165**
potato spindle tuber virus, and potato virus X, 887
precipitin patterns, effect of placement of reactants on, 163, **165**
prune dwarf virus and necrotic ringspot virus, in Prunus tissue extracts, 995
Prunus necrotic ringspot virus, comparisons to Pfeffinger (rasp leaf) types, 455
Pseudomonas solanacearum, strains of, 1096
radish mosaic virus, related to bean and squash viruses, 1418, **1422**
rod-shaped plant viruses, agar-gel diffusion tests of, 1102, **1105, 1107**
tests for purity, of plant viruses, 282
Xanthomonas vesicatoria
detection in pepper leaves, 1037
a test for identifying the organism in pepper leaf lesions, 625
Sesbania exaltata, common bean mosaic virus in, 1378, **1379**
severe bean mosaic virus, serological relationships to southern bean mosaic virus and related strain in cowpea, 75, **77**
sexuality, evolution in Helminthosporium sp., effects of geographic isolation and host association with, 963, 1207
Shalla, T. A., 907
Shands, R. G., 308
Shatla, M. N., 626, 907
Shaw, C. G., (1436)
Shaw, P. D., (713), (911)
Shay, J. R., (1300)
Shepherd, R. J., 466, (1102)
Sherwood, R. T., 110, 907
Shigo, A. L., 129, 263, 907
Shikata, E., 908
Shinde, B. G., 908
Shipton, W. A., (89), (949)
Shoemaker, P. B., (128)
Showers, W. B., (624)
Siegel, M. R., 748
Sigatoka disease of banana, control by oil sprays, 235, 498

Silbernagel, M. J., 1117
Sill, W. H., Jr., 908
Siller, L. R., (499)
silver, uptake by fungus spores, quantitative studies on competition for, 900
simazine (see **herbicides**)
Simpson, M. E., (747), 748
Sinclair, J. B., (518), (622), (626), (907)
Singh, D., 908
Singh, G. P., 1100
Sinha, R. C., (142), 908
Sirex noctilio, associated with 11 spp. of fungi, in Pinus radiata, 1031, **1031**
Sisler, H. D., (748), (899), (1261)
Sisymbrium officinale, apple latent virus on, 230
β-Sitosterol, effect on oospore production in Phytophthora, 747
Sivapalan, R., 748
Skelly, J. M., (269)
slash pine (see **Pinus** elliottii)
slugs, downy mildew of lima bean transmitted by, 749
Smale, B. C., (747), 748
Smalley, E. B., (908)
Smith, A. L., (625)
Smith, F. F., 748
Smith, L. R., 626
Smith, R. S., Jr., 849, 908
Smith, S. H., 1273, 1437
smut(s) (see **Ustilago, Tilletia**)
flag-, (see **Urocystis agropyri**)
snapdragon rust (see **Puccinia** antirrhini)
snow mold (see **Fusarium** nivale and **Typhula idahoensis**)
Snyder, W. C., (880), (1297)
Sobers, E. K., 478, 500
sodium injury, in chrysanthemum cuttings, 911
sodium propionate
effects on Puccinia graminis and Sphacelotheca reiliana, 893
for stored rough rice, to control storage and field fungi, 858
soft rot (see **Erwinia spp.**)
Sogata orizicola, vector of hoja blanca virus of rice, host range, 536, 624
soil factors
aggregate size, effect on Pratylenchus penetrans, 897
amendments, lignin and chitin for Fusarium solani on bean, 1425
depth, effect on population of Trichodorus christiei, 246
fertility, 134
moisture, effect on:
charcoal rot of sorghum, 514
flag smut of wheat, 1178
hydrogen sulfide, 897
methylisothiocyanate release, 941
pea tip blight and stem rot, 788, **790**
Pratylenchus penetrans, migration and survival, 897
pH, effect on:
methylisothiocyanate release, 941
soil fungi, 134
texture, effect on citrus nematode reproduction, 294
types, effect on methylisothiocyanate released, 941
soil microorganisms
crop residues, related to, 1437
fumigants for, Rhizoctonia, 187
fungicides for
bioassay, 836
cotton diseases, 621
oat mosaic virus, properties and transmission, 428
plant-growth regulators for, in media, 621
Podosporiella verticillata, 353, **353**
Synchytrium endobioticum, estimating sporangia in, 185
Thielaviopsis basicola, isolation of, 548, **550,** 633
Xanthomonas malvacearum, survival, 1198
solan (see **herbicides**)
Solanaceae
beet western yellows virus in, 736
cowpea mosaic virus, 5 spp. as host for, 467
Pseudomonas solanacearum in 10 host spp. for strains of, 1096
Solanum
aculeatissimum, apple latent virus on, 230
adigenum, Phytophthora infestans in, 1398
aviculare, apple latent virus on, 230
capsicastrum, apple latent virus on, 230
Hendersonii, apple latent virus on, 230
integrifolium, apple latent virus on, 230
Khasianum, apple latent virus on, 230
miniatum, apple latent virus on, 230
phureja, Phytophthora infestans in, 1398
pseudo-capsicum, apple latent virus on, 230
rostratum, Heterodera rostochiensis cysts on, in Mexico, 501
tuberosum (see **potato**)
Solberg, R. A., 802
solopathogenicity, Tilletia caries in wheat, 1076
somatic variation, for pathogenicity in Melampsora lini, 823
Sorghum spp.
charcoal stalk rot of, factors, 514, **516**
Colletotrichum graminicolum on, inoculation in field, 621
density and cell death in, due to seasonal trends, 624
downy mildew on, in Texas, 626
Sclerophthora macrospora on, in South Dakota, 409, **413**
halepense, loose kernel smut on, 612
vulgare, effect of loose kernel smut on growth of, 612
vulgare subsp. sudanse, Sclerophthora macrospora on, in South Dakota, 409, **410**
Soria, J., (499)
Soto, C. A., 500
southern bean mosaic virus
in bean
respiratory metabolism in, 914
translocatability, 701
serological relationships to severe bean mosaic virus and related strain in cowpea, 75, **77**
southern root-knot nematode, interaction of Heterodera glycines on soybeans, 304
soybean
anthracnose on, leaf symptoms of, 625
bacterial disease, a new sp. causing, 891
bean pod mottle virus in
growth curve of, during systemic infection, 893
transmission by bean leaf beetles, 240
cowpea mosaic virus on, 467
4 spp. fungi associated with, from Phytophthora-resistant soybean, 906
Heterodera glycines in
effect of soil temperatures on, 1228
nematocides for, and nonhost crop effect in reducing populations of, 1265
Heterodera glycines in roots of, penetration related anatomical changes to, 79, **81, 83, 85, 86**
nematode interaction, Heterodera glycines vs. Meloidogyne incognita, 304
Phytophthora megasperma var. sojae on, host-parasite interaction, 886
Pseudomonas glycinea in, variability in pathogenicity, 890
Pythium aphanidermatum in, a new pathogen of, 901
Pythium seed rot of, effects of oxygen concentration on, 889
storage of, moisture content, mold invasion, and seed viability, 771
tobacco ringspot virus in, transmission, movement, and vector relationships, 723
toxicity, manganese-, in Arkansas, 627
virus indicator plant for:
alfalfa mosaic virus, 893
cowpea chlorotic mottle virus, 853, **854**

soybean cyst nematode (see **Heterodera** glycines)
Spathoglottis, cymbidium mosaic virus of, 974
spearmint (see **Mentha spp.**)
Sphacelotheca
cruenta, effect on growth of Sorghum spp., 612
reiliana, the effects of sodium propionate on, 893
Sphaerotheca pannosa var. persicae, in peach, resistance of mature tissue to, 1409, **1411**
spore germination (see **germination**)
spore trap
portable and continuously sampling, 613, **613, 614**
for studying spore release from basidiocarps, 129
sporulation
Alternaria tomato
chemical requirements, 562
relation of radiation and temperature, 565
Botryotinia ricini, effect of gallic acid on, 903
Cercospora beticola, affected by light and darkness, 890
Cercosporella herpotrichoides, on artificial media, 729, **731, 732, 734**
Cladosporium cucumerinum, influence of substrate on, 1038
in fungi, photo-induced, 1435
of 3 Fusarium spp., factors affecting, 389, **390,** 1053
Leptosphaerulinia briosiana, effect of light and temperature, 910
Phytophthora, effects of light on, in 5 spp. of, 900
Phytophthora palmivora, from cacao in Mexico, 500
Pyrenochaeta terrestris, induced by near-ultraviolet light, 113, **113,** 888
Thanatephorus cucumeris, in light and dark, 874
Verticillium albo-atrum
effects of light on, 765, **767, 768**
influence of biotin on, 481, **483**
spray oils, phytotoxicity to banana leaves and control of Sigatoka disease, importance of source, 235
Sproston, T., (1395)
spruce
Black Hills-, association of dagger nematode with stunting and winterkill, 177
Colorado blue-, association of dagger nematode with stunting and winterkill, 177
Sitka-, decay resistance of, to white-rot fungi, 542
white-, polyporus infection of, 1484, **1484**
Spurr, H. W., Jr., 339
squash (see also **Cucurbita spp.**)
apple latent virus on, 230
cymbidium mosaic virus in, 974
Glomerella magna on, new anthracnose disease, 452, **453**
squash mosaic virus, serological relationship to radish mosaic and bean pod mottle virus, 1418, **1422**
Stahmann, M. A., (760), (911)
stalk rot
charcoal-
of sorghum, relation of plant maturity, temperature, and soil moisture, 514, **516**
corn-
differences in spread related to cell death rate, 626
resistance related to glycoside content, 888
Stallknecht, G. F., (890)
Stanghellini, M., 1437
Staphylococcus aureus, antibiotic produced by diseased Helminthosporium victoriae active against, 899
Staples, R. C., (749), 760, 909
Starling, T. M., (904)
Starr, M. P., (1247)
statistic(s), Barratt and Horsfall rating system, evaluation of, 904
Steere, R. L., 748
Steiner, G. W., 909
Stemphylium
botryosum
in alfalfa, apparent lack of pectolytic enzymes associated with pathogenesis of, 894
inhibition of sporulation by high-temperature radiation, 565
in white and red clover, low temperature effects on, 897
sarcinaeforme, in red and white clover, low temperature effects on, 897
solani
on blue lupine, recessive genes conditioning resistance to, 54
inhibition of sporulation by high-temperature radiation, 565
stem-pitting disease of apple, filamentous virus isolated from, 899
stem rot of peanuts, caused by Sclerotium rolfsii, inoculum potential and differences in susceptibility to, 279
stem rust (see **Puccinia** graminis)
Stenotaphrum secundatum, Piricularia grisea in, influence of nitrogen on infection severity of, 1187
Sterculia mures, host for Guignardia, 40
Stereum frustulatum, lack of color formation on phenol-containing media, 898
Stipes, R. J., 909
Stizolobium deeringianum, common bean mosaic virus in, a new strain of, 1381
Stoner, M. F., 1437
storage decay, Rhizopus stolonifer, in peaches, effectiveness of treated wraps in reducing losses, 1219, **1221, 1222**
storage molds (see also **Aspergillus spp.** and **Penicillium spp.**)
cereals, factors affecting, 1464
rough rice, control of fungi in, by sodium propionate and infrared drying, 858
soybeans, moisture content and seed viability, 771
Stover, R. H., 1320
strawberry
Diplocarpon earliana in, isolation of the pathogen, 906
leaf scorch, Gnomonia fructicola as cause, inoculum concentration, 490, **491**
multiplier virus disease of, amino acid and amide content of plants, 775, **776**
Phytophthora fragariae, relationship of races, 241
red stele, Potentilla susceptible to, 173, **174, 175, 176**
rootlet anatomy and pathology, 1437, 1438
streptomycetes, (unidentified), from white clover stolons, 1128
Stretton, H. M., 1093
Streu, H. T., 748
Strobel, G. A., 242, 636, 909
stubby-root nematode, population, influence of soil depth and sampling date, 246
stunting, ornamental spruce, association of dagger nematode, 177, **179**
Stuteville, D. L., 909
sucrose, effect on infection by potato yellow dwarf virus, 142
sudan grass (see **Sorghum** vulgare subsp. sudanense)
Sudia, T. W., (899)
sugars, in cucumber slices, utilized by Pythium aphanidermatum, 233
sulfur^{35} (see **radioactive elements**)
sulfur
depletion of, from Saccharomyces pastorianus by captan, 881
reduction by Monilinia fructicola, mechanism for, 910
source, effects on Aphanomyces raphani, 1167
Summanwar, A. S., 909
sunflower
black stem of, caused by Phoma helianthi-tuberosi, 492, **493**
effects of heat on, adaptation and sensitization, 936
tissue culture, grafting of tumor tissue back into host, 341
wilt of, host-parasite relationships, 33, **34**
surfactants
effect on 13 spp. of fungi, 909
effect on growth of Phytophthora parasitica var. nicotianae, 987

survival
Cochliobolus sativus in soil, inherent germinability, 349
Helminthosporium turcicum in corn leaf tissues, factors, 896
Poria weirii in buried wood, effect of zone lines and soil fungi, 120, **120**
Pratylenchus penetrans stages, effects of soil moisture and aggregate range, 897
Xanthomonas malvacearum, in cotton debris and soil, 1198, **1199**
susceptibility (see **resistance**)
Suseno, R., (1062)
Sutherland, J. R., 749
Suzuki, N., (367)
sweetpotato (see also **Ipomoea**)
an aphid-transmitted virus of, to Ipomoea setosa, 900
Ceratocystis fimbriata in
antigenic components produced in roots of, in response to infection, 1086
protein and isozyme patterns, 911
Fusarium oxysporum f. batatas in, inoculation at harvest, 1190
Monilochaetes infuscans on, 2 types of resistance to, 624
pollen mother cell disease, 1494, **1495**
root homogenate of as medium for Fusarium oxysporum, 290
Swenson, K. G., 399, (1435)
swep (see **herbicides**)
symposium
plant disease losses, 1305
tree cankers, 250
symptomatology, semeiography defined, 247
Syncarpia laurifolia, Guignardia sp. on, 40
Synchytrium endobioticum, resting sporangia in soil, methods for estimating numbers of, 185
Syzgium cordatum, Guignardia sp. on, 40

Tagetes erecta, electrotaxis of Phytophthora parasitica zoospores to roots of, 226
Takahashi, W. N., (1437)
Takeshita, G., (903)
Tammen, J., (128), 610
Tarjan, A. C., 501
taxonomy, Puccinia coronata, division of species due to morphological variation of urediospores and teliospores, 891
Taxus spp.
Rhizoctonia solani on, effect of pesticides on, 901
brownii, Pythium root rot of, 887
capitata, Pythium root rot of, 887
Taylor, R. H., (163)
Taylorson, R. B., (622)
tea, Armillaria root disease of, variation in isolates causing, 122
Teakle, D. S., 29
technique(s)
aerial photography, for potato late blight detection, 127
agar-gel column, purification of potato virus X, 748
agar-gel diffusion filtration, separation of viruses and plant antigens, 282
bacterial detection in leaves, Xanthomonas vesicatoria in pepper, 1037
bactericide screening, for commercial screening, 889
Barratt and Horsfall rating system, statistical evaluation of, 904
basidial formation, stimulation of, in Rhizoctonia, 1093, **1093, 1094**
cellulolytic activity of fungi, a rapid test for, 904
chromatography
DEAE-cellulose, protein extracts from healthy, cut, and infected sweetpotatoes, 1086
systemic quaternary ammonium fungicides, 892
thin layer-, phospholipids in nematodes, 748
virus inhibitor from red clover vein mosaic, 892
culture medium
Cercosporella brassicae, 892
Tilletia caries and T. controversa, 592, **593, 594**
cytological
for fixing and mounting growing fungi, 863, **863**
staining and fixation of TMV-infected tobacco cells, 802, **803, 804**
density gradient centrifugation, separation of viruses and plant antigens, 282
electron microscopy
barley yellow dwarf virus, purification of, 889
chloroplast fragments in local lesions of TMV-infected tobacco, 870, 871
cymbidium mosaic virus, 974
fraction 1 protein, 282, **287**
Pseudomonas syringae from safflower, 1247, **1249**
rice dwarf and wound tumor virus in hosts, 908
severe bean mosaic virus, southern bean mosaic virus and related strain in cowpea, 75, **77**
electrophoresis
severe bean mosaic virus, southern bean mosaic virus and related strain in cowpea, 75, **77**
viruses and plant antigens, 282
estimating numbers of resting sporangia of Synchytrium endobioticum in soil, 185
fixing and mounting fungi, 863, **863**
fluorescent antibody staining
inclusion bodies associated with rice virus diseases, 367, **368**
Polyporus tomentosus in mixed cultures, soil, and infected pine roots, 898
Xanthomonas vesicatoria in pepper leaf sap, 902
fungistasis, assay method, response of 11 fungus spp., 906
fungus sporulation, straw agar and ultraviolet light, 888
growth rate measurement, linear growth of Fomes annosus isolates, 373, 375
immunochemical double diffusion, protein extracts from healthy, cut, and infected sweetpotatoes, 1086
immuno-fluorescent staining, Puccinia sorghi uredospore germination, 872, **872**
inoculation
Heterodera glycines, agar-cone method, 78
Populus spp. with Hypoxylon pruinatum, 259
Sclerophthora macrospora on cereals and grasses, 411
sorgo with Colletotrichum graminicolum from a tractor-mounted sprayer, 621
Sphacelotheca cruenta, sorghum and Johnson grass, 612
virus-, etiolated but light-treated leaves of grape with grapevine fanleaf virus, 895
inositol supplementation, apparatus for continuous injection of, **698**
intracellular labeling, TMV antigen in tomato, 907
isolation
Cephalosporium gramineum from buried wheat straw, 1035, **1035**
Diplocarpon earliana in strawberry, 906
Phytophthora megasperma in soil dilution plates, 894
soft-rot bacteria of onions, 897
soil fungi,
plant-growth regulators in a basal medium, 621
Thielaviopsis basicola in soil dilution plates, 548, 1475
leaf grafting for virus detection, Rubus henryi for detecting latent Rubus yellow-net virus and heat labile mosaic components in red raspberry, 890
liquid nitrogen
to prepare virus extract of potato spindle tuber virus, 128
in studying unstable viruses, 488
motility and infectivity of Meloidogyne javanica, affected by storage time and temperature, 192
nematocides in soil, diffusion rates and patterns, 910

nematodes
bioassay
lesion-nematode populations, corn plants for, 206
root-knot nematode population, tomato for, 206
rearing, in micro-chambers, 1121
relaxing, heat vs. freezing prior to mounting, 869
selection and disinfestation, 127
quantitative inoculator, design, performance, and use, 509, **509, 510**
resistance, tobacco to Phytophthora, 1356, **1358**
serology (see **serology**)
soil dilution, for Phytophthora megasperma var. sojae from soil, 894
spore detection in rain, Puccinia graminis, 904
spore trap
portable and continuously sampling, 613, **613, 614**
spore release from basidiocarps, 129
sporulation, Cercosporella herpotrichoides on artificial media, 729, **731, 732, 734**
ultraviolet radiation, to induce sporulation of Pyrenochaeta terrestris, 113, **113**
virulence detection, Erwinia on tetrazolium agar, 494
virus detection
potato virus X in potato tuber by the bentonite flocculation test, 1292
psorosis virus in sour orange by iodine, 622
wound-tumor virus in internal organs of insect vector, 908
virus inhibitor separation
red clover vein-mosaic virus by column chromatography, 892
sucrose and centrifugation, 888
virus inoculation, a "T"-head inoculator for local-lesion assay, 196, **196**
virus purification
by chromatographic methods, tobacco necrosis virus, carnation ringspot virus, and carnation mottle virus, 608, **608**
potato virus X, with agar-gel columns, 748
virus recovery, aster yellows virus from carrot tissue cultures, 747
virus separation, of cowpea mixture, on 4 indicator plants, 739
viscometer, rotating spindle- and capillary pipette-, for measuring enzyme activity, 110, **110**
in vitro growth
geranium apical meristem, 889
leafhopper vector cells, 747
volatile toxicants bioassay, fungicides in soil, 836

Temp, M., 910

temperature, effects on:
Alternaria tomato, sporulation, 565
Cercosporella herpotrichoides, 729, **731, 732, 734**
charcoal rot of sorghum, 514, **516**
clover, red- and white-, survival, 897
corn diseases in Costa Rica, 127
downy mildew, disease, 181
false broomrape in tobacco, 622
Fomes annosus
growth of isolates, 373, **375**
growth and survival in pine bolts, 893
Fusarium from red clover, growth and sporulation, 1053
Helminthosporium spp. from bluegrass, 1065, 1084
Heterodera glycines, on soybean roots, 1228
Leptosphaerulina briosiana, growth and sporulation, 910
Macrophomina phaseoli, on Pinus lambertiana, 908
Meloidogyne javanica, motility and infectivity, 192
methylisothiocyanate, release from mylone-treated soil, 941
Mycosphaerella musicola, fructification, 1320
nematodes on corn and potato, population trends, 317
oat mosaic virus, 428
pea tip blight and stem rot, 788, **789**
Phytophthora: on lima bean, 896; on pineapple, 1287, 1288
potato virus X, particle length and infectivity, 901
Puccinia graminis tritici, appressoria penetration, 949
selection of entities in, 1352
Puccinia striiformis, 1432
Pythium aphanidermatum, in soil, 955
Rhizoctonia, translocation of P^{32}, 899
Sclerophthora macrospora, sporangia formation and germination, 414
snow mold, control, 693, **694**

Tetracocosporium paxianum, in red clover, in virus-root rot complex, 911

tetrazolium, to distinguish virulence of Erwinia carotovora, 494

Texas cotton vein clearing virus, in cotton, compared with California cotton leaf crumple virus, 623

Thalictrum spp., Puccinia recondita tritici infection on, 905

Thames, W. H., Jr., (187), 626

Thanatephorus spp. (see also **Rhizoctonia spp.**)
cucumeris
sporulation of, in light and dark, 874
stimulation of basidial formation, 1093, **1093, 1094**
praticolus
on pea, optimum environment for its development, 788, **789, 790**
stimulation of basidial formation, 1093

Thea spp. (see **tea**)

Theis, T., (827)

Theobroma cacao (see **cacao**)

thermoperiod cycling, effects on amino acids in Sclerotinia trifoliorum sclerotia, 1395

Thielaviopsis spp.
from Phytophthora-resistant soybeans, 906
basicola
localized infections in tobacco leaves giving nonspecific acquired resistance to pathogens, 523, **525, 526, 527**
population of in soil, a comparative study of quantitative methods, 633
recovery of, effect of certain fungal isolation agar media on, 548, **550,** 1475, **1478, 1479**
paradoxa, in cacao, role of brown jay in epiphytotics, 894

Thomas, C. A., (903)

Thomas, C. E., 627, 910

Thomas, W. D., Jr., (1431)

Thomasine, Sister Mary, (723)

Thomason, I. J., 192

Thorn, G. D., 910

Thorpe, H., (905)

Thurston, H. D., (498)

Tilletia
caries
compatibility with T. controversa, 1117
isolation and in vitro culture of, 592, **593**
solopathogenicity in wheat, 1076
controversa
compatibility with T. caries, 1117
isolation and in vitro culture of, 592, **594**
spore germination, affected by ingestion by earthworms, 878, **878**

Timian, R. G., 910

Timmer, L. W., (196)

Tinline, R. D., (349)

tissue culture
aster yellows virus recovery, from carrot tissue culture inoculated in vitro, 747
tomato, distinguishing tissue of normal and pathological origin, 339, **340, 341**
virus infectivity, TMV of tobacco and tomato tissue from susceptible and resistant sources, 902

tobacco (see also **Nicotiana spp.**)
apple latent virus on, 230
cowpea mosaic virus on, 467
false broomrape of, influence of soil temperature, 622
Meloidogyne javanica and M. incognita acrita on, varieties resistant to, 623

Phytophthora parasitica var. nicotianae, effect of defoliation on resistance to, 912
Pseudomonas solanacearum in, origin of indoleacetic acid, 907
rust on, in Honduras, 499
tobacco mosaic virus, infectivity of tissue cultures from resistant sources, 902
viruses on, cross-protection with potato virus Y and potato veinal necrosis virus, 500
tobacco etch virus, in tabasco-pepper seedlings, physiological changes preceding wilt, 893
tobacco mosaic virus
assaying infectivity, 898
in bean, ribonuclease distribution, 908
electron microscopy of, chloroplast fragments in infected tobacco, 870, **871**
inhibitor of, in Chenopodium amaranticolor, separation with sucrose and centrifugation, 888
in Nicotiana spp., staining and fixation of virus-infected cells, 802, **803, 804**
in pepper, causing fruit breakdown, varietal differences, 127
resistance to, localized and systemic, caused by Thielaviopsis lesions in tobacco leaves, 523, **527**
Samsun latent strain (see **Samsun latent tobacco mosaic virus**)
stable, dense, viral form of, 890
synthesis of, 1437
in tobacco,
accumulation of fluorescent compounds in, associated with hypersensitivity, 1062
infectivity of tissue cultures from resistant sources, 902
inhibition by 6-azauracil, 815
reduction in lesions by oil treatment, 962
uridine-H^3 incorporation, 1437
in tomato
infectivity of tissue cultures from susceptible and resistant sources, 902
intracellular labeling of TMV antigen, 907
tobacco necrosis virus
in cowpea, effects of heat on, adaptation and sensitization, 936
in mung bean, to test infectivity of zoospores of Olpidium brassicae, 29
purification of, by chromatographic methods and electron micrograph, 606, **608**
relationship to Olpidium brassicae, 893
resistance to, localized and systemic, caused by Thielaviopsis lesions in tobacco leaves, 523, **525**
transmission of, by Olpidium brassicae, effect of chelating agents on, 895
tobacco rattle virus
compared with pea early browning virus, 1431
nematode vector for, 1434
tobacco ringspot virus
in bean, translocatability, 701
inhibitor of, in Chenopodium amaranticolor, separation with sucrose and centrifugation, 888
in soybean, transmission, movement, and vector relationships, 723
a "T"-head inoculator for local-lesion assay on black cowpea, 196, **196**
transmission, by Xiphinema americanum, in serial transfer, 900
Xiphinema americanum, as vector, 625, 799
tobacco stunt nematode (see **Tylenchorhynchus claytoni**)
Toler, R. W., 428, (622), 910
tolerance
adapted-, by cotton isolates of Rhizoctonia solani, to fungicides, 518, 626
to mercury, by Aspergillus niger, Rhizoctonia solani, Pythium ultimum, 886
tomato
anthracnose of, nitrogen nutrition of Colletotrichum coccodes, 691
apple latent virus on, 230
bacterial wilt of, role of certain plant-parasitic nematodes in infection of, 151, **153**
Chaetomium sp. effects on, in gnotobiotic conditions, 899
crown gall, normal and pathological tissue, 339, **340, 341**
early blight, protection from by bacterium from cucumber leaves, 898
electrotaxis of Phytophthora parasitica zoospores to roots, 226
Fusarium oxysporum f. lycopersici in
Difolatan for, 1431
evaluation of fusaric acid as a wilt factor, 1041
plugging material in xylem and relation to waterflow, 1137, 1139
Fusarium roseum effects, gnotobiotic conditions, 899
potato virus X in, particle length and infectivity as influenced by temperature, 901
Pseudomonas savastanoi in, 1295
Pseudomonas solanacearum in, host range of, serological relationship to other strains, 1096
Rhizoctonia solani, reduction in inoculum potential by 1,2-dibromo-3-chloropropane, 187, **190**
Rhizopus nigricans effects on, in gnotobiotic conditions, 899
root homogenate as culture medium for Fusarium oxysporum, 290
Samsun latent tobacco mosaic virus, noninfective, 1367
tobacco mosaic virus on
infectivity of tissue cultures from different sources, 902
in intracellular labeling of TMV antigen, 907
Trichoderma sp. effects on, in gnotobiotic conditions, 899
Verticillium wilt control, 1431
Xanthomonas vesicatoria in, technique for commercial screening of agricultural bactericides, 889
Toussoun, T. A., (389)
toxic substances, in decomposing plant residue, to Meloidogyne incognita and Pratylenchus penetrans, 905
toxicity, Mn-, in soybean in Arkansas, 627
toxins
Fusarium oxysporum f. lycopersici, fusaric acid as a factor in development of tomato wilt, 1041
Helminthosporium victoriae
genetic control of, 602
physiologic effects on oats, 832, 906
Pseudomonas phaseolicola, halo-inducing in bean leaves, 895
Sclerotinia homeocarpa, degeneration of apical meristem of bentgrass roots, 1175, **1175**
victorin
effect on oat roots, 1492, **1492**
factors affecting respiratory changes of treated oat tissue, 886
produced by Helminthosporium victoriae, 832
Toxoptera graminum, barley yellow dwarf virus transmission, 908
tracheal fluids, from cotton, effects on Verticillium albo-atrum, 906
translocation
in fungi, of phosphorus^{32} in Rhizoctonia solani, temperature effects, 899
viruses, bean, 701
Trechispora brinkmanni, in Pinus radiata, associated with a wood wasp, 1031, **1031**
Tremaine, J. H., 995
Trichoderma spp.
antagonism to Poria weirii, 120, **120**
effects on dwarf tomatoes in gnotobiotic conditions, 899
viride
dosage responses to volatile toxicants from fungicides in soil, 836
effect on ingression of alfalfa roots by Pratylenchus penetrans, 892

effect on Fomes, 1486
growth in vitro, influence of herbicides on, 901
isolated from white clover stolons, 1127
in Pinus echinata, competitive interaction, 556
in Pinus radiata, associated with a wood wasp, 1031
response of, to soil fungistasis, 906
Trichodorus allius, vector for tobacco rattle virus, 1434
Trichodorus christiei
on alfalfa, 1436
on azaleas, southern-propagated stock in Wisconsin, 887
in cotton, pathogenicity of, 1019
on cranberry, occurrence, parasitism, and pathogenicity, 677, **679**
in cranberry bogs, population dynamics, 654
effect on hairy vetch, 747
populations, influence of soil depth and sampling date, 246
trifluralin (see **herbicides**)
Trifolium spp. (see also **clover**)
incarnatum, wound tumor virus in, electron micrographs of, and its arthropod host, 908
subterraneum, common bean mosaic virus in, a new strain of, 1381
Trione, E. J., 592
tristeza virus
on citrus, 1431
in sour orange, histological study of, 892
Triticum aestivum (see **wheat**)
Troutman, J. L., 225
tryptophan (see **amino acid(s)**)
Tsao, P. H., (294), 548, 633, 910
tumor-inducing bacterium, Pseudomonas savastanoi, systemic invasion of oleander, 576, **578**
tung (see **Aleurites spp.**)
turfgrasses (see genera of)
Turner, N. J., 910
turnip
Aphanomyces raphani in, seedling infection by, 1167
radish mosaic virus isolated from, physical properties, host range, and reaction to, 890
turnip mosaic virus
degradation of, agar-gel serology of, 1102, **1105**
eradication from horseradish, 747
turnip yellow mosaic virus, in chinese cabbage, a local lesion indicator plant, 746, 1258, **1259**
Tweedy, B. G., 910
tweens (see **surfactants**)
Tylenchorhynchus spp.
population, on sour cherry, effect of host nutrition, 706
claytoni
on azaleas, southern-propagated stock in Wisconsin, 887
in cotton, pathogenicity of, 1019
in cranberry bogs, population dynamics, 654
host range on forest nursery seedlings, 749
Tylenchulus semipenetrans
fungus ecology related to, 1435
influence of soil texture, pH, and moisture on reproduction, 294
in orange tree roots, parasitism and injury to, 1202, **1203**
in Puerto Rico, 501
resistance in citrus rootstocks, 419, **421, 422, 423, 424**
Tylenchus spp.
in cranberry bogs, population dynamics, 654
in Puerto Rico, 501
Tyler, L. J., (729)
Tyner, L. E., 506
Typhula idahoensis,
control of, 1433
wheat resistance to, 1432
Ullstrup, A. J., (379)
Ulmus spp.
Ceratocystis on, related to nitrogen in xylem, 908
carpinifolia and hollandica, Ceratocystis and Verticillium in, comparative resistance to, 896
ultrasonics, effects on plants and disease development, 891
ultrastructure, haustoria of Erysiphe graminis in barley and relationship to the epidermal cell, 889
urediospore
color, Puccinia recondita tritici, mixture of certain races effecting, 104
concentration, effect on determination of races of bean rust, 336, **337**
detection, in rain, Puccinia graminis, 904
dormancy, in Puccinia graminis tritici, 68
germination (see **germination**)
immuno-fluorescent staining for identification, in Puccinia sorghi, 872, **872**
Uritani, I., (1086)
Urocystis agropyri, in wheat, postinfection development related to soil moisture, 1178
Uromyces
appendiculatus, on bean, inhibition by 6-azauracil, 815
phaseoli
in bean, terminal bud removal vs. protein changes, 909
changes in proteins and enzymes in bean leaves after infection, 760, **761, 762, 764**
enzymatic reduction in phosphates, 895
heat effects, 936, 1438
uniform inoculation techniques, 509, **509, 510**
phaseoli phaseoli
determination of races of, effect of urediospore concentration on, 336, **337**
on Pinto bean, control with symmetrical-dichloro-tetra-fluoroacetone, 580
phaseoli typica, respiration, photosynthesis and dark fixation of $C^{14}O_2$, 913
Ustilago
avenae
genetics of pathogenicity, 660
hybridization between races, 660
identification and distribution of races in southeastern USA, 792
pathogenicity, mode of inheritance of, 660, 890
hordei, in barley, inheritance of pathogenicity, 890
kolleri
identification and distribution of races in southeastern USA, 792
in oats, inheritance of pathogenicity, 890
nigra, in barley, inheritance of pathogenicity, 890
nuda, resistance in barley, inheritance and linkage to stem rust, 308
tritici, response to soil fungistasis, 906
zeae, response to soil fungistasis, 906
Uzzell, G., Jr., (1265)

Vaartaja, O., 1031
Vaccinium macrocarpon (see **cranberry**)
Vallega, J., 1305
van der Zwet, T., 627
Van Etten, J. L., 911
Van Gundy, S. D., (192), 294, 419
Vanilla planifolia, Fusarium batatatis on, resistance to, 827
Van Kammen, A., 1437
van Regenmortel, M. H. V., 282
variability
necrotic ringspot and prune dwarf viruses from sour and pin cherry, 1155, **1157, 1159**
variation
Armillaria root disease in Nyasaland, 122
Ceratocystis fagacearum, in pathogenicity, host specificity, and mat production in chestnut and red oaks, 865
Colletotrichum gloeosporioides, 906

Pseudomonas glycinea, pathogenicity in soybean, 890
Puccinia coronata, morphology of teliospore and urediospores of, 891
Puccinia recondita tritici, mixtures of races, 104
Verticillium albo-atrum, number of nuclei in spores and mycelium, 363, **363**
viruses from cherry, 1155, **1157, 1159**
Vaughan, E. K., (113), (336)
vegetable oils (see **oils,** vegetable-)
velvet bean (see **Stizolobium deeringianum**)
Venekamp, J. H., 608, (890)
Venturia inaequalis
on apple callus tissue, growth in relation to pathogenicity, 905
apple leaves resistance to
related to β-glycosidase and phenoloxidase in, 98
related to oxidation of phloridzin and phloretin, 92
Verticillium
albo-atrum
biochemical mutants of, 795, **797**
biotin requirement for optimum growth, 481, **483**
in cotton, tracheal fluids related to development of, 906
Difolatan for, 1431
effect of insecticides on, 1437
effects of light on growth and sporulation, 765, **767, 768**
in elm clones, resistance of Ceratocystis ulmi in same clones, 895
heterokaryosis and parasexualism in, 795, **797**
mechanisms of variation, 795
nuclei of, in spores and mycelium, 363, **363**
in potato roots, rates of phenolic synthesis, 903
resistance to infection by potato roots, relation of chlorogenic acid and free phenols to, 531
response to soil fungistasis, 906
dahliae
colonization of plant debris in soil by, 900
fumigants for, 1432
as a strain of V. albo-atrum, 795
Vertrees, Ingrid, 1437, (1438)
vetch, hairy-, effect of 4 spp. of plant parasitic nematodes, 747
Vicia faba, clover yellow mosaic virus in, distribution in root tips, 1273, **1273**
Victoria blight of oats (see also **Helminthosporium** victoriae)
toxin production and pathogenicity, 602
toxin uptake by oat tissue, 832
victorin (see **toxins**)
Vigna sinensis (see also **cowpea**)
apple latent virus in, 230
Arkansas cowpea mosaic virus in, transmission by the bean leaf beetle, 911
citrus variegation virus in, properties, 946
cowpea mosaic virus, properties and relationship to bean pod mottle virus, 466, **468, 472**
cowpea virus mixture, separation of 4 viruses on 4 indicator plants, 739
effects of heat on, adaptation and sensitization, 936
electrotaxis of Phytophthora parasitica var. nicotianae zoospores to, 226
indicator plant for transmission of tobacco ringspot by Xiphinema americanum, 799
mosaic virus in, identity of, 910
new virus in, cowpea chlorotic mottle virus, purification, serology, and properties of, 853, **854, 856**
root homogenate of, culture medium for Fusarium oxysporum formae, 290
tobacco ringspot virus in, "T"-head inoculator for local-lesion assay, 196, **196**
vinas disease, of coffee in Guatemala, a new disease, 500
Vinca spp.
tissue culture, 341
rosea, apple latent virus on, 230
Vincent, M. M., (1292)
virulence
acid production as a factor in Erwinia carotovora, 237
Ceratocystis ulmi, single-ascospore crosses, 128
Colletotrichum falcatum, related to polygalacturonase production, 1100
Erwinia carotovora, distinguished by carbon source and tetrazolium agar, 494
Puccinia recondita tritici, mixture of certain races effecting, 104
viruses (see also by common name and under hosts)
acquisition and transmission, lettuce big-vein by Olpidium brassicae, 681
aphid transmission of
pea enation mosaic virus by the pea aphid, biological relationship between them, 1269
variation among clones of injected Myzus persicae in ability to transmit potato leafroll virus, 199
aphid vectors, repellency of reflective aluminum to transient aphids, 748
apple-
characteristics of 2 filamentous viruses from, 899
mechanical transmission and host range of a latent virus, 229
assay
local lesion-, turnip yellow mosaic, 746
a "T"-head inoculator for local-lesion assay, 196, **196**
causing increased susceptibility, peas to Fusarium solani and Aphanomyces euteiches, 1279, **1280**
clover-, resistance to 5 viruses, 909
corn-, unidentified, from southern Ohio, 912
cowpea-, identity of a mosaic virus in, 910
cytopathology of, potato virus X increase in Datura tatula, 909
degradation of and agar-gel diffusion tests of rod-shaped plant viruses, 1102, **1105, 1107**
detection of:
potato virus X in potato tubers by the bentonite flocculation test, 1292
psorosis virus in sour orange leaves by iodine, 622
Rubus henryi for latent Rubus yellow-net virus and heat-labile mosaic components in red raspberry, 890
wound-tumor virus, internal distribution in insect vector, 908
effect of chloramphenicol on, amino acids and amides in cucumber virus infected plants, 907
electron micrographs of, in arthropod and plant hosts, 908
exocortis of citrus, indexing for, 1359, **1361**
heat-labile mosaic components, in red raspberry, leaf grafting to Rubus henryi, 890
indexing
Prunus ringspot virus, bark-shields vs. bark-patches in transferring from Italian prune to Shirofugen cherry, 1339
Prunus ringspot virus on Shirofugen cherry, the effects of host stem age and strain virulence on results, 1393
a rapid method for exocortis of citrus, 1359, **1361**
infection, of ladino clover, effect on persistence, 898
infectivity assay, an improved method, 898
inhibition of local lesions, red clover vein-mosaic virus on Gomphrena globosa by clover flower juice, 892
inhibitor of, in Chenopodium amaranticolor, to tobacco mosaic virus, tobacco ringspot virus, and alfalfa mosaic virus, separation of, 888
inoculation technique, a "T"-head inoculator for local-lesion assay, 196, **196**
insect transmission
efficiency of 4 aphid spp. in transmitting 20 isolates of barley yellow dwarf virus, 908
Prunus ringspot virus, lack of by 32 aphid spp., 18 leafhopper spp., and 12 spp. of other insects and mites, 399
2 viruses in flax, simultaneous infection and transmission, 1028, **1030**
intracellular labeling of TMV antigen in tomato, 907

Ipomoea setosa, an aphid-transmitted virus in, from russet crack-affected sweetpotatoes, 900
latent-, in apple, mechanical transmission and host range, 229, **231**
maple decline, not causing but tested for, 1389
mechanical transmission, virus latent in apple, 229
migration patterns, of Prunus ringspot virus in sweet cherry, 1335
movement
tobacco ringspot virus, in soybean, 723
translocatability of tobacco ringspot and southern bean mosaic virus in bean, 701
multiplication and movement
potato virus X in Nicotiana tabacum, influence of boron on, 1405, **1406**
Wisconsin pea streak virus in pea, 899
nucleic acid changes in tissue, Prunus mahaleb infected with Prunus ringspot virus, 1109
Pfeffinger (rasp leaf) types, serological and physicochemical comparisons with Prunus necrotic ringspot, 455
preparations, antigenic plant contaminants in, separation of, 282
purification of
bean and cowpea viruses, 75, **77**
cucumber mosaic virus, 282
necrotic ringspot virus, 282
potato virus X, with agar-gel columns, 748
watermelon mosaic virus, 282
recovery of, aster yellows virus from carrot tissue cultures, 747
rice diseases, fluorescent antibody staining of inclusion bodies associated with, 367, **368**
rod shaped-, agar-gel diffusion serology of, 1102, **1105, 1107**
seed borne-, cucumber mosaic virus, in blue lupine, 627
seed transmitted, alfalfa mosaic virus in alfalfa seed, 893
separation of, cowpea mixture, on 4 indicator plants, 739
serology (see **serology**)
transmission by:
aphid, 129
beetle, bean leaf-, Arkansas cowpea mosaic, 911
dodder, barley yellow dwarf, 910
fungi, lettuce big-vein by Olpidium brassicae, 29, 681, 896
insect, hoja blanca of rice, 536
pear decline, 1346, **1348**
liquid nitrogen as aid in, 488
mechanical, potato spindle tuber, factors, 128
nematode (Xiphinema), tobacco ringspot, 723, 799
phenol extracts as aid in, potato leaf roll, 1223
seed
alfalfa mosaic, 893
bean virus, in flour of infected seed, 489
cucumber mosaic, in blue lupine, 627
soil, oats in North Carolina, 428
virus-fungus relationships, in root rot complex on red clover, 911
vitamin, effect on growth of Cercospora arachidicola, 1237
vitamin content, wheat plants infected with Puccinia graminis tritici, 502
vitamin requirement, Verticillium albo-atrum, biotin for best growth, 481, **483**
Vitis (see **grape**)
Vlamis, J., 911
Voros, J., 911

Waldron, H. M., Jr., 1437
Walker, J. C., (49), (51), 140, (903), 952
walnut (see also **Juglans nigra**)
branch wilt of, 1436
Walters, H. J., 240, 627, 911
Walton, G. S., 129
Wang, Helen L., (890)
watermelon
Glomerella cingulata in, comparative morphology of, 909
Glomerella magna on, causing a new anthracnose disease, 452
gummy stem blight disease, spore trapping, with a portable and continuous sampler, 613, **613, 614**
root homogenate of, as medium for Fusarium oxysporum, 290
watermelon mosaic virus
of cantaloupe, relationship to crown blight, 460
host-reaction, cross protection, and serological relations for 10 selected isolates, 749
purification of, 282
Waters, W. E., (674)
Waterworth, H. E., 1155
Watson, R. D., 911, 1437
weather, effect on dispersal of Alternaria spores, 628
Weathers, L. G., 968
Webb, R. E., 749, (749)
Weber, D. J., 911
Weber, G. F., (902)
Weinhold, A. R., 912, 1409
Weinstein, L. H., (746)
Weintraub, M., 870
Wells, H. D., (54), 627
Wescott, E. W., 1261
Wester, R. E., 749
wheat
bunt fungi, isolation and culture of Tilletia caries and T. controversa, 592, **593, 594**
Cephalosporium gramineum in, from buried host debris, 1035, **1035**
Erysiphe graminis on, inhibition by 6-azauracil, 815, **818**
Erysiphe graminis hordei on, after predisposition by E. graminis tritici, 618
glume blotch of, epidemiology, 300
leaf rust of, stomatal exclusion by peduncles and sheaths, 214
mosaic streak virus of cardamom in, alternate host for, 904
Podosporiella verticillata, soil borne pathogen of, 353
predisposition of, by Erysiphe graminis tritici to infection with E. graminis hordei, 618
Puccinia graminis tritici in
appressoria penetration, factors affecting, 949
control with nickel salt plus dithiocarbamate, 999
effect of infection on vitamin content of wheat plants, 502
effects of light quality on infection, 1342
the effects of sodium propionate on, 893
infection type in relation to penetration of, 89
selection of entities that infect at low temperatures, 1352
Puccinia recondita on
control with nickel salt plus dithiocarbamate, 999
control with symmetrical-dichlorotetrafluoroacetone, 580
physiologic races of, differential varieties for, 385
rust of, enzymatic reduction of triose, pentose, and hexose phosphates associated with, 895
Sclerophthora macrospora on, in South Dakota, 409
Septoria nodorum, epidemiology of, 300
storage of, factors affecting fungus flora and seed germination, 905, 1464
Tilletia caries in, solopathogenicity of, 1076
Urocystis agropyri, postinfection development related to soil moisture, 1178
varieties of, effect on penetration of Puccinia graminis tritici strains, 89
Wheeler, H., (886), (1492)
Whitaker, T. W., (587)
Whitcomb, R. F., 142
white clover mosaic virus
degradation of alkali, 1103

in red clover with 3 spp. of fungi causing severe root rot, 911
white rust (see **Albugo candida**)
white-wood rotting fungi, color formation on phenol-containing media of 14 spp., related to lignin breakdown, 897
decay resistance to, of extractive-free coniferous woods, 542
Whitney, H. S., 874
Whitney, R. D., 1484
Wilcoxson, R. D., (899), (1048), (1065), (1084), (1415), (1443)
wild cucumber mosaic virus, immunodiffusion precipitin patterns, 163, **165**
Wiles, A. B., 627
Wilhelm, S., (1437), 1438
Williams, A. S., 912
Williams, E. B., (92), (98), (1152)
Williams, L. E., (134), 912
Williams, P. H., 446, 749, 912, (1240)
Willison, R. S., (995)
Wills, W. H., (225), 912, 1133, 1356
Wilson, E. E., 576, 912
Wilson, E. M., (840)
Wilson, J. D., 912
Wilson, R. A., (747), (748)
Wilson, V. E., 147, 489
wilt (see also **Fusarium** oxysporum)
chrysanthemum, caused by cowpea Fusarium race 1, 886
cotton, increased by Rotylenchulus reniformis, 625
cowpea, races within plant, 623
cross-protection of wilt suscepts with 8 f. sp. of, 891
Lupinus spp., common hosts for Fusarium from 6 hosts, 1232
red clover, mechanism of, 646, **647, 649, 650, 651, 652**
selective pathogenicity, role of fungi toxicants, 290
tomato
fusaric acid affecting, 1041
plugging material in xylem, relation to water flow, 1137, 1139
Winstead, N. N., (233), (452), (909)
winter-cress (see **Barbarea verna**)
winterkill, ornamental spruce, association of dagger nematode, 177, **179**
Wisconsin pea streak virus
local lesion test plant for, Chenopodium amaranticolor, 807, **807, 809,** 899
in pea, multiplication and movement, 899
in red clover, resistance to, 909
Wood, F. A., (56), (129), 269
wood blocks, buried-
survival of Poria weirii in, effect of zone lines and soil fungi, 120, **120**
decay by
Alternaria sp. and Penicillium sp., 867
Fomes annosus, factors, 373, **375**
pattern in northern hardwoods, 129
Xylariaceae spp., 56, **57**
decay resistance of, by white-rot fungi, extractive-free coniferous woods, 542
wood-rotting basidiomycetes, color formation on phenol-containing media as related to lignin breakdown, 897
woody ornamentals, nematocidal activity of phorate and Disyston, 748
Work, G., (887)
wound-tumor virus
in Agallia constricta, distribution in internal organs, 908
electron micrographs of, in arthropod and plant hosts, 908
Wrenn, C. J., (1161)
Wright, J. R., 913
Xanthomonas
axonoperis, causing gummosis disease of imperial grass, 498
guizotiae sp. nov., on Guizotia, 1490, **1490**
malvacearum
in cotton plant debris and soil, survival and infectivity of, 1198, 1199
longevity on and in cotton seed, 617, 1009
longevity in dried cotton plants and recovery from cotton gins, 1009, **1011**
pectic and cellulolytic enzymes produced by, 597, **598**
pelargonii, resistance of Pelargonium spp. to, 128
vesicatoria
detection of, in pepper leaf sap using fluorescent antibody staining, 902
isolated from internally-infected pepper tissue, 358
in pepper leaf lesions, a microagglutination test for, 625
in pepper, a rapid method for detection of, in leaves, 1037
in tomato, technique for commercial screening of agricultural bactericides, 889
Xiphinema spp.
in Puerto Rico, 501
americanum
association with stunting and winterkill of ornamental spruce, 177, 179
efficiency as a vector of tobacco ringspot virus, 625, 799
population, on sour cherry, effect of host nutrition, 706
transmission of tobacco ringspot virus in serial transfer, 900
Xylariales
developmental morphology in, of Hypoxlyon pruinatum in bark of quaking aspen, 154, **156, 158, 159, 160**
species of, role of in wood decay, 56, **57**
xylem
of elm, nitrogenous compounds in, after infection with Ceratocystis ulmi, 908
as invasion channels, for Pseudomonas savastanoi, a tumor-inducing bacterium of oleander, 576, **578**
xyloporosis virus, in orange, sour-, histological study of, 892

Yang, C. Y., 913
Yarwood, C. E., 885, 936, (1433), 1438
Yates, W. E., (1434)
yeast (see **Saccharomyces**)
Yirgou, D., 1490
Young, H. C., Jr., (905)
Young, R. A., (531)

Zabel, R. A., 275
Zaki, A. I., 913
Zaumeyer, W. J., 1378
Zea mays (see **corn**)
Zentmyer, G. A., (211), (238), (499), (500), (1302)
Zettler, F. W., 129
Zingiber officinals (see **ginger**)
Zinnia elegans
apple latent virus on, 230
electrotaxis of Phytophthora parasitica var. nicotianae, zoospores to, 226
zonal leaf spot of coffee, caused by Cephalosporium zonatum in Costa Rica, 500
zone lines, in wood as affecting survival of Poria weirii, 120, **120**
zoospores, electrotaxis of Phytophthora parasitica var. nicotianae, to roots, 225
Zscheile, F. P., Jr., (663), (900), (1112), (1281)
Zucker, M., (903)
Zuckerman, B. M., 654

ERRATA, VOLUME 53

Page 230, Table 2, line 6 from bottom, *read* 19.9 *for* 10.9.

Page 981, column 2, line 12 from bottom, *read* 0.03 μM *for* 0.03 M.

Page 1085, column 1, line 36, *read* though *for* through.

Page 1177, column 1, line 14, *read* at *for* as.

Page 1214, column 1, line 1, *read* humidity dropped below *for* humidity below.

Page 1214, column 1, last line, *read* $Y = bX + a$ were *for* $Y = bX - a$ were.

Page 1214, column 2, line 2, *read* $Y = 0.66X + 4.103$ *for* $Y = 0.66X - 4.103$.

Page 1256, illustration opposite this page, upside down.

Page 1287, Fig. 2 caption, line 3, *read* 66 min *for* 66 mm.

Page 1327, Table 3, last column, symbol for less should be greater than.

Page 1399, column 2, line 2, *read* affective *for* internal.

Directory, Page D20, *read* Blaszczak, W. *for* Baszczak, W. Page D49, *delete* Mathilda, Chorin, Moscovitz St. 35, Rehovot, Israel; *insert* on page D24 after Choi as Chorin, Mathilda.

ERRATA, VOLUME 54

Page 49, column 2, line 24, *read* 20 colorimeter at 490 mμ *for* 20 colorimeter.

Page 59, column 2, line 2 from bottom, *read* lower *for* upper.

Page 80, column 2, line 4 from bottom, *read* cortex *for* contex.

Page 98, column 1, line 12 from bottom, *read* atrosanguinea *for* astrosanguinea.

Page 132, Table 2, column 6, lines 1 & 2 of body, *read* 5.0 *for* 7.50.

Page 142, column 1 of Summary, line 8, *read* lesion number was decreased or unaffected *for* lesion number was increased, decreased, or unaffected.

Page 211, column 1, line 20 from bottom, *read* Fig. 1-E *for* Fig. 1-C.

Page 341, column 1, line 9 from bottom, *read* lower on C and D and 6 was higher on C than D medium *for* lower on D than C and 6 was higher on D than C medium.

Page 531, column 1, line 24 from bottom, *read* were not infected *for* were infected.

Page 532, Table 2, column heading *read* Infections/10 cm of root *for* Infections/cm of root.

Page 567, Fig. 2 and 3, transpose.

Page 880, column 2, citation 3, *read* Phytopathology 49:310-312 *for* Phytopathology 49:755-756.

Page 985, column 2, line 6 from bottom, *read* 2,500 *for* 10,000.